

```
SQL> SELECT COUNT(*) FROM DUAL;
```

```
COUNT(*)
```

```
-----
```

```
1
```

```
SQL> SELECT * FROM DUAL;
```

```
D
```

```
-
```

```
X
```

```
SQL> desc dual;
```

```
Name                               Null?  Type
```

```
-----
```

```
DUMMY                               VARCHAR2(1)
```

```
SQL> SELECT 'ABCDEF12345' FROM DUAL;
```

```
'ABCDEF1234
```

```
-----
```

```
ABCDEF12345
```

```
SQL> SELECT 123792.52 FROM DUAL;
```

```
123792.52
```

```
-----
```

```
123792.52
```

```
SQL> DELETE FROM DUAL;
```

```
DELETE FROM DUAL
```

```
*
```

```
ERROR at line 1:
```

```
ORA-01031: insufficient privileges
```

```
SQL> TRUNCATE TABLE DUAL;
```

```
TRUNCATE TABLE DUAL
```

```
*
```

```
ERROR at line 1:
```

```
ORA-00942: table or view does not exist
```

```
SQL> SELECT sysdate FROM DUAL ;
```

SYSDATE

-----

04-MAR-21

SQL> SELECT 15+10-5\*5/5 FROM DUAL;

15+10-5\*5/5

-----

20

### **STRING FUNCTIONS**

SQL> SELECT CONCAT('Hello' , 'World')

2 FROM dual

3 ;

CONCAT('HE

-----

HelloWorld

SQL> select concat('hello','world') from dual;

CONCAT('HE

-----

helloworld

SQL> SELECT INSTR('hello' , 'e')

2 FROM dual

3 ;

INSTR('HELLO','E')

-----

2

SQL> SELECT LENGTH('hello')

2 FROM dual;

LENGTH('HELLO')

-----

5

SQL> SELECT RTRIM(' hello ')

2 FROM dual;

RTRIM(

-----  
hello

```
SQL> SELECT LTRIM(' hello ')
2 FROM dual;
```

LTRIM('HE  
-----  
hello

```
SQL> SELECT REPLACE('hello', 'e', '$')
2 FROM dual
3 ;
```

REPLA  
-----  
h\$llo

```
SQL> SELECT REVERSE('hello')
2 FROM dual;
```

REVER  
-----  
olleh

```
SQL> SELECT SUBSTR('hello', 2,3)
2 FROM dual;
```

SUB  
---  
ell

```
SQL> SELECT LOWER('HELLO')
2 FROM dual;
```

LOWER  
-----  
hello

```
SQL> SELECT UPPER('hello')
2 FROM dual;
```

UPPER  
-----

HELLO

```
SQL> SELECT INITCAP('hello')
2 FROM dual;
```

INITC

-----

Hello

```
SQL> select substr('hello',2);
select substr('hello',2)
*
```

ERROR at line 1:

ORA-00923: FROM keyword not found where expected

```
SQL> select substr('hello',2) from dual;
```

SUBS

----

ello

```
SQL> select substr('helloworld',2) from dual;
```

SUBSTR('H

-----

elloworld

```
SQL> select substr('helloworld',5,4) from dual;
```

SUBS

----

owor

## **NUMERIC FUNCTIONS**

```
SQL> SELECT TRUNC(59.9)
2 FROM dual;
```

TRUNC(59.9)

-----

59

```
SQL> SELECT CEIL(59.1)
2 FROM dual;
```

CEIL(59.1)

-----

60

SQL> SELECT ROUND(59.9)  
2 FROM dual;

ROUND(59.9)

-----

60

SQL> SELECT ROUND(59.1)  
2 FROM dual;

ROUND(59.1)

-----

59

### **DATE FUNCTIONS**

SQL> SELECT ADD\_MONTHS('05-JAN-2020',4) FROM DUAL;

ADD\_MONTH

-----

05-MAY-20

SQL> select current\_date from dual;

CURRENT\_D

-----

04-MAR-21

SQL> select current\_timestamp from dual;

CURRENT\_TIMESTAMP

-----

04-MAR-21 12.48.13.679000 PM +05:30

SQL> select extract(year from sysdate) from dual;

EXTRACT(YEARFROMSYSDATE)

-----

2021

```
SQL> select extract(day from sysdate) from dual;
```

```
EXTRACT(DAYFROMSYSDATE)
```

```
-----
```

```
4
```

```
SQL> select extract(month from sysdate) from dual;
```

```
EXTRACT(MONTHFROMSYSDATE)
```

```
-----
```

```
3
```

```
SQL> SELECT LAST_DAY('15-AUG-2014') from dual;
```

```
LAST_DAY(
```

```
-----
```

```
31-AUG-14
```

```
SQL> SELECT LAST_DAY('15-feb-2020') from dual;
```

```
LAST_DAY(
```

```
-----
```

```
29-FEB-20
```

```
SQL> SELECT MONTHS_BETWEEN('01-MAY-2020','01-JAN-2020') FROM DUAL;
```

```
MONTHS_BETWEEN('01-MAY-2020','01-JAN-2020')
```

```
-----
```

```
4
```

```
SQL> select sysdate from dual;
```

```
SYSDATE
```

```
-----
```

```
04-MAR-21
```

```
SQL> SELECT SQRT(4) FROM DUAL;
```

```
SQRT(4)
```

```
-----
```

```
2
```

```
SQL> SELECT power(4,2) from dual;
```

POWER(4,2)

-----

16