

COMPUTER NETWORKS QUIZ

1 message

Google Forms <forms-receipts-noreply@google.com> To: hs2237@srmist.edu.in

Sun, 16 Oct, 2022 at 5:27 pm

	_
ale	Forms
yıc.	

Thanks for filling out	COMPUT	TER NET\	NORKS	QUIZ
------------------------	--------	----------	-------	------

Here's what was received.

DEPARTMENT *

CSE

COMPUTER NETWORKS QUIZ

Email *
hs2237@srmist.edu.in
Full Register Number * RA2011026020086
Full Name * Harshit V

AIML
BDA
CYBER SECURITY
IOT IOT
CSBS CSBS
GAMING
CLOUD COMPUTING
Section *
A
✓ B
С
D
□ E
☐ F
☐ G
□ Н
J
ANSWER ALL THE QUESTIONS
In one of the pair of the protocol given below, Both the Protocol can use Multiple TCP connection between the same client and server which one is that?
● HTTP, FTP

	HTTP, TELNET
0	FTP, SMTP
0	HTTP, SMTP
Whic	ch one of the following statements is NOT correct about HTTP cookies?
•	A cookie is a piece of code that has the potential to compromise the security of an internet user
0	A cookie gains entry to the user's work area through an HTTP header
0	A cookie has an expiry date and time
0	Cookies can be used to track the browsing pattern of a user at a particular site
	tify the correct order in which a server process must invoke the function calls ept, bind, listen, and recv according to UNIX socket APL
0	listen, accept, bind recv
•	
	bind, listen, accept, recv
	bind, listen, accept, recv bind, accept, listen, recv
0	
0	bind, accept, listen, recv
	bind, accept, listen, recv
	bind, accept, listen, recv Accept listen, bind, recv ch one of the following protocol is NOT used to resolve one form of address to
	bind, accept, listen, recv Accept listen, bind, recv ch one of the following protocol is NOT used to resolve one form of address to ther one
	bind, accept, listen, recv Accept listen, bind, recv ch one of the following protocol is NOT used to resolve one form of address to ther one DNS

Which of the following is/are example of stateful application layer protocol? (i)HTTP (ii)FTP (iii)TCP (iv)POP3
(i) and (ii)
(ii) and (iii)
(ii) and (iv)
(iv) only
The DNS maps the IP address to
a binary address as strings
an alphanumeric address
a hierarchy of domain names
a hexadecimal address
HTML (Hypertext Markup Language) has language elements, which permit certain actions other than describing the structure of the Web document. Which one of the following actions is NOT supported by pure HTML (without any server or client-side scripting) pages? © Embed Web objects from different sites into the same page. Refresh the page automatically after a specified interval.
Automatically redirect to another page upon download. Display the client time as part of the page.
Display the client time as part of the page.

Which one of the following is not a client-server application?

\cup	Internet chat
\bigcirc	Web Browsing
\bigcirc	E-mail
•	Ping
	ch of the following protocol pairs can be used to send and retrieve e-mails (in order)?
\bigcirc	IMAP POP3
	SMTP, POP3
\bigcirc	SMTP, MIME
\circ	IMAP, SMTP
amo	prowser send a request to remote server to access a web page then Which ng the following is the correct sequence to send the packet over the network a host. Assume that the host has just restarted.
\bigcirc	HTTP GET request, DNS query, TCP SYN
\bigcirc	DNS query, HTTP GET request, TCP SYN
•	DNS query, TCP SYN, HTTP GET request
\bigcirc	TCP SYN, DNS query, HTTP GET request

Create your own Google Form Report Abuse