Image Interpolation



Through this article, I'm going to discuss a few interpolation techniques. Before moving to interpolation techniques let's see what is interpolation first and why interpolation is used.

Interpolation is the process of using known data to estimate values at unknown locations. This works in two directions and tries to achieve the best approximation of a pixel's intensity based on the values of surrounding pixels. As it's an approximation method image will always lose some quality when interpolated.

Image interpolation occurs especially when an image is resized or distorted(remapped) from a one-pixel grid to another.

There are plenty of interpolation techniques. Interpolation algorithms can be grouped into two categories.

- 1. Adaptive
- 2. Non -adaptive

Adaptive methods change depending on what they are interpolating (sharp edges vs smooth texture) while non-adaptive methods treat all pixel values equally.

This article is mainly focused on non-adaptive methods. Out of the non-adaptive methods also I'm going to discuss

- 1. Nearest neighbor Interpolation
- 2. Bilinear Interpolation

3. Bicubic Interpolation

Nearest Neighbor Internalation



Sign in



Q Search



processing time of all the interpolation algorithms. And has the effect of simply making each pixel bigger.

Bilinear Interpolation

Considers the closest 2x2 neighborhood of known pixel values (total 4 pixels) surrounding the unknown pixel and then takes the weighted average of these values to assign the unknown pixel.

This will create smoother-looking images than the nearest neighbor and needs more processing time.

Bicubic Interpolation

Bicubic Interpolation Considers the closest 4x4 neighborhood of known pixel values (total of 16 pixels) surrounding the unknown pixels. Since the known pixels are at various distances from the unknown pixel, closer pixels will give higher weighting.

This produces noticeably sharper images than the nearest neighbor and bilinear interpolations. Bicubic interpolation is an ideal combination of processing time and output quality.




Fig. 1 Visual comparison of different interpolation methods. (a) Nearest-neighbor. (b) Bilinear. (c) Bicubic. (d) Original HR image (4x) from ResearchGate

If you have any suggestions for improvements, let me know!

References

Digital Image Processing FOURTH EDITION Rafael C. Gonzalez • Richard E. Woods

Digital Image Processing

Interpolation





Written by Nuwanthi Rajapaksha

10 Followers

Undergraduate at Sabaragamuwa University. Majoring in Computer Science

More from Nuwanthi Rajapaksha





Nuwanthi Rajapaksha in Geek Culture

Git and GitHub for Beginners.

This article is for beginners who are going to start with Git and GitHub. Through this article, first I'm going to discuss what is Git and...


7 min read · Aug 16, 2021



 \Box ⁺

See all from Nuwanthi Rajapaksha

Recommended from Medium





OpenCV: Object Masking

Object masking is very important in Image processing. This article discusses the theories behind object masking and a basic demonstration.

6 min read · Jul 13











Flippy Garcia

Template Matching using Python

In this part of the journey, we will discuss how to do template matching in an image. Using a template image, you will find where the...

5 min read · Jun 17







Lists



Staff Picks

533 stories · 522 saves



Stories to Help You Level-Up at Work

19 stories · 361 saves



Self-Improvement 101

20 stories · 1031 saves



Productivity 101

20 stories · 937 saves





Roushanak Rahmat, PhD in Code Like A Girl

Read Dicom in Python

What is Dicom?











2D Feature Tracking—Part 3: Feature Matching


In the first two parts of this series, we learned about detecting keypoints in an image, which are significant landmarks, and describing...

9 min read · Sep 17











Francis Camarao

Image Processing using Python—Blob Detection


In this article, we will embark on an exciting journey of image analysis and delve into the implementation of blob detection and connected...

6 min read · Jun 17





 \Box^{\dagger}





Guide to Adding Noise to your Data using Python and Numpy

In this article you'll learn why you should add noise to your otherwise perfect synthetic data, what are the types of noises you can add...

8 min read · Jul 22



() 1

 \Box^{+}

See more recommendations