

```
node server.js
~/webtech/express_routing at 12:14:12 PM
> ls
node_modules package.json package-lock.json public server.js

~/webtech/express_routing at 12:14:12 PM
> ls public
css js page1.html page2.html

~/webtech/express_routing at 12:14:21 PM
> ls public/css
styles.css

~/webtech/express_routing at 12:14:25 PM
> ls public/js
script1.js script2.js

~/webtech/express_routing at 12:14:28 PM
> node server.js
Server is running on port 3000
```


×

—

🗖

Open ▾

🔍

page1.html

Save

⋮

server.js ×page1.html ×page2.html ×styles.css ×script1.js ×script2.js ×

1 <!DOCTYPE html>

2 <html lang="en">

3 <head>

4 <meta charset="UTF-8">

5 <title>Page 1</title>

6 <link rel="stylesheet" type="text/css" href="css/styles.css">

7 </head>

8 <body>

9 <nav>

10

11 Page 1

12 Page 2

13

14 </nav>

15 <div class="circle" id="circle"></div>

16 <script src="js/script1.js"></script>

17 </body>

18 </html>

19 |

Open

page2.html
~/webtech/express_routing/public

Save

server.jsxpage1.htmlxpage2.htmlxstyles.cssxscript1.jsxscript2.jsx

1<!DOCTYPE html>

2<html lang="en">

3<head>

4 <meta charset="UTF-8">

5 <title>Page 2</title>

6 <link rel="stylesheet" type="text/css" href="css/styles.css">

7</head>

8<body>

9 <nav>

10

11 Page 1

12 Page 2

13

14 </nav>

15 <div class="square" id="square"></div>

16 <script src="js/script2.js"></script>

17</body>

18</html>

19

HTMLTab Width: 8Ln 15, Col 41INS

×

—

🖼️

Open ▾

🔍

~ / webtech / express_routing / public / css

Save

⋮

server.js ×

page1.html ×

page2.html ×

styles.css ×

script1.js ×

script2.js ×


```
1 .circle {
2   width: 50px;
3   height: 50px;
4   background-color: black;
5   border-radius: 50%;
6   position: absolute;
7   transition: transform 0.3s ease-in-out;
8 }
9
10 .square {
11   width: 50px;
12   height: 50px;
13   background-color: black;
14   position: absolute;
15   transition: transform 0.3s ease-in-out;
16 }
17
```

CSS ▾


Tab Width: 8 ▾

Ln 17, Col 1 ▾

INS



- [Page 1](#)
- [Page 2](#)



- [Page 1](#)
- [Page 2](#)

implementation of routing

```
app.get('/', (req, res) => {  
  res.sendFile(__dirname + '/public/page1.html');  
});
```

```
app.get('/page2', (req, res) => {  
  res.sendFile(__dirname + '/public/page2.html');  
});
```