B.L.W.

C&T Lab, BLW,Varanasi

Testing Charges for Outside Firm

Control & Testing Laboratory BLW Varanasi is opened for Testing of Material for Outside Firm. Testing Charges of different Test are mentioned in below Table. The Testing Charges needs to be paid via online in favour of FA& CAO/BLW, Varanasi, Account No. 10852349060, State Bank of India, IFSC: SBIN0001868

Testing charges of material at BLW

NABL ACCREDITED TESTING CHARGES

CHEMICAL ANALYSIS BY SPECTROMETER IN SPECTRO SECTION

	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Spectrometric Test of Metal (04 Elemets)	1416
2	Spectrometric Test of Metal (Complete Analysis)	5900

MECHANICAL TESTING IN PHYSICAL SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Tensile test including sample preparation	5900
2	Tensile test on wire/rod/grey iron casting	4720
3	Breaking load test	3540
4	Elongation test	4720
7	Brinell Hardness Test	2360
8	Brinell Hardness Test including sample preparation	3540
9	Rockwell Hardness Test	2360
10	Rockwell Hardness Test including sample preparation	3540

Scanned with CamScanner

4320626/2025/O/o CMT/BLW

METTALOGRAPHIC SECTION		
Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Micro Examination	3540

NON-NABL ACCREDITED TESTING CHARGE

CHEMICAL ANALYSIS IN CHEMICAL SECTION		
Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	1180
2	Brass, Bronze, Gun metal, Silicon Bronze, Cupro-manganese, Cupro-Nickel, Aluminium Bronite, Movel metal, bell metal etc. complete analysis	5900
3	-do- per set of seven elements or more	9440
4	-do- per set of 5 to 6 elements	5900
5	-do- per set of 3-4 elements	4720
6	do- in single or dual elements	3540
7	Type metal, solder, white metal, Babbit metal-per set of 5 to 6 elements	5900
8	-do- per set of seven elements or more	9440
9	Aluminium metal, alloys like y-alloy, Duraluminium, Aluminium casting	9440
10	Copper, arsenical copper, phosphor copper, copper alloys, complete analysis (excluding silver)	5900
11	-do- complete analysis with silver	9440
12	Carbon steel- complete analysis (for C, Si, Mn, S, P)	5900
13	-do- each element	1180
14	Alloy steel- complete analysis (7 elements)	9440
15	-do- each element	1180
16	Cast iron, Pig Iron- Total C, Graphite C, Combined C, Si, Mn, S, and P	5900
17	-do- other elements (alloying) like Ni, Cr, Mo each	1180
18	Ferro-silicon – complete	5900
19	Ferro-Molybdenum	5900
20	Ferro Tungsten	5900

Scanned with CamScanner

21	Ferro-Tungsten-Tungsten	5900
22	Galvanization test, efficiency of Galvanization/thickness of Galvanization	5900
23	Plating Test	2360

MECHANICAL TESTING IN PHYSICAL SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	1180
2	Tensile test on ready machine sample (including yield point, elongation)	4720
3	Vicker's Hardness Test	2360
4	Vicker's Hardness Test including sample preparation	3540
5	Bend test	1180
6	Bend test including sample preparation	2360
7	Flattening test on tube	2360
8	Drop test	7080
9	Galvanizing (Dip) Test	2360
10	Tensile test with yield point excluding sample preparation	4720
11	Tensile test with yield point including sample preparation	5900
12	GSM of Paper	826
13	Coating Factor/Thickness of Covering of Electode	184.08

OIL TESTING IN ROP SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	590
2	Cu Strip corrosion Test	1770
3	Flash Point by Abel apparatus	1770
4	Flash Point by Penskey maten (closed) cup	1770
5	Flash Point (Cleave Open Cup)	1770
6	Kinematic Viscosity	1770
7	Distillation Test	1180

B.L.W.
Scanned with CamScanner
190
4320626/2025/O/o CMT/BLW
वा. ३. वा.

PAINT & SOLVENT TESTING IN ROP SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	1416
2	Colour	1416
3	Viscosity	1416
4	Flash Point	2360
5	Surface Dry	2360
6	Hard Dry	
7	Track Free	
8	Mass in Kg/10 Litter	2360
9	Flexibility and Adhesion	1416
10	Scratch hardness Test	1770
11	Pigment Content	2360
12	Protection against corrosion	5900
13	Resistance to salt spray (with 5% NaCl solution per Hour) for 500 hrs	29500
14	Freedom from impurities	1416
15	Gloss value at 60 degree	2360
16	Resistance to heat	2360
17	Pot life of mixed paint	1416
18	Chromic anhydride content	4130
19	Total Zinc content	2950
20	R/m paint red oxide zinc chrome priming (IS 2074/79)	13924
21	Aluminium paint for g.p in dual container (IS 2339/1963)	14,160
22	Thinner for cellulose Nitrate based paints & lacquers (IS No. 5667/1970)	2208.96
23	R/M Paint Bituminous Black, Lead Free, Acid Free Acid Alkali, Water and Chlorine resistance	11,800

TESTING IN METTALOGRAPHIC SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	1180
2	Macro etch test	1180

Scanned with CamScanner

3	Micro case depth	2360

TESTING IN NDT SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	1180
2	Radiographic Examination with γ-rays thickness upto 50 mm unit per running 30 cm length.	1180
3	Ultrasonic test plate per sq. meter of area or a fraction there of	2360
4	Ultrasonic test weld joint per running meter length or a fraction there of	2360
5	Interpretation of radiographs for consultancy	590

RUBBER & POLYMER TESTING IN ROP SECTION

Sl No	Test Parameter	Testing Charge (in Rs.) (With 18% GST)
1	Visual Examination	590
2	Identification of polymer	3540
3	Density/ Specific Gravity	1180
4	Alcohol (%) by Alcohol meter	1180
5	Hardness in normal condition (Shore hardness)	1180
6	Hardness after ageing	2360
7	Tensile and Elongation for each direction (Normal condition)	1180
8	Tensile and Elongation after ageing in air oven	2360
9	Tensile and Elongation after treatment with chemical/oil (normal)	2360
10	Tensile and Elongation after treatment with chemical/oil at high temperature	3540
11	Compression test (load required to compress)	2360
12	Compression set at normal temperature	2360
13	Compression set at higher temperature	3540
14	Water absorption at AMBT temperature by weight	2360

Scanned with CamScanner

15	Water absorption at AMBT temperature by volume	2360
16	Water absorption at high temperature by weight (up to 7 days)	3540
17	Water absorption at high temperature by volume (up to 7 days)	3540
18	Oil absorption /swelling/resistance/(wt or vol.) at AMBT temp	2360
19	Oil absorption /swelling/resistance/(wt or vol.) at high temp	3540
20	Oil absorption /swelling/resistance/(wt or vol.) in ASTM oil	3540
21	Swelling in chemicals by wt. or vol. at AMBT temp.	2360
22	Swelling in chemicals by wt. or vol. at high temp.	2360
23	Loss in weight (in oil/after ageing etc.)	2360
24	Adhesion for tapes at normal condition	2360
25	Adhesion for tapes after immersion in water	3540
26	Adhesion for tapes after ageing in air oven	3540
27	Breaking strength and elongation of tapes	2360
28	Shrinkage in air oven	2360
29	Full test for rubber water hose (IS:444-1987)	17700
30	Full test for rubber air hose (IS:446-1988)	17700
31	Accelerated Ageing Test	5900
32	Resistance to Heat	2360
33	Resistance to chemical tests for non metallic conduits(for each chemical)	2360
34	Tensile Strength and Elongation, lengthwise and cross wise, Normal	2360
35	Tensile Strength and Elongation, lengthwise and cross wise, after ageing	3540
36	Flammability	5900

Scanned with CamScanner