

Core Java	What are the different ways to create a thread ? Compare
Advanced Java	What is the purpose of CallableStatement in JDBC?

HTML 5 ----inbuilt Validations = HTML VALIDATIONS

These attributes can be added to html tags -

- required = the input is invalid if the field is blank
- minlength
- maxlength
- min
- max
- email
- pattern

Regular Expressions ----- language that describes patterns

Pattern ---- how the string or a word or a sentence should be formed !!!

Regular Expression = is away specifying the GRAMMAR of the valid pattern

TOC
Input
|
|
Automaton (machine that checks for a specific GRAMMAR)
|
|
OUTPUT ---- MATCHING (correct) TRUE
 ---- NOTMATCHING (syntax error)FALSE

[Regular expressions - JavaScript | MDN \(mozilla.org\)](#)

ES5 , ES6 } EcmaScript version 6 ---- language specification for javascript

Object oriented nature of Javascript -----

Ways to create objects in Javascript -----

1. JSON object
2. Object Constructors using function
3. Using class keyword ---- ES6 onwards

Class Student
Name
age

S1	222
----	-----

Name	111
Age	12

111	ppp
-----	-----

S2 =S1 } shallow copy

S2 =222

S2 = S1.deepcopy()

```

Deepcopy()
{
    Temp =New Student();
    Temp.setName(s1.getName())
    Temp.setAge(s1.getAge ())
    Return temp
}

```

S1	333
----	-----

Name	111
Age	12

