AccessRelay

Nobody visits a building. They visit a service, and one broken handoff fails the whole visit.

Problem Definition

Accessibility Info is Stale

Maps show what exists,
not what works today.

Information gets outdated,
freshness never gets tracked.

See it live

Live demonstration of AccessRelay

Watch real accessibility information in action

How AccessRelay Works



KEY RULE

The person who claims a fix cannot also be the one who verifies it passed.

No actor can close their own leg of the relay.

Impact Measured Honestly

CURRENTLY TRUSTWORTHY	every segment clear and fresh
STALE OR UNKNOWN	not checked recently enough to trust
INDEPENDENTLY VERIFIED	a different reviewer actually rechecked it

No beneficiary pilot has run yet.
These are the numbers a real campus could track from day one.

Aligned with
Sugamya Bharat

Contributing to
UN SDGs 10 & 11

What’s Next

NEXT STEPS

One real campus pilot

Move the no-self-recheck rule into a database trigger

QR check-ins per accessibility segment to make fresh observations cheap

AI TOOLS DISCLOSURE

Claude Code assisted with implementation, documentation, the production system design writeup, and this presentation.

The team made all product, scope, and testing decisions and wrote the demo script by hand.

Team & Ask

Bhaskar Agarwal
team lead

Lakshya Seth
engineering

Aashi Gupta
engineering

Try it. Break it. Tell us where the relay fails in your building.