



React

2.ReactJS-HOL (working attached below)

Project Structure



Home.js



About.js

```
1 import React, { Component } from "react";
2
3 class About extends Component { Show usages
4   render() { no usages
5     return (
6       <div>
7         <h2>Welcome to the About page of the Student Management Portal</h2>
8       </div>
9     );
10  }
11 }
12
13 export default About; Show usages
```

Contact.js

```
1 import React, { Component } from "react";
2
3 class Contact extends Component { Show usages
4   render() { no usages
5     return (
6       <div>
7         <h2>Welcome to the Contact page of the Student Management Portal</h2>
8       </div>
9     );
10  }
11 }
12
13 export default Contact; Show usages
```

Terminal :

```
Terminal Windows PowerShell x + v AI Agents v
PS C:\studentapp> npm start

> studentapp@0.1.0 start
> react-scripts start

(node:984) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:984) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:984) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view studentapp in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://192.168.5.6:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Browser :



Welcome to the Home page of Student Management Portal

Welcome to the About page of the Student Management Portal

Welcome to the Contact page of the Student Management Portal

