


REACT

12.ReactJS-HOL(ticketbookingapp)

Project Structure :



GuestPage.js

```
1 import React from "react";
2
3 function GuestPage(props) { Show usages new *
4   return (
5     <div style={styles.container}>
6       <h1>Please Sign Up</h1>
7
8       <button onClick={props.onLogin}>
9         Login
10      </button>
11    </div>
12  );
13 }
14
15 const styles :{container: {...}} = {
16   container: {
17     textAlign: "center",
18     marginTop: "200px"
19   }
20 };
21
22 export default GuestPage; Show usages new *
```

UserPage.js

```
1 import React from "react";
2
3 function UserPage(props) { Show usages new *
4   return (
5     <div style={styles.container}>
6       <h1>Welcome Back</h1>
7
8       <button onClick={props.onLogout}>
9         Logout
10      </button>
11    </div>
12  );
13 }
14
15 const styles :{container: {...}} = {
16   container: {
17     textAlign: "center",
18     marginTop: "200px"
19   }
20 };
21
22 export default UserPage; Show usages new *
```

App.js

```
27 render() {
28   // No usages - new
29
30   if (this.state.isLoggedIn) {
31     page = (
32       <UserPage
33         onLogout={this.handleLogout}
34       />
35     );
36   } else {
37     page = (
38       <GuestPage
39         onLogin={this.handleLogin}
40       />
41     );
42   }
43
44   return (
45     <div>
46       {page}
47     </div>
48   );
49 }
50
51 }
52
53 export default App;
```

Terminal :

```
Terminal  Windows PowerShell x + v  AI Agents v -
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\ticketbookingapp> npm start

> ticketbookingapp@0.1.0 start
> react-scripts start

(node:22044) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:22044) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:22044) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view ticketbookingapp in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://192.168.5.6:3000

Note that the development build is not optimized.
To create a production build, use npm run build.
```

Browser :

