


REACT

13.ReactJS-HOL(bloggerapp)

Project Structure :



BookDetails.js

```
1 function BookDetails() { Show usages new *
2
3   const books :[{id: number, bname: string, p...} = [
4     { id: 101, bname: "Master React", price: 670 },
5     { id: 102, bname: "Deep Dive into Angular 11", price: 800 },
6     { id: 103, bname: "Mongo Essentials", price: 450 }
7   ];
8
9   return (
10     <div className="box">
11       <h1>Book Details</h1>
12
13       {books.map(book :{...} => (
14         <div key={book.id} className="item">
15           <h4>{book.bname}</h4>
16           <h5>{book.price}</h5>
17         </div>
18       ))}
19     </div>
20   );
21 }
22
23 export default BookDetails; Show usages new *
```

BlogDetails.js

```
1 function BlogDetails() { Show usages new *
2
3   const blogs :[{id: number, title: string, a...} = [
4     {
5       id: 2,
6       title: "Installation",
7       author: "Schwezdneier",
8       desc: "You can install React from npm."
9     }
10   ];
11
12   return (
13     <div className="box">
14       <h1>Blog Details</h1>
15
16       {blogs.map(blog :{...} => (
17         <div key={blog.id} className="item">
18           <h2>{blog.title}</h2>
19           <h4>{blog.author}</h4>
20           <p>{blog.desc}</p>
21         </div>
22       ))}
23     </div>
24   );
25 }
26
27 export default BlogDetails; Show usages new *
```

App.js

```
M+ README.md App.js BookDetails.js BlogDetails.js App.css CourseDetails.js

1 import './App.css';
2 import CourseDetails from './components/CourseDetails';
3 import BookDetails from './components/BookDetails';
4 import BlogDetails from './components/BlogDetails';
5
6 function App() { Show usages Bhashini *
7   return (
8     <div className="container">
9       <CourseDetails />
10      <BookDetails />
11      <BlogDetails />
12    </div>
13  );
14 }
15
16 export default App; Show usages Bhashini
```

Terminal :

```
Terminal Windows PowerShell x + v AI Agents v -

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\bloggerapp> npm start

> bloggerapp@0.1.0 start
> react-scripts start

(node:19560) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:19560) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:19560) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view bloggerapp in the browser.

http://localhost:3000

Note that the development build is not optimized.
To create a production build, use npm run build.
```

Browser :



Course Details

Angular

4/5/2021

React

6/3/2021

Book Details

Master React

670

Deep Dive into Angular 11

800

Mongo Essentials

450

Blog Details

React Learning

Stephen Biz

Welcome to learning React!

Installation

Schwezdneier

You can install React from npm.