


React

3. ReactJS-HOL

Project structure :



Mystyle.css

```
M+ README.md mystyle.css x JS App.js JS CalculateScore.js
1  .Name
2  {
3      font-weight: 300;
4      color: blue;
5  }
6
7  .School
8  {
9      color: crimson;
10 }
11
12 .Total
13 {
14     color: darkmagenta;
15 }
16
17 .formatstyle
18 {
19     text-align: center;
20     font-size: large;
21 }
22
23 .Score
24 {
25     color: forestgreen;
26 }
```

App.js

```
M+ README.md mystyle.css JS App.js x JS CalculateScore.js
1  import { CalculateScore } from "../Components/CalculateScore";
2
3  function App() { Show usages Bhashini *
4      return (
5          <div>
6              <CalculateScore
7                  Name="Steeve"
8                  School="DNV Public School"
9                  total={284}
10                 goal={3}
11             />
12         </div>
13     );
14 }
15
16 export default App; Show usages Bhashini
```

CalculatorScore.js

```
1  import '../Stylesheets/mystyle.css';
2
3  const percentToDecimal = (decimal) :string => { Show usages new *
4    return decimal.toFixed( fractionDigits: 2) + '%';
5  };
6
7  const calcScore = (total, goal) :string => percentToDecimal( decimal: total / goal); Show usages new *
8
9  export const CalculateScore = ({ Name, School, total, goal }) => ( Show usages new *
10    <div className="formatstyle">
11      <h1><font color="Brown">Student Details:</font></h1>
12
13      <div className="Name">
14        <b><span>Name: </span></b>
15        <span>{Name}</span>
16      </div>
17
18      <div className="School">
19        <b><span>School: </span></b>
20        <span>{School}</span>
21      </div>
22
23      <div className="Total">
24        <b><span>Total: </span></b>
25        <span>{total}</span>
26        <span> Marks</span>
27      </div>
28
29      <div className="Score">
30        <b>Score: </b>
31        <span>{calcScore(total, goal)}</span>
32      </div>
33    </div>
34  );
```

Terminal :

```
Terminal  Windows PowerShell x  Windows PowerShell x  Windows PowerShell x  +  -  AI Agents v  -
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\scorecalculatorapp> npm start

> scorecalculatorapp@0.1.0 start
> react-scripts start

(node:24100) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use 'node --trace-deprecation ...' to show where the warning was created)
v Something is already running on port 3000.

Would you like to run the app on another port instead? ... yes
(node:24100) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
(node:24100) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view scorecalculatorapp in the browser.

  Local:            http://localhost:3002
  On Your Network:  http://192.168.5.6:3002

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Browser :

