


Data Administration in Databricks




Learning Objectives

In this course, you will learn how to:


- Describe data access patterns in Databricks
- Define data access rules and manage data ownership
- Secure access to external storage
- Store tables, schemas and catalogs and external storage
- Upgrade legacy data assets to Unity Catalog




Metastore




Metastore storage




Metastore storage



Metastore storage




Key Concepts Catalog




Three-level namespace


Traditional SQL two-level namespace




Unity Catalog three-level namespace




Schema




Key Concepts Table




Key Concepts Table




Key Concepts View




User-defined function



Storage constructs



Delta sharing



Lab: Populating the Metastore



Learning Objectives


In this lab, you will learn how to:

- Use the Unity Catalog three-level namespace
- Use SQL to create and explore data objects like catalogs, schemas and tables
- Use the Data explorer
- Access data lineage

Prerequisites

In order to do this lab, you will need:

Metastore admin capability, or CREATE CATALOG privileges



Access control lists (ACLs)

Table t

Access control lists (ACLs)

Table t


Principal	Privilege
analysts	SELECT


Access control lists (ACLs)


Table t


Principal	Privilege
analysts	SELECT
dbadmins	ALL PRIVILEGES


Table t	Owned by jdoe@company.com
Principal	Privilege
analysts	SELECT
dbadmins	ALL PRIVILEGES




















Managing ACLs

Managing ACLs

1. SQL

GRANT SELECT ON TABLE t TO analysts REVOKE SELECT ON TABLE t FROM analysts

Managing ACLs

1. SQL

GRANT SELECT ON TABLE t TO analysts

REVOKE SELECT ON TABLE t FROM analysts

Databricks SQL

Data Security Model

Managing ACLs

1. SQL

GRANT SELECT ON TABLE t TO analysts REVOKE SELECT ON TABLE t FROM analysts

Data explorer
 Data Science & Engineering workspace or DBSQL


Data Security Model

Managing ACLs


1. SQL

GRANT SELECT ON TABLE t TO analysts REVOKE SELECT ON TABLE t FROM analysts


- Data explorerData Science & Engineering workspace or DBSQL
- 3. Programatically Databricks CLI, Terraform, and REST APIs



Table



Table




Privileges

SELECT

Read from a table (SELECT)

Table



Privileges


SELECT

Read from a table (SELECT)

MODIFY

Modify table data (UPDATE) or metadata (ALTER)

Table



Privileges

SELECT


Read from a table (SELECT)

MODIFY

Modify table data (UPDATE) or metadata (ALTER)

ALL PRIVILEGES

View




Privileges

SELECT

Query view (SELECT)

ALL PRIVILEGES

Function




Privileges

EXECUTE


Use function in a query

ALL PRIVILEGES

Schema



Schema




Privileges

USE SCHEMA

Access objects in schema

Schema



Privileges

USE SCHEMA

Access objects in schema


CREATE TABLE

Create table or view in schema

CREATE FUNCTION

Create user-defined function in schema

Schema privilege inheritance



Bequeathed privileges

SELECT

Read from any table or view in schema


MODIFY

Modify data or metadata of any table in schema

EXECUTE

Use any function in schema

Schema



ALL PRIVILEGES

USE SCHEMA

CREATE TABLE


CREATE FUNCTION

SELECT


MODIFY

EXECUTE

Catalog



Catalog




Privileges

USE CATALOG

Access schemas in catalog

Catalog



Privileges


USE CATALOG

Access schemas in catalog

CREATE SCHEMA

Create schema in catalog

Catalog privilege inheritance



Bequeathed privileges

CREATE TABLE

Create table or view in any schema


CREATE FUNCTION

Create user-defined function in any schema

USE SCHEMA

Access objects in any schema

Catalog privilege inheritance



Bequeathed privileges

CREATE TABLE

Create table or view in any schema


CREATE FUNCTION

Create user-defined function in any schema

USE SCHEMA

Access objects in any schema

Catalog privilege inheritance



Bequeathed privileges

CREATE TABLE

Create table or view in any schema


CREATE FUNCTION

Create user-defined function in any schema

USE SCHEMA

Access objects in any schema

Catalog privilege inheritance



Bequeathed privileges

SELECT

Read from any table or view from any schema


MODIFY

Modify data or metadata of any table in any schema

EXECUTE

Use any function from any schema

Catalog



ALL PRIVILEGES


USE CATALOG USE SCHEMA

CREATE SCHEMA SELECT

CREATE TABLE MODIFY

CREATE FUNCTION EXECUTE

Delta sharing




Privileges

SELECT

Provide read ability to a recipient


Delta sharing



Privileges

No privileges

Delta sharing




Privileges

No privileges

External storage management

Securables			
Metastore			
Storage creder	ntial Ext		ernal location
Share	Recipient		Provider
Catalog			Schema
Table	View		Function

Metastore



Privileges

CREATE CATALOG

CREATE EXTERNAL LOCATION


CREATE RECIPIENT


CREATE SHARE


CREATE PROVIDER

Querying a table

Table









Querying a table


Explicit




Querying a table

Explicit









Querying a table

Explicit USE CATALOG Catalog USE SCHEMA Schema SELECT Table





View

Table


View

Table

Privilege Scenarios

Creating a table


Explicit




Privilege Scenarios

Creating a table

Explicit



Inherited from catalog



Lab: Controlling access to data



Learning Objectives


In this lab, you will learn how to:


- Grant access to data objects
- Revoke access to data objects
- Validate access
- Apply an explicit versus inherit grant model


Prerequisites

In order to do this lab, you will need:

Account admin capability









Three common use cases

Control access to columns




Three common use cases

Control access to columns




Control access to rows




Three common use cases

Control access to columns



Control access to rows



Mask data

•••••@databricks.com

Lab: Protecting columns and rows



Learning Objectives


In this lab, you will learn how to:

- Redact columns
- Filter rows
- Mask data

Integrates arbitrary cloud storage containers to address important use cases

- Data exploration
- Data ingestion
- External tables


Can be done any time




Integrates arbitrary cloud storage containers to address important use cases


- Data exploration
- Data ingestion
- External tables

Can be done any time







Storage credential




External location



External location



Privilege types




Privileges

CREATE EXTERNAL LOCATION

Create referencing external location

Privilege types



Privileges


CREATE EXTERNAL LOCATION

Create referencing external location

CREATE EXTERNAL TABLE

Create table based on contained files

Privilege types



Privileges

CREATE EXTERNAL LOCATION

Create referencing external location

CREATE EXTERNAL TABLE

Create table based on contained files


READ FILES

Read contained files

WRITE FILES

Modify contained files

Privilege types



Privileges

CREATE EXTERNAL TABLE

Create table based on contained files


READ FILES

Read contained files

WRITE FILES

Modify contained files

Privilege types



Privileges

CREATE EXTERNAL TABLE

Create table based on contained files

READ FILES

Read contained files

WRITE FILES

Modify contained files

CREATE MANAGED STORAGE

Create referencing external location

Storage Credential

Enables Unity Catalog to access cloud data storage

Securable object

ACL applies to entire storage container


External Location

Combines storage credential and cloud storage path

Securable object

 ACL applies to the portion of the storage container represented by the path

Lab: Managing external storage



Learning Objectives

In this lab, you will learn how to:


- Create and and manage a storage credential
- Create and and manage an external location
- Control access to files using an external location

Prerequisites


In order to do this lab, you will need:

- Cloud resources to support an external storage container
- Account admin capability
- Workspace admin capability


Tables



Managed tables



External tables



Recap

Managed Tables

Metadata lives in control plane

Data lives in metastore managed storage location

DROP discards metadata and data

Delta format only

New product features supported first

External Tables

Metadata lives in control plane

Data lives in user-provided storage location

DROP discards metadata only

Several formats supported

Recap

Managed Tables

Metadata lives in control plane

Data lives in metastore managed storage location

DROP discards metadata and data

Delta format only

New product features supported first

External Tables

Metadata lives in control plane

Data lives in user-provided storage location

DROP discards metadata only

Several formats supported

When to use external tables

Quick and easy upgrade from external table in Hive metastore

Managed and External Tables

When to use external tables

Quick and easy upgrade from external table in Hive metastore

External writers

Managed and External Tables

When to use external tables

Quick and easy upgrade from external table in Hive metastore

External writers

Non-Delta support requirement

Managed and External Tables

When to use external tables

Quick and easy upgrade from external table in Hive metastore

External writers

Non-Delta support requirement

Requirement for specific storage naming or hierarchy

Infrastructure-level isolation requirements


Lab: Managing external tables




Learning Objectives


In this lab, you will learn how to:

- Create and and manage external tables
- Compare external and managed table behaviour







Metastore requirements




Metastore requirements



Metastore requirements






Logical separation


Use catalogs and/or schemas to segregate data

Apply permissions appropriately


- USE CATALOG on catalog B
- USE SCHEMA on schema BA
- SELECT on schema BA




Physical separation




Physical separation



Physical separation





Lab: Segregating data



Learning Objectives

In this lab, you will learn how to:

Redirect schemas and catalogs to external storage

Lab: Upgrading tables to Unity Catalog





Metastore Location

