

# HTML Attributes

Attributes provide additional information about HTML elements.

## HTML Attributes

- All HTML elements can have **attributes**
- Attributes provide **additional information** about an element
- Attributes are always specified in **the start tag**
- Attributes usually come in name/value pairs like: **name="value"**

## The href Attribute

HTML links are defined with the `<a>` tag. The link address is specified in the `href` attribute:

### Example

```
<a href="https://www.StudyGurus.com">This is a link</a>
```

Try it Yourself »

You will learn more about links and the `<a>` tag later in this tutorial.

## The src Attribute

HTML images are defined with the `<img>` tag.

The filename of the image source is specified in the `src` attribute:

### Example

```

```

Try it Yourself »

## The width and height Attributes

HTML images also have `width` and `height` attributes, which specifies the width and height of the image:

### Example

```

```

Try it Yourself »

The width and height are specified in pixels by default; so width="500" means 500 pixels wide.

You will learn more about images in our [HTML Images chapter](#).

## The alt Attribute

The `alt` attribute specifies an alternative text to be used, if an image cannot be displayed.

The value of the `alt` attribute can be read by screen readers. This way, someone "listening" to the webpage, e.g. a vision impaired person, can "hear" the element.

### Example

```

```

Try it Yourself »

The `alt` attribute is also useful if the image cannot be displayed (e.g. if it does not exist):

## Example

See what happens if we try to display an image that does not exist:

```

```

Try it Yourself »

# The style Attribute

The `style` attribute is used to specify the styling of an element, like color, font, size etc.

## Example

```
<p style="color:red">This is a paragraph.</p>
```

Try it Yourself »

You will learn more about styling later in this tutorial, and in our [CSS Tutorial](#).

# The lang Attribute

The language of the document can be declared in the `<html>` tag.

The language is declared with the `lang` attribute.

Declaring a language is important for accessibility applications (screen readers) and search engines:

```
<!DOCTYPE html>
<html lang="en-US">
<body>

...

</body>
</html>
```

The first two letters specify the language (en). If there is a dialect, add two more letters (US).

# The title Attribute

Here, a `title` attribute is added to the `<p>` element. The value of the title attribute will be displayed as a tooltip when you mouse over the paragraph:

## Example

```
<p title="I'm a tooltip">
This is a paragraph.
</p>
```

Try it Yourself »

# We Suggest: Use Lowercase Attributes

The HTML5 standard does not require lowercase attribute names.

The title attribute can be written with uppercase or lowercase like **title** or **TITLE**.

W3C **recommends** lowercase in HTML, and **demands** lowercase for stricter document types like XHTML.

At StudyGurus we always use lowercase attribute names.

# We Suggest: Quote Attribute Values

The HTML5 standard does not require quotes around attribute values.

The **href** attribute, demonstrated above, *can* be written without quotes:

## Bad

```
<a href=https://www.StudyGurus.com>
```

Try it Yourself »

## Good

```
<a href="https://www.StudyGurus.com">
```

Try it Yourself »

W3C **recommends** quotes in HTML, and **demands** quotes for stricter document types like XHTML.

Sometimes it is **necessary** to use quotes. This example will not display the title attribute correctly, because it contains a space:

## Example

```
<p title>About StudyGurus>
```

Try it Yourself »

Using quotes are the most common. Omitting quotes can produce errors.  
At StudyGurus we **always** use quotes around attribute values.

# Single or Double Quotes?

Double quotes around attribute values are the most common in HTML, but single quotes can also be used.

In some situations, when the attribute value itself contains double quotes, it is necessary to use single quotes:

```
<p title='John "ShotGun" Nelson'>
```

Or vice versa:

```
<p title="John 'ShotGun' Nelson">
```

Try it Yourself »

# Chapter Summary

- All HTML elements can have **attributes**

- The `title` attribute provides additional "tool-tip" information
- The `href` attribute provides address information for links
- The `width` and `height` attributes provide size information for images
- The `alt` attribute provides text for screen readers
- At StudyGurus we always use **lowercase** attribute names
- At StudyGurus we always **quote** attribute values

# HTML Attributes

Below is an alphabetical list of some attributes often used in HTML, which you will learn more about in this tutorial:

Attribute	Description
alt	Specifies an alternative text for an image, when the image cannot be displayed
disabled	Specifies that an input element should be disabled
href	Specifies the URL (web address) for a link
id	Specifies a unique id for an element
src	Specifies the URL (web address) for an image
style	Specifies an inline CSS style for an element
title	Specifies extra information about an element (displayed as a tool tip)