OpenAPI definition

AUTHORIZATION Bearer Token

Token	{{bearerToken}}

api

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

vehicles

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{vehicleId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Vehicle By Id

http://localhost:8080/api/vehicles/:vehicleId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

PATH VARIABLES

vehicleId	3457

PUT update Vehicle

http://localhost:8080/api/vehicles/:vehicleId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

vehicleId	3457

Body raw (json)

```
json

{
  "vehicleNumber": "string",
  "vehicleType": "string",
  "vehicleAge": 2834,
  "registrationDate": "1960-11-14"
}
```

DELETE delete Vehicle

http://localhost:8080/api/vehicles/:vehicleId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

vehicleId	3457

GET get All Vehicles

http://localhost:8080/api/vehicles?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

POST register Vehicle

http://localhost:8080/api/vehicles

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "vehicleNumber": "string",
  "vehicleType": "string",
  "vehicleAge": 2834,
  "registrationDate": "1960-11-14"
}
```

users

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

profile

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Profile

http://localhost:8080/api/users/profile

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PUT update Profile

http://localhost:8080/api/users/profile

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "key_0": "string"
}
```

subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

status

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

This folder is using Bearer Token from collection OpenAPI definition

PUT update Status

http://localhost:8080/api/subscriptions/:subscriptionId/status?status=string

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string

PATH VARIABLES

subscriptionId	3457

renew

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST renew Subscription

http://localhost:8080/api/subscriptions/:subscriptionId/renew

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

GET get Subscription By Id

http://localhost:8080/api/subscriptions/:subscriptionId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

user

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{userId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Subscriptions By User

http://localhost:8080/api/subscriptions/user/:userId?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

PATH VARIABLES

userId	3457

GET get All Subscriptions

http://localhost:8080/api/subscriptions?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

rules

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{ruleId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

deactivate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT deactivate Rule

http://localhost:8080/api/rules/:ruleId/deactivate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

ruleId	3457

activate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT activate Rule

http://localhost:8080/api/rules/:ruleId/activate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

ruleId	3457

PUT update Rule

http://localhost:8080/api/rules/:ruleId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

ruleId	3457

Body raw (json)

```
json

{
  "ruleId": 17,
  "ruleName": "string",
  "ruleType": "string",
  "condition": "string",
```

```
  "value": 5144.743750973813,
  "isActive": false,

  "description": "string"
}
```


DELETE delete Rule

http://localhost:8080/api/rules/:ruleId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

ruleId	3457

GET get All Rules

http://localhost:8080/api/rules

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

POST create Rule

http://localhost:8080/api/rules

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json

Accept	application/json

Body raw (json)

```
json

{
  "ruleId": 17,
  "ruleName": "string",
  "ruleType": "string",
  "condition": "string",
  "value": 5144.743750973813,
  "isActive": false,
  "description": "string"
}
```

policy-orders

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{orderId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

reject

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT reject Order

http://localhost:8080/api/policy-orders/:orderId/reject

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

PATH VARIABLES

orderId	3457

approve

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT approve Order

http://localhost:8080/api/policy-orders/:orderId/approve

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

orderId	3457

documents

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{documentName}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET download Document

GET download Document

http://localhost:8080/api/policy-orders/:orderId/documents/:documentName?inline=true

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

inline	true

PATH VARIABLES

orderId	3457
documentName	string

GET get Order By Id

http://localhost:8080/api/policy-orders/:orderId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

orderId	3457

user

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{userId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Orders By User

http://localhost:8080/api/policy-orders/user/:userId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

userId	3457

GET get All Orders

http://localhost:8080/api/policy-orders?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

POST create Order 1

http://localhost:8080/api/policy-orders?userId=3457&policyId=3457&vehicleId=3457

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	multipart/form-data
Accept	application/json

PARAMS

userId	3457
policyId	3457
vehicleId	3457

Body formdata

policyId	string
userId	string
vehicleId	string
documents	string,string

policies

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

This folder is using Bearer Token from collection OpenAPI definition

{policyId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

status

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT update Policy Status

http://localhost:8080/api/policies/:policyId/status?isActive=true

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

isActive	true

PATH VARIABLES

policyId	3457

GET get Policy By Id

http://localhost:8080/api/policies/:policyId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

policyId	3457

PUT update Policy

http://localhost:8080/api/policies/:policyId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

policyId	3457

Body raw (json)

```
json

{
  "policyName": "string",
  "coverageType": "string",
  "basePremium": 9093.226620522217,
  "description": "string",
  "policyTermYears": 70,
  "maturityAmount": 3674.634490673867,
  "hasPremiumWaiver": false,
  "hasPartialWithdrawal": false,
  "withdrawalConditions": "string"
```

}

DELETE delete Policy

http://localhost:8080/api/policies/:policyId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

policyId	3457

GET get All Policies

http://localhost:8080/api/policies?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

POST create Policy

http://localhost:8080/api/policies

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "policyName": "string",
  "coverageType": "string",
  "basePremium": 9093.226620522217,
  "description": "string",
  "policyTermYears": 70,
  "maturityAmount": 3674.634490673867,
  "hasPremiumWaiver": false,
  "hasPartialWithdrawal": false,
  "withdrawalConditions": "string"
}
```

notifications

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{id}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

read

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT mark As Read

POST mark As Read

http://localhost:8080/api/notifications/:id/read

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

PATH VARIABLES

id	3457

read-all

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST mark All As Read

http://localhost:8080/api/notifications/read-all

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

unread-count

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Unread Count

http://localhost:8080/api/notifications/unread-count

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

clear-all

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

DELETE clear All

http://localhost:8080/api/notifications/clear-all

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

GET get Notifications

http://localhost:8080/api/notifications

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

claims

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{claimId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

reject

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT reject Claim

http://localhost:8080/api/claims/:claimId/reject

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

claimId	3457

approve

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT approve Claim

http://localhost:8080/api/claims/:claimId/approve

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

claimId	3457

documents

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{documentName}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET download Document 1

http://localhost:8080/api/claims/:claimId/documents/:documentName

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

claimId	3457
documentName	string

subscription

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Claims By Subscription

http://localhost:8080/api/claims/subscription/:subscriptionId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

GET get All Claims

http://localhost:8080/api/claims?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string

search	string
page	0
size	10

POST raise Claim With Documents 1

http://localhost:8080/api/claims

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	multipart/form-data
Accept	application/json

Body formdata

request	[object Object]
documents	string,string

admin

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

users

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{userId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

role

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT update User Role

http://localhost:8080/api/admin/users/:userId/role?roleId=3457

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

roleId	3457

PATH VARIABLES

userId	3457

deactivate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

PUT deactivate User

http://localhost:8080/api/admin/users/:userId/deactivate

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

userId	3457

GET get User By Id

http://localhost:8080/api/admin/users/:userId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

userId	3457

GET get All Users

http://localhost:8080/api/admin/users?search=string&role=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

PARAMS

search	string
role	string
page	0
size	10

create-user

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST create Internal User

http://localhost:8080/api/admin/create-user

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
{
  "email": "string",
  "fullName": "string",
  "password": "string",
  "roleId": 6690,
  "phone": "string",
  "roleName": "string",
  "age": 94
}
```

vehicle-subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Vehicles By Subscription

http://localhost:8080/api/vehicle-subscriptions/:subscriptionId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

POST attach Vehicle

http://localhost:8080/api/vehicle-subscriptions?subscriptionId=3457&vehicleId=3457

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

PARAMS

subscriptionId	3457
vehicleId	3457

usage

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

subscription

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

month

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Usage By Month

http://localhost:8080/api/usage/subscription/:subscriptionId/month?month=2019&year=2019

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

month	2019
year	2019

PATH VARIABLES

subscriptionId	3457

GET get Usage By Subscription

http://localhost:8080/api/usage/subscription/:subscriptionId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

POST add Usage

http://localhost:8080/api/usage

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "billingMonth": 11,
  "billingYear": 7887,
  "subscriptionId": 1947,
  "totalDistanceKm": 1919.777718218678,
  "nightDrivingHours": 7378.601032815482,
  "tripCount": 4630,
  "riskCategory": "string"
}
```

underwriter

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

request-documents

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{orderId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST request Documents

http://localhost:8080/api/underwriter/request-documents/:orderId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

orderId	3457

Body raw (json)

```
json

{
  "remarks": "string"
}
```

reject-policy

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{orderId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST reject Policy

http://localhost:8080/api/underwriter/reject-policy/:orderId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

orderId	3457

Body raw (json)

```
json

{
  "remarks": "string"
}
```

approve-policy

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{orderId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST approve Policy

POST approve Policy

http://localhost:8080/api/underwriter/approve-policy/:orderId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

PATH VARIABLES

orderId	3457

Body raw (json)

```
json

{
  "remarks": "string"
}
```

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Dashboard

http://localhost:8080/api/underwriter/dashboard

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

applications

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

pending

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Pending Applications

http://localhost:8080/api/underwriter/applications/pending

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

GET get All Applications

http://localhost:8080/api/underwriter/applications?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

quotes

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST submit Quote

http://localhost:8080/api/quotes

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
{
  "contactEmail": "string",
  "contactName": "string",
  "contactPhone": "string",
  "coveragePlan": 8356,
  "location": "string",
  "vehicleType": "string"
}
```

premium

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

calculate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST calculate Premium

http://localhost:8080/api/premium/calculate/:subscriptionId?usageId=3457

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

usageId	3457

PATH VARIABLES

subscriptionId	3457

history

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

{subscriptionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Premium History

http://localhost:8080/api/premium/history/:subscriptionId

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

subscriptionId	3457

payments

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

simulate

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST simulate Payment

http://localhost:8080/api/payments/simulate

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "policyId": 747
}
```

{transactionId}

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

invoice

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Invoice

http://localhost:8080/api/payments/:transactionId/invoice

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PATH VARIABLES

transactionId	string

history

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Payment History

http://localhost:8080/api/payments/history?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

GET get All Payments

http://localhost:8080/api/payments?status=string&search=string&page=0&size=10

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

PARAMS

status	string
search	string
page	0
size	10

auth

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

reset-password

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST reset Password

http://localhost:8080/api/auth/reset-password

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "newPassword": "string",
  "token": "string"
}
```

register

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST register

http://localhost:8080/api/auth/register

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json
```

```
{
  "email": "string",
  "fullName": "string",
  "password": "string",
  "roleId": 6690,
  "phone": "string",
  "roleName": "string",
  "age": 94
}
```

login

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST login

http://localhost:8080/api/auth/login

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
  json

{
  "email": "string",
  "password": "string"
}
```

forgot-password

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

POST forgot Password

http://localhost:8080/api/auth/forgot-password

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Content-Type	application/json
Accept	application/json

Body raw (json)

```
json

{
  "email": "string"
}
```

statistics

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Dashboard Statistics

http://localhost:8080/api/statistics/dashboard

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

dashboard

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

summary

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Dashboard Summary

http://localhost:8080/api/dashboard/summary

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

risk-distribution

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Risk Distribution

http://localhost:8080/api/dashboard/risk-distribution

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

monthly-revenue

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Monthly Revenue

http://localhost:8080/api/dashboard/monthly-revenue

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json

active-subscriptions

AUTHORIZATION Bearer Token

This folder is using Bearer Token from collection OpenAPI definition

GET get Active Subscriptions Count

http://localhost:8080/api/dashboard/active-subscriptions

AUTHORIZATION Bearer Token

This request is using Bearer Token from collection OpenAPI definition

HEADERS

Accept	application/json