

A MAJOR PROJECT
on
**FACE RECOGNITION TECHNOLOGY
USING MACHINE LEARNING**

Submitted to
JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY, HYDERABAD

In partial fulfilment of the requirement for the award of the degree of
BACHELOR OF TECHNOLOGY

in
COMPUTER SCIENCE AND ENGINEERING (CYBER SECURITY)

By
KONGA BHAVANI **227Y1A6209**
KALASHETTY LIKHITHA **227Y1A6220**
DASARI SANUTHA **237Y5A6205**

Under the Guidance of
Mr. G. MANOJ, Assistant Professor



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
(CYBER SECURITY)



MARRI LAXMAN REDDY
INSTITUTE OF TECHNOLOGY & MANAGEMENT

(AN AUTONOMOUS INSTITUTION)

(Approved by AICTE, New Delhi & Affiliated to JNTUH, Hyderabad)

NAAC Accredited Institution with 'A' Grade & Recognized Under Section 2(f) & 12(B) of the UGC act, 1956

March, 2026



MARRI LAXMAN REDDY **INSTITUTE OF TECHNOLOGY & MANAGEMENT**

(AN AUTONOMOUS INSTITUTION)

(Approved by AICTE, New Delhi & Affiliated to JNTUH, Hyderabad)

NAAC Accredited Institution with 'A' Grade & Recognized Under Section 2(f) & 12(B) of the UGC act, 1956

Date: 30-March-2026

CERTIFICATE

This is to certify that the project work entitled —**FACE RECOGNITION TECHNOLOGY USING MACHINE LEARNING**” work done by **KONGA BHAVANI (227Y1A6209), KALASHETTY LIKHITHA (227Y1A6220), DASARI SANUTHA (237Y5A6205)**, student(s) of Department of Computer Science and Engineering (Cyber Security), is a record of Bonafide work carried out by the member(s) during a period from December 2025 to March 2026 under the supervision of **Mr. Gunna Manoj, Assistant Professor**. This project is done as a fulfilment of obtaining Bachelor of Technology Degree to be awarded by Jawaharlal Nehru Technological University Hyderabad, Hyderabad.

The matter embodied in this project report has not been submitted by me/us to any other university for the award of any other degree.

KONGA BHAVANI

KALASHETTY LIKHITHA

DASARI SANUTHANA

This is to certify that the above statement made by the candidate(s) is correct to the best of my knowledge.

Date:

(Mr. Gunna Manoj)

The Viva-Voce Examination of above students, has been held on.....

Head of The Department

Principal/Director

External Examiner

ACKNOWLEDGEMENTS

We would like to express our sincere gratitude to my guide **Mr. Gunna. Manoj, Assistant Professor**, Department of Cyber Security, for his excellent guidance and invaluable support, which helped us accomplish the B. Tech (CSC) degree and prepared us to achieve more life goals in the future. His total support of my dissertation and countless contributions to my technical and professional development made for a truly enjoyable and fruitful experience. Special thanks are dedicated for the discussions we had on almost every working day during my project period and for reviewing my dissertation.

We are very much grateful to my Project Coordinator, **Dr.B.Rebecca, Associate Professor**, Cyber Security, MLRITM, Dundigal, Hyderabad, who has not only shown utmost patience, but was fertile in suggestions, vigilant in directions of error and has been infinitely helpful.

We are extremely grateful to **Dr.M.Venkat Reddy, Head of the Department**, Associate Professor, Cyber Security, MLRITM, Dundigal, Hyderabad, for the moral support and encouragement given in completing my project work.

We wish to express deepest gratitude and thanks to **Dr. P. Sridhar, Director and Dr. R. Murali Prasad, Principal**, for their constant support and encouragement in providing all the facilities in the college to do the project work.

We would also like to thank all our faculties, administrative staff and management of MLRITM, who helped me to completing the mini project.

On a more personal note, we thank my **beloved parents and friends** for their moral support during the course of our project.



MARRI LAXMAN REDDY INSTITUTE OF TECHNOLOGY AND MANAGEMENT

(AN AUTONOMOUS INSTITUTION)

(Approved by AICTE, New Delhi & Affiliated to JNTUH, Hyderabad)

Accredited by NBA and NAAC with 'A' Grade & Recognized Under Section 2(f) & 12(B) of the UGC act, 1956

DECLARATION

We hereby declare that the Major Project report entitled —**FACE RECOGNITION SYSTEM USING MACHINE LEARNING** || is bonafide work duly completed by us. It does not contain any part of the report or thesis submitted by any other candidate to this or any other institute of the university.

All such materials that have been obtained from other sources have been duly acknowledged.

KONGA BHAVANI [227Y1A6209]

KALASHETTY LIKHITHA [227Y1A6220]

DASARI SANUTHANA [237Y5A6205]

TABLE OF CONTENTS

			Page No.
		<i>Certificate</i>	<i>ii</i>
		<i>Acknowledgements</i>	<i>iii</i>
		<i>Declaration</i>	<i>iv</i>
		<i>Table of Contents</i>	<i>v</i>
		<i>List of Figures</i>	<i>vi</i>
		<i>List of Abbreviations</i>	<i>vii</i>
		<i>Abstract</i>	<i>ix</i>
		Chapter 1: Introduction	1-7
	1.1	Overview of The Project	1
	1.2	Purpose of The Project	2
	1.3	Motivation	3
	1.4	Scope of the Project	4
	1.5	Objectives	5
	1.6	Limitations	6
		Chapter 2: Literature Survey	8 -10
	2.1	Existing System	8
		2.1.1 Traditional Face Recognition System	8
		2.1.2 Machine Learning Face Recognition System	9
	2.2	Limitations of Existing System	10
		Chapter 3: System Analysis	11-18
	3.1	Proposed System	11
	3.2	Objectives of Proposed System	13
	3.3	Scope	13
	3.4	System Requirements	15

		3.4.1	Software Requirements	15
		3.4.2	Hardware Requirements	16
		3.4.3	Functional Requirements	16
		3.4.4	Non-Functional Requirements	17
	3.5	Feasibility Study		17
Chapter 4: System Design				19-27
	4.1	System Architecture		19
	4.2	System Design UML Diagram		20
	4.3	User Case Diagram		20
	4.4	Sequence Diagram		22
	4.5	Module Diagram		24
	4.6	Class Diagrams		25
	4.7	Activity Diagram		26
	4.8	Data Flow Diagram		27
Chapter 5: Implementation				28-34
	5.1	Source Code		28
	5.2	Overview of Implementation		32
	5.3	Model Training Strategy		33
	5.4	Model Evaluation and Performance Analysis		33
	5.5	Data Set		34
Chapter 6: Testing And Evaluation				35-37
	6.1	Introduction		35
	6.2	Testing Methodology		35
	6.3	Functional Testing and Validation		36
	6.4	Functional Activities		36

	6.5	Model Performance and Evaluation	40
	6.6	Robustness and Performance Evaluation	41
Chapter 7: Result			42-47
	7.1	Implementation and Result Analysis	46
	7.2	Datasets Processing Results	46
	7.4	Model Performance Results	47
	7.5	Summary of Results	47
Chapter 8: Conclusion			48 -51
	8.1	Limitations	48
Chapter 9: Future Scope			52-53
<i>References</i>			
<i>Abstract (Initial Signed Copy)</i>			
<i>Yukti Innovation Repository Form</i>			
<i>Publications (If Any)</i>			

LIST OF FIGURES

Figure No.	Figures	Page No
4.1	System Architecture	19
4.2	Use Case Diagram	21
4.3	Sequence Diagram	23
4.4	Module Diagram	24
4.5	Class Diagram	25
4.6	Activity Diagram	26
4.7	Data Flow Diagram	27
7.1	Results	38-41

LIST ABBREVIATIONS

ISL	Indian Sign Language
AI	Artificial Intelligence
CNN	Convolutional Neural Network
RNN	Recurrent Neural Network
FPS	Frames Per Second
UI	Application Programming Interface
UX	User Interface

ABSTRACT

Face Biometric is an innovative biometric-based payment system that leverages facial recognition technology to transform the way users interact with digital financial services. By replacing conventional security mechanisms such as passwords, Personal Identification Numbers (PINs), and One-Time Passwords (OTPs), Face Biometric offers a frictionless and highly secure payment experience that prioritizes user convenience and system integrity. It integrates easily with existing payment systems, making it scalable and adaptable for both individual users and large businesses. Overall, it brings together convenience, speed, and strong security in one seamless digital payment solution.

Face recognition using machine learning has emerged as a powerful biometric technology for reliable and automated identification and verification of individuals. The system works by capturing facial images, preprocessing them to handle variations in lighting, pose, and expressions, and extracting distinctive facial features using machine learning and deep learning models such as Convolutional Neural Networks (CNNs). These features are then compared with stored templates in a database to accurately recognize or authenticate a person. Owing to its non-intrusive nature and high accuracy, face recognition has become an important component in modern security and surveillance systems.

The proposed face recognition system aims to enhance security, efficiency, and user convenience across applications such as access control, attendance management, law enforcement, and digital identity verification. By leveraging machine learning algorithms, the system continuously improves its performance through training on large datasets, enabling robustness against real-world challenges like occlusion and aging. Despite certain limitations such as privacy concerns and sensitivity to poor image quality, face recognition using machine learning offers a scalable and intelligent solution, making it a key technology in the advancement of biometric-based security systems.

CHAPTER 1

INTRODUCTION

1.1 OVERVIEW

The project Face Biometric – Face Recognition Technology for Digital Payments Using Machine learning introduces a modern approach to digital transactions by using facial biometrics as the primary mode of authentication. Instead of relying on traditional methods such as passwords, PINs, or OTPs, Face Biometric uses artificial intelligence and machine learning to recognize a user's face and authorize payments securely. This innovation enhances convenience and speed while minimizing common security risks like phishing, SIM-swapping, and credential theft.

The system works by capturing a user's facial data during registration, which is then securely stored and linked to their payment account. When making a transaction, the user's live face is scanned, verified against stored facial embeddings, and authenticated in real time. Advanced algorithms and liveness detection prevent spoofing attempts using photos or videos, ensuring only genuine users can access the system. The architecture integrates face recognition, secure databases, and payment gateways to enable fast and encrypted digital payments for wallets and bank accounts.

Face Biometric represents a step toward the future of contactless and secure payment systems. By combining deep learning, computer vision, and encryption technologies, it offers an efficient and fraud-resistant alternative to conventional payment methods. The project's success demonstrates how AI-driven biometrics can make digital transactions more seamless, reliable, and user-friendly, setting a foundation for future advancements like 3D recognition, multimodal authentication, and integration with mobile and IoT platforms.

Face represents a step toward the future of contactless and secure payment systems. By combining deep learning, computer vision, and encryption technologies, it offers an efficient and fraud-resistant alternative to conventional payment methods. The project's success demonstrates how AI-driven biometrics can make digital transactions more seamless.

1.2 PURPOSE OF THE PROJECT

The main purpose of the Face Biometric project is to develop a secure, convenient, and intelligent digital payment system that uses **facial recognition technology** instead of traditional authentication methods like passwords, PINs, or OTPs. By leveraging **machine learning** and **computer vision**, Face Pay aims to prevent online fraud, phishing, and unauthorized access while providing a smooth, contactless transaction experience. The system's design focuses on enhancing both **security and user convenience** by ensuring real-time identity verification and protecting sensitive user data through strong encryption and liveness detection.

Purpose (Point-wise):

- To provide a secure authentication system using facial biometrics instead of passwords or OTPs.
- To eliminate fraud risks such as phishing, OTP theft, and SIM swapping.
- To enable seamless, contactless digital payments for users.
- To integrate AI and machine learning for accurate and real-time face verification.
- To ensure user data protection using encryption and privacy mechanisms.
- To offer faster transactions by removing delays caused by manual authentication.
- To support wallet and bank transactions within a single, unified platform.
- To design a scalable and user-friendly system suitable for both retail and online environments.
- The system ensures fast and contactless verification, improving user experience and accessibility.
- It enhances security and privacy through encrypted biometric data and liveness detection to prevent spoofing.

1.3 MOTIVATION

The motivation behind developing *Face Biometric* arises from the growing need for **secure and effortless digital payment systems** in an age of increasing online transactions and cyber threats. Traditional methods like passwords, PINs, and OTPs are often vulnerable to hacking, phishing, and human error, leading to financial fraud and data breaches. With the rapid advancement of **artificial intelligence and facial recognition technology**, there is a strong opportunity to replace these outdated systems with a more **reliable, contactless, and user-friendly** solution. Face Biometric is motivated by the vision of creating a payment platform that combines **security, speed, and convenience**, ensuring that transactions can be completed simply by verifying a user's face — making digital payments both **futuristic and fraud-proof**. **Motivation (Point-wise):**

- To overcome the **security weaknesses** of passwords, PINs, and OTP-based systems.
- To reduce **cyber fraud and unauthorized access** in digital transactions.
- To make **payments faster and more convenient** using facial recognition.
- To utilize **AI and machine learning** for real-time identity verification.
- To promote **contactless transactions**, especially useful in modern retail and pandemic-aware environments.
- To demonstrate the **practical use of biometrics** in financial technology.
- To enhance **user trust and data security** through encrypted biometric systems.
- To contribute to the development of **next-generation digital payment solutions** combining innovation and safety.

1.4 SCOPE OF THE PROJECT

The scope of the *Face Biometric* project covers the design and implementation of a **secure, AI-driven digital payment system** that uses **facial recognition technology** for authentication. It aims to replace traditional methods such as passwords, PINs, and OTPs with **biometric verification**, making transactions faster, safer, and more user-friendly. The system supports both **wallet transfers and bank transactions**, integrating with existing payment gateways to provide a seamless experience. Additionally, the project includes features like **liveness detection** to prevent spoofing attacks and **data encryption** to ensure user privacy. The Face Biometric framework is scalable and adaptable, making it suitable for **online shopping, retail payments, and mobile applications**, and it can be expanded in the future to include **AI-based fraud detection, multi-factor biometrics, and blockchain security** for even greater reliability.

- To implement **facial recognition-based authentication** for digital payments.
- To support both **wallet and bank transactions** with real-time processing.
- To ensure **high security** using encryption and liveness detection.
- To integrate **AI and machine learning** for accurate face verification and fraud prevention.
- To develop a **user-friendly interface** for mobile and web platforms.
- To enable **seamless integration** with existing payment gateways and banking systems.
- To maintain **transaction records** securely for future reference and analysis.
- To design a **scalable system** that can be expanded with new technologies like blockchain and multi- biometric authentication.
- To make digital payments **faster, contactless, and reliable** for both consumers and merchants.

1.5 OBJECTIVES

The primary objective of the proposed Face Biometric System is to develop a secure, efficient, and contactless authentication and payment solution using facial recognition technology. The system aims to eliminate the dependency on traditional authentication methods such as passwords, PINs, and OTPs by using biometric identification. It seeks to provide fast and accurate user verification while ensuring data privacy and protection against unauthorized access. Another objective is to enhance user convenience by enabling seamless digital transactions without the need for physical cards or mobile devices. The system also focuses on preventing fraudulent activities through liveness detection and secure data handling mechanisms. Additionally, the project aims to demonstrate the practical application of machine learning and image processing techniques in real-world security and payment systems, supporting the growth of a reliable and cashless digital ecosystem.

- Develop a secure payment system using facial recognition technology.
- Enable contactless digital transactions without physical cards or cash.
- Eliminate dependency on passwords, PINs, and OTPs.
- Provide fast and accurate user authentication.
- Ensure reliable face detection and recognition under varied lighting conditions.
- Extract unique facial features accurately for authentication.
- Implement liveness detection to prevent spoofing attacks.
- Maintain secure storage of biometric data in encrypted format.
- Integrate the system with payment gateways like UPI, Stripe, or PayPal.
- Ensure seamless communication between frontend and backend modules.
- Provide a user-friendly and intuitive interface for registration and payments.

- Send real-time feedback to users via alerts, confirmations, or error messages.
- Enable administrators to monitor system performance and security.

1.6 LIMITATIONS

Despite the advancements in face recognition using machine learning, the system has several limitations that must be considered. The performance of the system heavily depends on the quality and diversity of the dataset used for training, and poor-quality or biased data can lead to inaccurate recognition results. Variations in lighting conditions, extreme facial expressions, pose changes, and partial occlusions such as masks or glasses can still affect recognition accuracy. The system requires significant computational resources and memory, especially during model training and real-time processing, which may limit deployment on low-end devices. Privacy and security concerns arise due to the storage and processing of sensitive facial data, requiring strong data protection mechanisms. Additionally, the system may struggle with aging effects, where changes in a person's appearance over time reduce recognition accuracy. The presence of look-alike individuals can also cause misclassification. Overall, while the system provides improved performance compared to traditional methods, these limitations highlight the need for continuous improvement and careful real-world implementation.

- **Lighting Conditions:** The accuracy of face recognition may decrease in poor or inconsistent lighting conditions.
- **Angle and Pose Variations:** Users not facing the camera directly or with unusual facial angles may face recognition errors.
- **Facial Changes:** Significant changes in a user's appearance, such as facial hair, makeup, or aging, may affect authentication accuracy.
- **Camera Quality:** Low-resolution or poor-quality cameras can reduce recognition performance.
- **Spoofing Risks:** While liveness detection reduces risks, sophisticated spoofing techniques (3D masks, high-quality images) may still bypass the system.
- **Processing Time:** Large user databases may increase processing time, slightly slowing authentication.

- **Hardware Dependency:** The system requires devices with cameras and sufficient processing power.
- **Privacy Concerns:** Storing facial data raises concerns regarding user privacy and data misuse.
- **Network Dependency:** For online payments, system performance relies on stable internet connectivity.
- **Cost of Implementation:** Advanced hardware and secure database management may increase deployment costs.

CHAPTER 2

LITERATURE SURVEY

2.1 EXISTING SYSYEM

The existing digital payment systems depend mainly on **PINs, passwords, and OTPs** for user authentication. While these methods are functional, they are prone to risks such as password theft, phishing, and SIM swapping, which can lead to financial fraud and data breaches. Users also face inconvenience when remembering or resetting credentials.

Some systems have started using **biometric authentication** like fingerprints or basic facial recognition, but these are often limited to device unlocking and not fully integrated into payment processing. They also lack advanced **liveness detection** features, making them vulnerable to spoofing through photos or videos.

2.1.1. Traditional Face Recognition System

In traditional face recognition systems, identification is mainly performed using classical image processing and statistical techniques. Methods such as Principal Component Analysis (PCA), Linear Discriminant Analysis (LDA), and Eigenfaces were widely used to extract facial features and compare them for recognition. These systems depend heavily on manual feature extraction and predefined rules, making them sensitive to variations in illumination, facial expressions, pose, and background noise. As a result, traditional systems show limited accuracy and scalability when applied in real-world environments with large and diverse datasets.

2.1.2. Machine Learning based Face Recognition System

Machine learning-based face recognition systems improved performance by learning patterns from data instead of relying solely on handcrafted features. Techniques such as Local Binary Patterns (LBP), Histogram of Oriented Gradients (HOG), and Scale-Invariant Feature Transform (SIFT) are used along with classifiers like Support Vector Machines (SVM), k-Nearest Neighbors (k-NN), and Neural Networks. More advanced systems use deep learning models, particularly

Convolutional Neural Networks (CNNs), to automatically extract and learn complex facial features.

These systems provide higher accuracy, better robustness to variations, and improved scalability, though they require large datasets and higher computational resources.

2.2 LIMITATIONS IN EXISTING SYSTEM

Existing authentication systems have several limitations that reduce their effectiveness is, reuse or forget passwords, making account recovery and management difficult. Biometric systems without advanced liveness detection can be fooled by photos, videos, or masks, leading to spoofing attacks. Many existing face recognition systems also struggle with variations in lighting, pose, and facial expressions, causing false rejections or mismatches. Additionally, poor data encryption and centralized storage increase the risk of privacy breaches and unauthorized access. These limitations highlight the need for a more secure, intelligent, and adaptive face biometric system.

- **Weak security:**
Existing systems rely on passwords, PINs, and OTPs, which can be easily stolen or hacked. This makes them highly vulnerable to unauthorized access and cyberattacks.
- **High Fraud Rise:**
Users often fall victim to phishing, SIM swapping, and identity theft, leading to financial losses and compromised personal data.
- **Slow Transaction Process:**
Manual entry of OTPs and passwords increases transaction time, reducing speed and efficiency, especially during peak usage.
- **User Memory Dependence:**
Users must remember multiple credentials, and forgetting them can lock accounts or delay payments, reducing convenience.
- **Lack of Biometric Authentication:**
Most systems do not support facial or fingerprint recognition, which limits the security and modern usability of digital payments.
- **Sensitivity to Lighting Conditions:**

Traditional face recognition systems perform poorly under varying illumination. Changes in brightness, shadows, or low-light environments significantly reduce recognition accuracy.

- **Pose Variation Issues:**

Existing systems struggle to recognize faces when the head is tilted, rotated, or captured from different angles, as most models are trained on frontal face images.

- **Facial Expression Variations:**

Changes in facial expressions such as smiling, frowning, or blinking affect feature extraction, leading to misclassification or recognition failure.

- **Manual Feature Extraction:**

Many traditional and early machine learning systems rely on handcrafted features, which require expert knowledge and limit system flexibility and performance.

- **Limited Scalability:**

Existing systems are not efficient when handling large datasets. As the number of users increases, processing time and storage requirements also increase significantly.

CHAPTER 3

SYSTEM ANALYSIS

3.1 PROPOSED SYSTEM

The proposed system implements a face recognition approach using machine learning with deep learning techniques to achieve accurate and reliable identification. The system uses a Convolutional Neural Network (CNN) to automatically extract discriminative facial features from input images without manual feature engineering. Face detection is first performed to locate and align faces, followed by preprocessing steps such as normalization and resizing to improve model performance. The trained model learns unique facial patterns and stores them in a secure database for comparison during the recognition phase.

In the recognition stage, the system captures real-time or stored images and matches them against the trained facial database using similarity metrics. This proposed system is designed to handle variations in lighting, facial expressions, and pose more effectively than traditional methods. It offers improved accuracy, faster recognition, and better scalability for large datasets. Additionally, the system can be integrated with security and access control applications while maintaining efficiency and adaptability for real-world deployment.

Key Components of the Proposed Face Recognition System

- **User Interface:**

The user interface provides an interactive platform for users to register, upload images, and perform face recognition operations. It is designed to be simple and user-friendly, allowing users to capture images through a camera or upload stored photos. The interface guides users through the process and ensures smooth interaction between the user and the system.

- **Front End:**

The front end is responsible for handling user interactions and displaying system functionalities. It is developed using web technologies that enable image capture, form submission, and real-time communication with the backend. The front end ensures proper input validation and sends user requests securely to the backend for processing.

- **Backend:**

The backend manages the core logic of the face recognition system. It handles image preprocessing, face detection, feature extraction, and recognition using machine learning models. The backend also manages the database, stores facial embeddings, processes requests from the front end, and returns recognition results efficiently.

- **Result Display:**

The result display component presents the output of the face recognition process to the user. It shows whether the face is recognized or not, along with relevant details such as user identity or confidence score. This component ensures clear and timely feedback, improving user understanding and overall system usability.

Key Functionalities of the Proposed System

1. **Face Detection:** Automatically detects human faces from images or live video input to ensure accurate processing.
2. **Face Registration:** Allows users to enroll by capturing and storing facial images along with unique identity information in the database.
3. **Feature Extraction:** Uses a machine learning model to extract distinctive facial features required for reliable recognition.
4. **Face Recognition:** Compares input facial features with stored data to identify or verify an individual accurately.
5. **Result Generation and Display:** Provides clear recognition results with user details or confidence scores for easy interpretation.

3.2 Objectives of the Proposed System

The primary objective of the proposed system is to design and develop an efficient face recognition system using machine learning techniques that provides accurate and reliable identification of individuals. The system aims to automate the process of face detection, feature extraction, and recognition while minimizing manual intervention. Another key objective is to enhance robustness against variations in lighting, facial expressions, and pose, ensuring consistent performance in real-world conditions. Additionally, the proposed system focuses on improving processing speed, scalability for large datasets, and ease of integration with security and access control applications, thereby making it suitable for practical and secure deployment.

- To develop an accurate face recognition system using machine learning techniques.
- To automatically detect and recognize human faces from images or live input.
- To improve recognition performance under varying lighting, pose, and facial expressions.
- To reduce manual feature extraction by using automated learning models.
- To ensure fast, scalable, and reliable identification for real-time security applications.

3.3 SCOPE

The Scope of the Proposed System includes the following aspects:

- **Security and Access Control:**

The proposed face recognition system can be widely used in security applications such as office buildings, laboratories, airports, and restricted areas. It ensures that only authorized individuals are granted access, reducing dependency on passwords, ID cards, or biometric tokens.

- **Surveillance and Monitoring Systems:**

The system can be integrated into surveillance cameras for identifying individuals in public places. It helps in tracking suspects, enhancing public safety, and supporting law enforcement agencies in crime prevention and investigation.

- **Real-Time Face Recognition:**

The proposed system supports real-time face recognition using live camera input. This makes it suitable for applications that require immediate identification, such as entry verification systems and live monitoring environments.

- **Scalability for Large Databases:**

The system is designed to handle large datasets efficiently. It can store and process a large number of facial records, making it suitable for organizations, institutions, and large-scale deployments.

- **Integration with Existing Systems:**

The proposed system can be easily integrated with existing software and hardware infrastructures such as attendance systems, employee management systems, and security databases, enhancing their functionality without major changes.

- **Attendance and Identity Management:**

The system can be effectively used for automated attendance tracking in educational institutions and workplaces. It reduces proxy attendance and manual errors by ensuring accurate identity verification.

- **Adaptability to Environmental Variations:**

The system is capable of handling variations in lighting conditions, facial expressions, and pose. This adaptability ensures consistent performance in real-world scenarios where controlled conditions are not always possible.

- **Future Enhancement and Expansion:**

The proposed system provides scope for future improvements such as emotion detection, age and gender estimation, and integration with advanced deep learning and AI technologies. It can also be extended to mobile and cloud-based platforms for broader usability.

3.4 SYSTEM REQUIREMENTS

The system requirements for face recognition using machine learning include both hardware and software components to ensure reliable and efficient performance. The system should run on a computer with Windows 10 or higher, Linux, or macOS, powered by at least an Intel Core i3 processor or equivalent, with a minimum of 4 GB RAM (8 GB or more recommended) and at least 20 GB of storage space for datasets, trained models, and system files. An inbuilt or external HD webcam with a resolution of 720p or higher is required for capturing facial images accurately. On the software side, the system requires Python 3.8 or higher along with machine learning and computer vision libraries such as TensorFlow, Keras, and OpenCV.

3.4.1 Software Requirements

- **Operating System:** Windows 10 or higher, Linux (Ubuntu/Kali), or macOS to provide a stable and compatible execution environment for machine learning applications.
- **Programming Language:** Python 3.8 or higher, as it offers extensive support for machine learning, image processing, and integration libraries.
- **Machine Learning Frameworks:** TensorFlow 2.x and Keras for building, training, and deploying deep learning models used in face recognition.
- **Computer Vision Library:** OpenCV for face detection, image acquisition, preprocessing, and real-time video stream handling.
- **Scientific Computing Libraries:** NumPy, Pandas, and SciPy for numerical computations, data manipulation, and efficient handling of datasets.
- **Deep Learning Utilities:** scikit-learn for model evaluation, feature extraction, and performance analysis.
- **Development Environment:** Jupyter Notebook, Visual Studio Code, or PyCharm for coding, debugging, and experimentation.
- **Database Software:** MySQL, SQLite, or MongoDB to store user profiles, facial features, and system logs securely.
- **Web/Application Framework (Optional):** Flask or Django for developing web-based interfaces and deploying the face recognition system.

3.4.2 Hardware Requirements:

- **Processor (CPU):** Intel Core i3 or equivalent processor at minimum; higher-end processors such as Intel Core i5/i7 or AMD Ryzen are recommended to handle image processing and model execution efficiently.
- **Memory (RAM):** Minimum of 4 GB RAM to run basic face recognition tasks; 8 GB or more is recommended for smoother performance, especially during model training and real-time recognition.
- **Storage:** At least 20 GB of HDD or SSD storage to store operating system files, datasets, trained models, and system logs; SSD is preferred for faster data access.
- **Camera:** Inbuilt or external HD webcam with a resolution of 720p or higher to capture clear and high-quality facial images required for accurate recognition.
- **Graphics Processing Unit (GPU):** Integrated GPU is sufficient for basic operations; a dedicated GPU (such as NVIDIA with CUDA support) is recommended for faster training and improved performance of deep learning models.
- **Display:** Standard monitor with sufficient resolution to view live video feeds, recognition results, and system interfaces clearly.

3.4.3 Functional Requirements

1. **User Enrollment:** The system shall allow users to register their facial biometric data securely
2. **Payment Authorization:** The system shall initiate payment authorization upon successful facial authentication.
3. **Payment Authorization:** The system shall initiate payment authorization upon successful facial authentication.
4. **Integration:** The system shall integrate with POS terminals and payment gateways seamlessly.
5. **Security and Privacy:** The system shall encrypt all facial data both in transit and at rest.
6. **Transaction Management:** The system shall record transaction details, including date/time.

3.4.2 NON-FUNCTIONAL REQUIREMENTS

Hardware Requirements

System	:	PENTIUM IV 2.4GHz.
Hard Disk	:	40GB.
RAM	:	512 Mb.

Software Requirements

Operating System	:	Windows
Coding Language	:	Python
Base	:	Google firebase

3.5 FEASIBILITY STUDY

A **Feasibility Study** is a detailed evaluation of a proposed project to determine how practical, achievable, and beneficial it will be before full implementation. It analyzes various aspects such as **technical, operational, economic, legal, and scheduling feasibility** to assess whether the project can be successfully developed with the available resources, technology, time, and budget. The main purpose of a feasibility study is to identify potential challenges early and ensure that the project is both **realistic and cost-effective** before execution.

The Face Biometric System was evaluated for its feasibility from technical, operational, economic, and legal perspectives to ensure that the proposed solution is practical, cost-effective, and beneficial for real-world deployment. The study confirms that implementing face biometric technology is both achievable and advantageous for secure, fast, and contactless authentication.

1. Technical Feasibility

The system is technically feasible as it utilizes well-established technologies such as machine learning, computer vision, and image processing. Existing hardware like webcams and mobile cameras are sufficient for capturing facial data. The system's architecture supports both local and cloud deployment, making it compatible with current IT infrastructures. Additionally, advancements in GPU processing enable efficient training and recognition, proving that the project is technically sound and implementable.

2. Operational Feasibility

The system is operationally feasible as it simplifies user authentication and enhances security without complex user interactions. It provides a contactless and user-friendly experience, which is especially relevant in post-pandemic environments. The interface is intuitive, requiring minimal training for users and administrators. Maintenance and updates can be easily performed by authorized personnel, ensuring smooth day-to-day operation.

3. Economic Feasibility

The project is economically viable because it reduces long-term costs associated with password management, card issuance, and fraud prevention. Although initial investment is needed for software development and hardware setup, the overall maintenance cost is low. The use of open-source technologies minimizes licensing expenses, making the system cost-effective and scalable for organizations of different sizes.

4. Legal and Ethical Feasibility

The system aligns with privacy and data protection regulations by encrypting all biometric data and securing user consent before enrollment. It follows ISO/IEC 30107 standards for biometric data handling and presentation attack detection.

5. Schedule Feasibility

The development timeline for the project is realistic and achievable within academic and industrial constraints. Each phase—data collection, model training, testing, and deployment—can be completed within the proposed schedule using available resources and manpower. This makes the system time-feasible and practical for implementation.

CHAPTER 4

SYSTEM DESIGN

4.1 SYSTEM ARCHITECTURE




Fig 4.1: system architecture design

4.2 System Design UML Diagrams

System Design UML diagrams provide a visual representation of the structure and behavior of the face recognition system using machine learning. These diagrams, such as use case, class, sequence, and activity diagrams, help in clearly defining system components, user interactions, data flow, and processing logic. UML diagrams improve understanding among developers and stakeholders, support better planning and design decisions, and ensure that the system is well-structured, scalable, and easier to implement and maintain.

4.3 Use Case Diagram

A use case diagram represents the functional requirements of the Face Biometric System and illustrates the interaction between users (actors) and system functionalities.

Actors

- **End User:**

The end user interacts with the system to register facial data, authenticate identity through face recognition, and access authorized services or perform secure transactions.

- **Administrator:**

The administrator manages user accounts, maintains the facial database, updates and trains recognition models, and monitors system performance and security

Use Cases

- **User Registration:**

The user provides basic personal details and captures facial images using a camera. The captured images are securely stored in the database and used to create a facial profile for future authentication.

- **Face Image Capture:**

The system activates the camera to capture real-time facial images under suitable lighting conditions to ensure high recognition accuracy.

- **Face Detection:**

The system detects the facial region from the captured image by identifying facial features and removing background noise.

- **Feature Extraction:**

The system extracts important facial features such as the eyes, nose, jawline, and facial landmarks and converts them into numerical representations for matching.

- **Face Authentication:**

The extracted facial features are compared with stored biometric templates to verify the user's identity.




Fig: 4.2 - USE CASE DIAGRAM

4.4 Sequence Diagram

The **Sequence Diagram** of the Face Biometric System illustrates the step-by-step flow of interactions between the user, system modules, and database during authentication. The process begins when the user initiates face capture through the interface, after which the system performs image preprocessing and liveness detection to ensure the input is genuine. The extracted facial features are then compared with the stored template in the database using the matching module. Based on the similarity score, the system sends a verification response—either granting or denying access. This sequential flow demonstrates the real-time communication and coordination between components, ensuring fast, accurate, and secure user authentication.

Sequence of operations

1. System Initialization:

The system starts, loads necessary modules (camera, recognition model, and database connections), and waits for user input.

2. User Access Request:

The user initiates the process by selecting an action such as *Enroll* or *Authenticate* on the interface.

3. Face Capture:

The camera captures the user's facial image or video in real time. Proper alignment and lighting are ensured before proceeding.

4. Image Preprocessing:

The captured image is processed for face detection, cropping, alignment, and normalization to improve quality and consistency.

5. The result (Access Granted or Denied):

It is displayed on the user interface, along with appropriate feedback messages.




Fig: 4.3. – SEQUENCE DIAGRAM

4.5 MODULE DIAGRAM

The module diagram of the Face Biometric System represents the overall structure and interaction between its main components. It shows how different modules—such as face detection, preprocessing, feature extraction, liveness detection, matching, and database management—work together to achieve secure and accurate authentication. Each module performs a specific task in the recognition process, ensuring smooth data flow from image capture to identity verification.

Main Modules:

- **Face Detection Module:** Captures and identifies the user's face from camera input.
- **Preprocessing Module:** Enhances image quality, aligns and normalizes the face for accurate analysis.
- **Feature Extraction Module:** Converts facial features into unique numerical patterns (embeddings).
- **Liveness Detection Module:** Ensures the face is real and not a photo or video spoof.
- **Matching Module:** Compares extracted features with stored templates for identity verification.
- **Database Module:** Securely stores encrypted biometric data and transaction records.
- **User Interface Module:** Allows users to enroll, authenticate, and view results easily




Fig 4.4: Modular Diagram

4.6 Class Diagram

The class diagram represents the structural design of the face recognition system by illustrating the main classes, their attributes, methods, and relationships. It includes classes such as User, Face Image, Recognition Model, Database, and Result, where the User class manages user details and registration, the Face Image class handles image capture and preprocessing, and the Recognition Model class performs feature extraction and face matching. The Database class stores user information and facial features, while the Result class displays recognition outcomes. The class diagram clearly shows how these classes interact with each other, helping in understanding system organization, data flow, and overall object-oriented design.




Fig 4.5: Class Diagram

4.7 Activity Diagram

The activity diagram illustrates the workflow of the face recognition system by showing the sequence of activities performed from start to end. It begins with user input in the form of image capture or upload, followed by face detection and preprocessing. The system then performs feature extraction and face recognition by comparing the input face with stored data. Based on the comparison, the system generates the recognition result, which is finally displayed to the user. This diagram helps in understanding the control flow and decision-making process within the system.




Fig4.6: Activity Diagram

4.8 Data Flow Diagram

The data flow diagram (DFD) represents the flow of data within the face recognition system and shows how information moves between different processes. It illustrates how the user provides an image to the system, which is then processed through image acquisition, face detection, feature extraction, and face recognition modules. The extracted features are compared with the stored data in the face database, and the final recognition result is generated and displayed to the user. The DFD helps in understanding the system's functional workflow and data interactions in a clear and structured manner.




Fig 4.7: Data Flow Diagram

CHAPTER 5

IMPLEMENTATION

5.1 SOURCE CODE

Index.Html

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>FacePay</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="global.css">
    <link rel="icon" href="./images/favicon.png" type="image/icon type">
    <link href="https://fonts.googleapis.com/css?family=Montserrat:500&display=swap" rel="stylesheet">
    <script src="https://www.gstatic.com/firebasejs/9.8.1/firebase-app-compat.js"></script>
    <script src="https://www.gstatic.com/firebasejs/9.8.1/firebase-database-compat.js"></script>
    <script>
      // Initialize Firebase
      const firebaseConfig = {
        apiKey: "AIzaSyAnEAVg_QSMgu9COS-UWx9_oJDE2bzMRA",
        authDomain: "today-5d084.firebaseio.com",
        databaseURL: "https://today-5d084-default-rtdb.firebaseio.com",
        projectId: "today-5d084",
        storageBucket: "today-5d084.appspot.com",
        messagingSenderId: "67885556598",
        appId: "1:67885556598:web:c4d69673d9e50bd5e0d057",
        measurementId: "G-DVDGZEF2VC"
      };
    </script>

    // Initialize Firebase
    const firebaseConfig = {
      apiKey: "AIzaSyAnEAVg_QSMgu9COS-UWx9_oJDE2bzMRA",
      authDomain: "today-5d084.firebaseio.com",
      databaseURL: "https://today-5d084-default-rtdb.firebaseio.com",
      projectId: "today-5d084",
      storageBucket: "today-5d084.appspot.com",
      messagingSenderId: "67885556598",
      appId: "1:67885556598:web:c4d69673d9e50bd5e0d057",
      measurementId: "G-DVDGZEF2VC"
    };

    // Initialize Firebase
    firebase.initializeApp(firebaseConfig);
  </script>
  <script defer type="text/javascript" src="./script.js"></script>
  <script defer type="module" src="./src/logout.js"></script>
  <style>
    .error-message {
      color: #ff0000;
      font-size: 12px;
      margin-top: 5px;
      display: block;
      font-family: "Montserrat", sans-serif;
    }
  </style>

```

```

<body>
  <header>
    <a class="logo"></a>
    <a id="signup" class="signup-class">Sign Up</a>
    <a id="login" class="login-class">Log In</a>
    <a id="profile" class="profile-class">
      
    </a>
  </header>

  <main>
    <div id="main" class="main-container">
      <div class="welcome-container">
        <p class="welcome-text0">Welcome to FacePay!</p>
        <p class="welcome-text">Forgot PIN, Password? Do Not Worry!</p>
        <p class="welcome-text">Just select the service and pay using face authentication. Yes! it's that simple.</p>
      </div>

      <div class="transaction-type-container">
        <ul class="transaction-type">
          <li><span id="wallet-switch">Wallet Transfer</span></li>
          <li><span id="bank-switch">Bank Transfer</span></li>
        </ul>
      </div>

      <div class="transaction-container">
        <div id="wallet-transfer-container" class="unhide">
          <div id="wallet-transfer" class="transfer-type">
            <p class="transfer-title">Wallet Transfer</p>
            <div class="transfer-detail">
              <div class="transfer-form wallet-form">
                <span class="box-title">Mobile Number</span>
                <input class="box-input" id="mobile-number" type="text" placeholder="Enter Mobile Number"/>
              </div>
            </div>
          </div>
        </div>

        <div id="bank-transfer-container" class="hide">
          <div class="imgBx">
            
          </div>
          <div id="bank-transfer" class="transfer-type">
            <p class="transfer-title">Bank Transfer</p>
            <div class="transfer-detail">
              <div class="transfer-form bank-form">
                <span class="box-title">Beneficiary Name</span>
                <input class="box-input" id="beneficiary-name" type="text" placeholder="Name on Bank Account"/>
                <span class="error-message" id="beneficiary-error"></span>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </main>

```



```

<div id="bank-transfer" class="transfer-type">
  <p class="transfer-title">Bank Transfer</p>
  <div class="transfer-detail">
    <div class="transfer-form bank-form">
      <span class="box-title">Beneficiary Name</span>
      <input class="box-input" id="beneficiary-name" type="text" placeholder="Name on Bank Account"/>
      <span class="error-message" id="beneficiary-error"></span>
    </div>
    <div class="transfer-form bank-form">
      <span class="box-title">Account Number</span>
      <input class="box-input" id="account-number" type="text" placeholder="Account Number"/>
      <span class="error-message" id="account-error"></span>
    </div>
    <div class="transfer-form bank-form">
      <span class="box-title">IFSC Code</span>
      <input class="box-input" id="ifsc-code" type="text" placeholder="IFSC Code"/>
      <span class="error-message" id="ifsc-error"></span>
    </div>
    <div class="transfer-form bank-form last-form-input-bank">
      <span class="box-title">Amount</span>
      <input class="box-input" id="bank-amount" type="text" placeholder="Enter Amount"/>
      <span class="error-message" id="bank-amount-error"></span>
    </div>
  </div>
</div>
</div>
</main>

```

face verification.html

```

      <span class="box-title">Amount</span>
      <input class="box-input" id="bank-amount" type="text" placeholder="Enter Amount"/>
      <span class="error-message" id="bank-amount-error"></span>
    </div>
  </div>
</div>
</main>

<footer id="footer">
  <div class="submit-container">
    <button id="home-next-btn" class="submit-btn" onclick="clickHomeNextBtn()">Next</button>
  </div>
</footer>
</body>
</html>

```

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Face Verification - FacePay</title>
    <link rel="icon" href="../images/favicon.png" type="image/icon type">
    <link href="https://fonts.googleapis.com/css?family=Montserrat:500&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="face-verification.css">
    <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
    <script defer src="./face-api.min.js"></script>
    <script defer src="./face-verification.js"></script>
  </head>
  <body>
    <header id="header">
      <a class="logo"></a>
    </header>

    <div class="message-container">
      <p id="message">Loading...</p>
    </div>

    <main id="main">
      <!-- use below line code for rectangular view and also make the border-radius 25px -->
      <!-- <video id="videoElement" width="500px" height="375px" autoplay muted>Camera is not supported in this browser! Try using -->
      <video id="videoElement" width="400px" height="400px" autoplay muted>Camera is not supported in this browser! Try using
    </main>

    <footer id="footer">
      <div class="submit-container">
        <button id="start-btn" class="submit-btn hide" onclick="clickStartBtn()">Start Verification</button>
      </div>
    </footer>
  </body>
</html>

```

```

<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Login - FacePay</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../images/favicon.png" type="image/icon type">
    <link href="https://fonts.googleapis.com/css?family=Montserrat:500&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstrap.min.css" integrity="sha384-Vko" >
    <link rel="stylesheet" href="./login.css">
    <script src="https://cdnjs.cloudflare.com/ajax/libs/crypto-js/4.1.1/crypto-js.min.js" ></script>
    <script src="https://unpkg.com/sweetalert/dist/sweetalert.min.js"></script>
    <script defer type="module" src="./login.js"></script>
  </head>
  <body>
    <header id="header">
      <a class="logo" id="logo"></a>
      <script>const clickLogoImg = () => window.location.href = '../index.html'</script>
    </header>

    <main>
      <div class="section-container">
        <div class="imgBox">
          
        </div>

        <div class="mb-5">
          <h3 class="mb-3">Welcome Back!</h3>
          <input type="text" placeholder="Email" id="emailInp" class="form-control mb-3 topper">
          <input type="password" placeholder="Password" id="passInp" class="form-control mb-3">
          <div class="custom-control custom-switch mb-3">
            <input type="checkbox" class="custom-control-input" id="customSwitch1">
            <label class="custom-control-label" for="customSwitch1">Keep me Logged In</label>
          </div>
        </div>
      </div>
    </main>
  </body>
</html>

```


Login.html

```
<html>
<body>
  </header>

  <main>
    <div class="section-container">

      <div class="imgBx">
        
      </div>

      <div class="mb-5">
        <h3 class="mb-3">Welcome Back!</h3>
        <input type="text" placeholder="Email" id="emailInp" class="form-control mb-3 topper">
        <input type="password" placeholder="Password" id="passInp" class="form-control mb-3">
        <div class="custom-control custom-switch mb-3">
          <input type="checkbox" class="custom-control-input" id="customSwitch1">
          <label class="custom-control-label" for="customSwitch1">Keep me Logged In</label>
        </div>
        <button type="text" id="submitBtn" class="btn w-100 btn-outline-primary mb-3">Log In</button>
        <div class="ask-account">
          Don't have an account?
          <a href="/signup.html" class="ask-account-link">Sign Up</a>
        </div>
      </div>
    </div>
  </main>
</body>
</html>
```

5.2 Overview of Implementation

The implementation of the face recognition system using machine learning is carried out in a structured and systematic manner to ensure accuracy, efficiency, and reliability. The process begins with image acquisition, where facial images are captured through a webcam or uploaded by users. These images are then subjected to preprocessing steps such as face detection, cropping, resizing, and normalization to maintain uniform input quality. A machine learning–based model is trained using a well-prepared dataset containing multiple images per individual, enabling the system to learn distinctive facial features. The trained model is integrated into the backend, which handles feature extraction, face matching, and database management.

During the recognition phase, the system extracts facial features from the input image and compares them with the stored facial feature data to identify or verify an individual. The front end provides a user-friendly interface for user interaction, while the backend ensures secure data processing and efficient communication with the database. Real-time recognition capability is achieved by optimizing processing speed and response time.

The implementation also emphasizes scalability, allowing the system to handle a growing number of users without performance degradation. Overall, the detailed implementation ensures that the system is robust, accurate, and suitable for real-world security and authentication applications.

5.3 model training strategy

The model training strategy for the face recognition system is carefully designed to ensure high accuracy, robustness, and generalization. Initially, the collected facial image dataset is thoroughly preprocessed through face detection, cropping, resizing, and normalization to maintain consistent input quality. The dataset is then split into training, validation, and testing sets to allow proper performance monitoring and unbiased evaluation. During training, the machine learning model, such as a convolutional neural network, learns discriminative facial features by processing the training images through multiple layers. Data augmentation techniques including rotation, flipping, scaling, and brightness adjustment are applied to increase data diversity and reduce overfitting. An appropriate loss function and optimization algorithm are used to update model parameters efficiently, while validation data is used to monitor learning progress and prevent overtraining. Training continues until convergence is achieved, ensuring the model can accurately recognize faces under varying real-world conditions.

5.4 Model Evaluation and Performance Analysis

Model evaluation and performance analysis are conducted to assess the effectiveness and reliability of the face recognition system developed using machine learning. The trained model is evaluated using a separate testing dataset to measure its generalization capability on unseen data. Performance metrics such as accuracy, precision, recall, and error rates are analyzed to understand recognition quality. The system is tested under different lighting conditions, facial expressions, and pose variations to evaluate robustness. Processing time and response speed are also measured to assess real-time performance. The analysis shows that the model achieves consistent accuracy with reduced false acceptance and rejection rates, confirming its suitability for practical face recognition applications.

5.5 Data Set

The proposed Face Biometric system relies on a rich combination of **publicly available** and **custom-built datasets** to ensure accurate, secure, and efficient facial recognition for digital payment authentication. It uses popular benchmark datasets such as **Labeled Faces in the Wild (LFW)**, which contains thousands of facial images collected from the internet, helping the model learn to recognize faces under varied lighting, angles, and expressions.

The **Face Recognition Technology (FERET)** dataset is employed to train the system on multiple face orientations and head positions, improving recognition even when users are not directly facing the camera. The **Celeb A** dataset, containing over 200,000 celebrity images with annotated facial attributes, assists in enhancing the system's ability to generalize across different age groups, genders, and facial variations.

These public datasets are primarily used to train and fine-tune the **Convolutional Neural Network (CNN)** model to extract robust facial embeddings for precise identification.

CHAPTER 6

TESTING AND EVALUATION

6.1 Introduction

Testing and evaluation are essential phases in the development of the face recognition system using machine learning, as they ensure the system functions accurately, reliably, and efficiently. This process involves validating each module of the system, including image acquisition, face detection, feature extraction, and face recognition, under both controlled and real-world conditions. Different test scenarios are used to measure recognition accuracy, processing speed, and error rates while considering variations in lighting, facial expressions, pose, and image quality. The evaluation phase helps identify system strengths and limitations, ensuring that the proposed solution meets performance requirements and is suitable for practical security and authentication applications.

6.2 Testing Methodology

The testing methodology for the face recognition system involves a structured and systematic evaluation of all system components. Initially, unit testing is carried out on individual modules such as image acquisition, face detection, and preprocessing to ensure correct functionality. Integration testing is then performed to verify smooth interaction between the front end, backend, and database.

The recognition model is tested using separate training and testing datasets, and performance metrics such as accuracy, precision, recall, false acceptance rate, and false rejection rate are calculated. Testing is conducted under varying lighting conditions, facial expressions, and poses to evaluate robustness. Real-time testing using live camera input is also performed to measure response time and system efficiency. Stress testing is carried out by increasing the number of users in the database, and error handling is validated using poor-quality or invalid image inputs. Finally, the system is validated to ensure it meets all defined project objectives.

6.3 Functional Testing and validation

Functional testing and validation of the face recognition system focus on ensuring that all system functions operate correctly and meet the specified requirements. The testing process verifies user registration, image capture or upload, face detection, preprocessing, feature extraction, and face recognition functionalities.

Each function is tested with valid inputs to confirm expected behavior and with invalid or poor-quality inputs to check proper error handling. Validation ensures that the system accurately identifies authorized users and correctly rejects unauthorized faces.

The results produced by the system are compared with expected outcomes to measure correctness and reliability. Real-time testing is also conducted to confirm smooth operation and timely response. Overall, functional testing and validation confirm that the system is stable, accurate, and ready for practical deployment.

6.4 Functional Activities

1. User Registration and Authentication

This functional activity manages how users access the system securely. During registration, users provide basic details such as name, email/ID, and facial data captured through a camera. The system validates the inputs, stores encrypted credentials, and links facial features with the user profile. During login, the system authenticates users either through credentials or face recognition by comparing live facial input with stored templates to ensure authorized access.

Sub-activities:

- User detail input and validation
- Facial image capture
- Secure storage of user credentials
- Login authentication using face data
- Access control and session management

2. Data Acquisition and Face Capture

This activity focuses on collecting facial data required for training and recognition. The system captures real-time images or video frames using a webcam or external camera. Multiple facial samples are taken under different lighting conditions and angles to improve recognition accuracy. The collected data is stored in a structured dataset for further processing.

Sub-activities:

- Camera initialization
- Real-time image/video frame capture
- Multiple sample collection per user
- Dataset labeling and organization
- Secure dataset storage

3. Data Preprocessing and Feature Extraction

In this activity, raw facial images are prepared for machine learning processing. Images are resized, normalized, and converted into suitable formats. Noise reduction and face alignment techniques are applied. Important facial features such as eyes, nose, and facial contours are extracted using algorithms like Haar Cascades, HOG, or CNN-based feature extractors.

Sub-activities:

- Image resizing and normalization
- Noise removal and enhancement
- Face detection and alignment
- Feature vector extraction
- Preprocessed data storage

4. Model Training and Learning

This activity involves training the machine learning or deep learning model using the preprocessed facial data. The system splits the dataset into training and testing sets. The selected algorithm (e.g., CNN, LBPH, or SVM) learns facial patterns and relationships. Model parameters are optimized to improve recognition accuracy.

Sub-activities:

- Dataset splitting (training/testing)
- Algorithm selection
- Model training and optimization
- Loss and accuracy monitoring
- Trained model storage

5. Face Recognition and Matching

This core activity performs real-time face recognition. The system captures a live facial image, preprocesses it, and extracts features. These features are compared with stored facial templates using similarity measures. If a match exceeds the defined threshold, the user is recognized successfully.

Sub-activities:

- Live image capture
- Feature extraction from input image
- Comparison with stored templates
- Threshold-based matching
- Recognition decision output

6. Result Generation and Display

After recognition, the system generates results and displays them to the user or administrator. This includes recognition status (matched/not matched), user identity, confidence score, and timestamp. The interface presents results in a clear and user-friendly format.

Sub-activities:

- Recognition result computation
- Confidence score calculation
- User identity retrieval
- Result visualization on UI
- Log generation

7. Database Management and Storage

This activity handles all data storage operations. User details, facial images, feature vectors, trained models, and logs are securely stored. The system ensures data integrity, privacy, and efficient retrieval for future recognition and auditing purposes.

Sub-activities:

- User profile storage
- Facial data and feature storage
- Model version management
- Log and audit trail storage
- Data backup and recovery

8. System Monitoring and Error Handling

This functional activity ensures smooth system operation. The system continuously monitors performance, detects errors, and handles exceptions such as camera failure or recognition errors. Alerts or logs are generated for administrators to maintain system reliability.

Sub-activities:

- Performance monitoring
- Error detection and handling
- Camera and hardware status check
- Log generation
- System maintenance support

Based on the above functional activities, the system produces multiple outputs and corresponding screens at each stage, such as user login, face capture, processing, and result display, ensuring clear interaction and effective system operation.

6.5 Model Performance and Evaluation

Model performance and evaluation assess the effectiveness of the face recognition system developed using machine learning techniques. The evaluation is carried out by testing the trained model on unseen data to measure its generalization capability.

Performance metrics such as accuracy, precision, recall, and error rates are used to analyze recognition quality. The model is evaluated under different lighting conditions, facial expressions, and pose variations to ensure robustness.

Processing time is also measured to verify real-time performance. The results indicate consistent and reliable recognition with reduced false acceptance and rejection rates. Overall, the evaluation confirms that the model performs efficiently and meets the objectives of the proposed system.

6.6 Robustness and Performance Evaluation

Robustness and performance evaluation examine the ability of the face recognition system to operate accurately and consistently under various real-world conditions. The system is tested using facial images with different lighting conditions to analyze illumination tolerance. Variations in facial expressions and head poses are included to evaluate recognition stability.

The model is also tested with partial occlusions such as masks and glasses to assess robustness. Performance metrics including accuracy, false acceptance rate, and false rejection rate are measured. Processing speed and response time are evaluated for real-time recognition. The system is tested using low-resolution and high-resolution images.

Stress testing is conducted by increasing the number of users in the database. Scalability performance is analyzed as dataset size grows. The consistency of recognition results is observed across multiple test runs. Error handling under poor-quality inputs is evaluated. Overall, the results confirm that the system is robust, efficient, and reliable for practical applications.

CHAPTER 7

RESULTS

7.1 REGISTRATION PAGE





Fig 7.1.1 – Flask Server Starting



Fig: 7.1.2 Home Page




A user profile form for FacePay. On the left, there is a circular placeholder for a profile picture with the text "Upload Photo" in the center. To the right of the photo placeholder, the following user information is displayed:

- Name: Konga Bhavani
- Email: kongabhavani62@gmail.com
- Username: kongabhavani
- Mobile: 9989054264
- FacePay ID: 9989054264@facepay

Below the form, there is a yellow "Save" button.

Fig: 7.1.3 Translation Page



A screenshot of the FacePay Live Web Camera interface. The browser address bar shows "localhost:3000/index.html". The page features the FacePay logo and "Sign Up" and "Log In" buttons. A welcome message reads: "Welcome to FacePay! Forgot PIN, Password? Do Not Worry! Just select the service and pay using face authentication. Yes! It's that simple." Below this, there are two tabs: "Wallet Transfer" and "Bank Transfer". The "Wallet Transfer" tab is active, showing a form with the following fields:

- Mobile Number: Enter Mobile Number
- FacePay-ID: FacePay-ID
- Amount: Enter Amount

To the right of the form is an illustration of people interacting with a large smartphone displaying a "SEND" button. Below the form and illustration is a yellow "Next" button.

Fig: 7.1.4 Live Web Camera



Fig: 7.1.5 Neural Processing




Fig: 7.1.6 Verification



Fig: 7.1.7 – Verification




Fig:7.1.8 – Verification failed

7.2 IMPLEMENATION AND RESULT ANALYSIS

The face recognition system was implemented using machine learning techniques to ensure accurate and efficient identification. Facial images were captured through a webcam or uploaded by users and then preprocessed using face detection, resizing, and normalization techniques. A machine learning–based model was trained using a dataset containing multiple images per person with variations in lighting and facial expressions. The extracted facial features were stored in a database and used for matching during the recognition phase. The system was integrated with a user-friendly interface, enabling smooth interaction between the front end, backend, and database.:

The experimental results demonstrate that the proposed system performs effectively in recognizing faces under different conditions. The system achieved improved accuracy compared to traditional approaches and showed reliable performance in real-time scenarios. Recognition results indicated lower false acceptance and rejection rates, along with faster processing time. Overall, the analysis confirms that the implemented system is efficient, scalable, and suitable for practical security and authentication applications.

7.3 Dataset processing Results

The dataset used for the face recognition project was processed through several stages to improve recognition accuracy and system performance. Initially, raw facial images were collected and cleaned by removing blurred and low-quality images.

Face detection was applied to crop only the facial region, followed by resizing and normalization to maintain uniform input dimensions. Data augmentation techniques such as rotation, flipping, and brightness adjustment were used to increase dataset diversity and reduce overfitting. After preprocessing, the dataset was divided into training and testing sets, ensuring balanced representation of each individual.

The results of dataset processing showed a significant improvement in model performance. Preprocessing and augmentation enhanced feature extraction and reduced noise, leading to better generalization.

The trained model achieved higher recognition accuracy on the test dataset with reduced error rates. Overall, effective dataset processing played a crucial role in improving reliability, robustness, and real-time recognition performance of the proposed face recognition system.

7.4 Model Performance Results

The performance of the face recognition model was evaluated using key metrics such as accuracy, precision, recall, and processing time. After training on the preprocessed dataset, the model achieved high recognition accuracy, demonstrating its ability to correctly identify individuals. Precision and recall values indicated that the system effectively minimized false acceptance and false rejection cases. The model performed consistently across different facial expressions and moderate variations in lighting conditions.

In addition to accuracy, the model showed efficient real-time performance with low response time during recognition. Testing results confirmed that the system could handle multiple users without significant degradation in speed or accuracy. These performance outcomes indicate that the proposed machine learning–based face recognition model is robust, scalable, and suitable for deployment in real-world security and authentication applications.

7.5 Summary of Results

The results of the face recognition project demonstrate that the proposed machine learning–based system performs effectively and reliably. The system achieved high recognition accuracy after proper dataset preprocessing and model training. It successfully handled variations in lighting, facial expressions, and pose, with reduced false acceptance and rejection rates. Real-time testing showed fast processing speed and consistent performance. Overall, the results confirm that the proposed system is accurate, scalable, and suitable for practical security and authentication applications.

CHAPTER 8

CONCLUSION

The Face Biometric System provides a secure, efficient, and user-friendly solution for identity verification using facial recognition technology. By replacing traditional methods such as passwords and PINs, it ensures faster and contactless authentication while maintaining strong privacy through encrypted data and liveness detection. The system demonstrates high accuracy, reliability, and resistance to spoofing, making it suitable for applications in banking, e-governance, and digital transactions. Overall, the project successfully integrates machine learning and biometric security to deliver a modern, scalable, and trustworthy authentication system that enhances both user convenience and data protection.

The system demonstrates high accuracy and reliability under varying lighting conditions and facial expressions, making it robust for real-world usage. Its resistance to common security threats enhances trust and makes it suitable for critical applications such as banking systems, e-governance platforms, access control, and digital payment transactions. By integrating machine learning algorithms, the system continuously improves recognition performance and adapts to new data, ensuring scalability and long-term effectiveness.

8.1 LIMITATIONS

Despite its advantages, the Face Biometric System has certain limitations that must be considered. The accuracy of facial recognition can be affected by environmental factors such as poor lighting conditions, camera quality, and variations in facial appearance due to aging, facial hair, masks, or accessories like glasses.

The system may also experience reduced performance when handling large-scale databases, leading to increased processing time and computational resource requirements.

Additionally, while liveness detection improves security, highly sophisticated spoofing techniques may still pose a potential risk. Privacy concerns related to biometric data storage and compliance

with data protection regulations require careful implementation and continuous monitoring. Furthermore, the initial setup cost and dependency on reliable hardware and internet connectivity can limit adoption in resource-constrained environments.

1. Lighting and Environmental Dependence:

The system's performance drops in low-light, overly bright, or shadowed environments. Inconsistent lighting can distort facial features, leading to false rejections or recognition failures.

2. pose and angle sensitivity:

accurate recognition requires the user's face to be positioned correctly. extreme head turns, tilts, or partial visibility can make it difficult for the algorithm to extract proper facial features.

3. Occlusion and Accessories:

Items such as masks, sunglasses, hats, or scarves can hide key facial regions, reducing system accuracy. Post-pandemic scenarios have made mask-wearing a significant challenge for facial recognition.

4. Facial Appearance Changes:

Natural changes like aging, facial hair growth, makeup, or plastic surgery can alter biometric templates, leading to mismatches or higher false rejection rates over time.

5. Hardware and Camera Quality:

The system depends on high-resolution cameras for accurate feature extraction. Low-quality webcams or cameras with poor focus can capture blurred or pixelated images, reducing recognition accuracy.

6. Dependence on Network and Processing Power:

Real-time face biometric verification requires stable internet connectivity and sufficient device processing capabilities. Low bandwidth or outdated hardware may cause delays or recognition errors.

7. Vulnerability to Advanced Spoofing:

Although liveness detection is implemented, it may still be bypassed by sophisticated spoofing methods such as high-quality 3D masks, replayed videos, or AI-generated deepfakes.

8. Data Privacy and Security Risks:

Storing biometric templates, if not encrypted or anonymized properly, poses a risk of identity theft. Unauthorized database access or data breaches can expose sensitive user information.

9. Bias and Fairness Issues:

The recognition model may show performance disparities across gender, age, or skin tone groups if the training dataset is not diverse enough. This can lead to unfair or inaccurate outcomes.

10. High Computational Requirements:

Training and deploying deep learning models for face biometrics demand significant computational resources (GPUs, large storage, etc.), which can be costly for small organizations.

11. Scalability Challenges:

As the number of users increases, matching time and storage requirements grow substantially, which can slow down the system and affect performance.

12. Integration with Legacy Systems:

Implementing the system in older infrastructures can be complex due to compatibility issues, software dependencies, or lack of modern APIs.

13. Continuous Maintenance Needed:

Regular software updates, retraining with new datasets, and performance tuning are required to maintain accuracy and resist evolving spoofing techniques.

14. Ethical and Legal Concerns:

The use of face biometrics raises privacy and consent issues. Misuse or unauthorized surveillance could lead to ethical violations and conflict with data protection laws.

15. User Acceptance and Trust:

Some users may hesitate to share their facial data due to privacy fears, lack of awareness, or distrust in how biometric information is stored and used.

CHAPTER 9

FUTURE SCOPE

Future Scope:

The future scope of face recognition using machine learning lies in improving accuracy and robustness by adopting advanced deep learning models and hybrid learning approaches. The system can be enhanced to support real-time face recognition with edge computing for faster and more efficient processing. Integration with cloud platforms will allow scalable data storage, high availability, and improved computational performance. In the future, multimodal biometric systems combining face recognition with voice, iris, or fingerprint recognition can be developed to increase security. Training models on larger and more diverse facial datasets will help reduce bias and improve recognition across different conditions. Stronger privacy and security mechanisms, such as encrypted facial data and secure access control, can be incorporated.

1. Advanced 3D Face Recognition:

Implementing 3D facial mapping to improve accuracy under varying lighting and angle conditions.

2. Multi-Biometric Authentication:

Combining face recognition with other biometrics like fingerprints, iris, or voice for enhanced security.

3. Cloud-Based Scalability:

Shifting to a cloud-native infrastructure to handle large user bases and support global transactions.

4. Dedicated Mobile Applications:

Developing optimized Android and iOS apps for easier access, offline functionality, and real-time updates.

5. AI-Powered Fraud Detection:

Using machine learning to analyze user behavior and detect unusual or suspicious activities instantly.

6. Integration with Global Payment Systems:

Expanding compatibility with platforms like UPI, Google Pay, PayPal, and Apple Pay for wider adoption.

7. Blockchain-Based Transaction Security:

Using blockchain for transparent and tamper-proof transaction records to increase trust and reliability.

8. Spending Analytics and Insights:

Implementing AI tools that analyze spending habits and provide personalized financial recommendations.

9. Cross-Platform and IoT Integration:

Extending Face biometric to smart devices, ATMs, and IoT-based kiosks for universal face-based payment access.

10. Enhanced Privacy and Data Protection:

Using on-device facial processing and decentralized data storage to ensure maximum privacy compliance.

11. Cloud–Edge Hybrid Architectures:

Future face biometric systems will adopt **hybrid infrastructures** that combine the scalability of cloud computing with the low-latency performance of edge devices.

12. Integration with Blockchain for Secure Identity Management:

Blockchain can be used to securely record user verification events, template hashes, and access logs without storing actual biometric data. This ensures **tamper-proof audit trails** and decentralized control over digital identities.

13. Adaptive Thresholding and Context-Aware Authentication:

Instead of using static similarity thresholds, future systems will apply **adaptive and context-aware decision-making**. For instance, the system could adjust its verification sensitivity based on factors like device trust level, location, or transaction amount.

14. Integration with Augmented Reality (AR) and Wearable Devices:

With AR glasses, smart headsets, and body-worn sensors becoming mainstream, face biometric authentication will extend into **immersive environments**. Users will be able to unlock AR/VR applications or access services using real-time facial recognition within their headsets.

15. Cross-Domain and Universal Biometric Identity:

The ultimate goal is to create **universal digital identity systems** that allow a person's face biometric profile to be securely recognized across multiple platforms, organizations, and countries — with strong privacy guarantees

REFERENCES

1. Taigman, Y., Yang, M., Ranzato, M., & Wolf, L. (2014). *DeepFace: Closing the gap to human-level performance in face verification*. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 1701-1708.
2. Schroff, F., Kalenichenko, D., & Philbin, J. (2015). *FaceNet: A unified embedding for face recognition and clustering*. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition* (pp. 815-823).
3. Deng, J., Guo, J., Xue, N., & Zafeiriou, S. (2019). *ArcFace: Additive angular margin loss for deep face recognition*. *IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 4690- 4699.
4. Patel, K., Han, H., & Jain, A. K. (2016). *Secure face biometric recognition: Privacy and template protection*. *IEEE Signal Processing Magazine*, 33(5), 66-76.
5. Määttä, J., Hadid, A., & Pietikäinen, M. (2011). *Face spoofing detection from single images using micro-texture analysis*. *International Joint Conference on Biometrics (IJCB)*.
6. Ratha, N. K., Connell, J. H., & Bolle, R. M. (2001). *Enhancing security and privacy in biometric- based authentication systems*. *IBM Systems Journal*, 40(3), 614-634.
7. Jain, A. K., & Ross, A. (2020). *Biometric recognition: Challenges and opportunities in the era of deep learning*. *Pattern Recognition Letters*, 136, 346-356.
8. Kumar, A., & Singh, R. (2022). *Liveness detection techniques for face biometric systems: A survey*. *IEEE Access*, 10, 35642-35658.
9. ISO/IEC 30107-3:2017. (2017). *Information technology — Biometric presentation attack detection — Part 3: Testing and reporting*. International Organization for Standardization.
10. ISO/IEC 19794-5:2011. (2011). *Information technology — Biometric data interchange formats — Part 5: Face image data*. International Organization for Standardization.
11. Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT Press.
12. National Institute of Standards and Technology (NIST). (2022). *Face Recognition Vendor Test (FRVT) reports 1:1 and 1:N performance*. <https://www.nist.gov/programs-projects/face-recognition-vendor-test-frvt>

13. Kaur, A., & Kaur, K. (2021). *A comprehensive survey on face biometric authentication systems using deep learning techniques*. *International Journal of Advanced Computer Science and Applications*, 12(7), 141-150.
14. Wang, Y. (2025). *Biometric recognition—Latest advances and prospects*. *Electronics*, 14(15), 3108. MDPI.
15. Shinde, S. R. (2025). *An enhanced lightweight deep CNN method for face liveness detection (LwFLNeT)*. *Journal of Information Security and Applications*, 78, 103781.
16. La Cava, F., Trokielewicz, M., & Damer, N. (2025). *3D face biometrics fusion for enhanced recognition in surveillance settings*. *arXiv preprint arXiv:2504.18886*.
17. Wahida, A., & Zhang, P. (2025). *Backdoor-resilient face recognition using vision-language models for trigger detection*. *arXiv preprint arXiv:2508.05409*.
18. *CryptoFace: Encrypted face recognition with homomorphic encryption*. (2025). *arXiv preprint arXiv:2509.00332*.

