

Pokedex

bulbasaur

ivysaur

venusaur

charmander

charmeleon

charizard

squirtle

wartortle

blastoise

Pokédex JavaScript App Case Study

Bhavani Penugonda

Overview

The project **Pokédex is a web application** built with **HTML, CSS, and JavaScript** that fetches data from the [PokéAPI](#). The app displays a list of Pokémon and allows users to click on individual Pokémon to view detailed information in a modal popup.

Purpose and Context

The Pokédex app was a personal project built as part of my web development course at CareerFoundry to demonstrate my mastery of front-end Javascript development.

Objective

The goal of this project was to build a small web application using HTML, CSS, and JavaScript that could load and display data from an external API. I wanted to practice working with real data by using the PokéAPI to create a simple Pokédex. My aim was to allow users to view a list of Pokémon and click on any of them to see more details in a clean and user-friendly way.

Duration : 2 weeks

Credits:

Bhavani Penugonda
Zaheer Abbas(Tutor)

Technologies Used:

- HTML
- CSS3
- Javascript
- GitHub

Approach

Building the HTML Structure

I created the basic layout using HTML—this included a header, a container for the Pokémon list, and a hidden modal for showing details.

Styling with CSS

I used CSS to make the app visually clean and user-friendly. I focused on keeping it simple, readable, and responsive across devices using Flexbox.

Fetching Data and Writing JavaScript Logic

I used JavaScript and the `fetch()` function to connect to the PokéAPI and retrieve a list of Pokémon. Then, I looped through the data and dynamically created buttons for each Pokémon, displaying them in the app as an interactive list.

Enabling Interactions

I added event listeners to each Pokémon button so that when clicked, the app would fetch and show that Pokémon's details (like image, height, type) in a modal.

Creating a Modal Component

I wrote a function to show and hide a custom modal. I made sure it could be closed by clicking a close button or pressing the Escape key or clicking outside the modal.

Code Cleanup & Linting

I cleaned up my code using ESLint and Prettier to follow best practices and avoid syntax errors.

Deploying the App

Finally, I deployed the app using GitHub Pages so it could be accessed live and added it to my portfolio.

Home page

← → 🔍 bhavanipenugonda.github.io/pokedex/

☆ ⓘ ⋮

Home

Pokedex

bulbasaur

ivysaur

venusaur

charmander

charmeleon

charizard

squirtle

wartortle

blastoise


caterpie

metapod

butterfree

weedle

Modal box



Conclusion

Building this Pokédex app was a major step forward in my journey as a web developer. It wasn't just about writing JavaScript or connecting to an API, it was about learning how all the pieces of a web app fit together: structure, style, interactivity, and user experience.

One of the biggest challenges I faced was **handling data from the PokéAPI**. I had to figure out how to deal with API calls, manage asynchronous code, and make sure everything loaded correctly. This process helped me get comfortable with `fetch()`, `async/await`, and working with JSON data.

Throughout the project, I also learned the importance of **clean code**, using tools like ESLint and Prettier to stay organized and avoid bugs. In future I would like to add search bar, filter to search by height or type and making the app feel more dynamic and interactive.

[Checkout the source code](#)

[Live App](#)