```
# 1. Write a Python Program to Count and Filter Odd and Even Numbers
of Given List Using Loops.
12=[1,4,5,7,2,9]
l odd=[]
l even=[]
count_even=0
for i in l2:
   if i\%2 == 0:
      count_even=count_even+1
      l even.append(i)
   else:
       l odd.append(i)
print(f"List of Even numbers {l even} and count {count even}")
print(f"List of odd numbers {l odd} and count {len(l2)-count even}")
List of Even numbers [4, 2] and count 2
List of odd numbers [1, 5, 7, 9] and count 4
#Write a Python Program to find all possible combinations of a List
with three elements without using builtin function.
12=[1,2,3]
for i in l2:
   for j in l2:
       for k in l2:
           if i!=j and j!=k and i!=k:
               print(i,k,j)
1 3 2
1 2 3
2 3 1
2 1 3
3 2 1
3 1 2
#Python program to print all Strong(maximum for every adjacent pair)
numbers in given list.
12 = [1,4,5,6,0,2,9]
for i in range(len(l2)-1):
    print(max(l2[i],l2[i+1]))
4
5
6
6
2
9
```

```
#Maximum sum of elements of a list in a list of lists. Sample Input:
[[3, 4, 5], [1, 2, 3], [0, 9, 0]]. Output: 12
12 = [[3, 4, 5], [1, 2, 3], [0, 9, 0]]
sum2 = -2**31:
for i in l2:
  sum2=max(sum2,sum(i))
print(sum2)
12
#Python program to find number of m contiguous elements of a List with
a given sum(Given a list 'L', a sum 'S' and number of elements to take
at a time 'm". The task is to find how many ways sum s can be found by
adding any m contiguous elements).
12=[1,2,3,4,5,6]
sum3=9
m=2
cal sum=0
count=0
for i in range(len(l2)-2):
    k=i
    for k in range(m):
        cal sum+=12[k]
        if cal sum == sum3:
            count+=1:
print(count)
#Python Program to accept the strings which contains all vowels (Given
a string the task is to check if every vowel is present or not. We
consider a vowel to be present if it is present in upper case or lower
case. i.e. 'a', 'e', 'i', 'o', 'u' or 'A', E', 'I', 'O', 'U'
str="i am elephant uo"
12 = [0, 0, 0, 0, 0]
for i in range(len(str)):
    if str[i]=='a' or str[i]=='A' and l2[0]==0:
        12[0]=1;
    elif str[i]=='e' or str[i]=='E' and l2[2]==0:
        12[1]=1;
    elif str[i]=='i' or str[i]=='I' and l2[2]==0:
        12[2]=1;
    elif str[i] == 'o' or str[i] == '0' and l2[3] == 0:
        12[3]=1;
    elif str[i]=='u' or str[i]=='U' and l2[4]==0:
        12[4]=1;
```

```
if sum(l2) == 5:
    print("yes")
else:
    print("NO")
yes
#Write a program to sort list of tuple based on sum(without using a
built in function)
li=[(3,4),(6,7),(12,-2),(90,-91)]
total=0
15=[]
11=61
for i in li:
   15.append(sum(i))
l5.sort()
for i in l5:
    for j in li:
        if i==sum(j):
            l6.append(j)
print(l6)
[(90, -91), (3, 4), (12, -2), (6, 7)]
#Python program to construct a n*m matrix from list. Write a program
to do the Matrix addition using nested lists
matrix = []
matrix1=[]
for i in range(2):
    12 = []
    for j in range(3):
        val = int(input("Enter element: "))
        12.append(val)
    matrix.append(l2)
for i in range(2):
    12 = []
    for j in range(3):
        val = int(input("Enter element: "))
        12.append(val)
    matrix1.append(l2)
n = len(matrix)
m = len(matrix[0])
result = []
for i in range(n):
```

```
row = []
   for j in range(m):
         row.append(matrix[i][j] + matrix1[i][j])
result.append(row)
print("Matrix Sum :")
print(result)
Enter element: 1
Enter element: 2
Enter element: 3
Enter element: 4
Enter element: 5
Enter element: 6
Enter element: 1
Enter element: 2
Enter element: 3
Enter element: 4
Enter element: 5
Enter element: 6
Matrix Sum :
[[8, 10, 12]]
```