Task 1 - Secure Network Access to Storage Account

Public Network access restricted - only Client IP configured
IP enabled



IP disabled



Task 4 - LifeCycle Management Policy

Add a rule

If

Base blobs were *

- (●) Last modified
- ( ) Created

More than (days ago) *

7

Then

Move to cool storage

If

Base blobs were *

- (●) Last modified
- ( ) Created

More than (days ago) *

30

Then

Move to archive storage

[x] Skip blobs that have been rehydrated in the last 7 days

⚠ If you have workloads that require real-time read-access to these blobs, moving them to archive is not recommended. Blobs in archive must first be rehydrated to hot or cool to read them. Learn more

Previous | Add

Details | **Base blobs** | Filter set

Lifecycle management uses your rules to automatically move blobs to cooler tiers or to delete them. If you create multiple rules, the associated actions must be implemented in tier order (from hot to cool storage, then archive, then deletion).

If Base blobs haven't been modified in 7 days

Then Move to cool storage

If Base blobs haven't been modified in 30 days

Then Move to archive storage

+ Add conditions

Details | Base blobs | **Filter set**

Blob prefix

Filter blobs by name or first letters. To find items in a specific container, enter the name of the container followed by a forward slash, then the blob name or first letters. For example, to show all blobs starting with "a", type: "mycontainer/a".

Blob prefix

azurestoragetraining123/SOP.pdf *

Enter a prefix or file path such as "mycontainer/prefix"

Blob index match

If you have indexed items in containers with keys and values, you can filter for them.

Key		Value
Enter an index key	==	*Enter a value*

Task 5 - Enable Advanced Data Protection









Task 3 - Stored Access Policy + Shared Access Signature








```
hello 123
this is testing
```

Generate SAS

A shared access signature (SAS) is a URI that grants restricted access to an Azure Storage blob. Use it when you want to grant access to storage account resources for a specific time range without sharing your storage account key. Learn more about creating an account SAS

Signing method

(•) Account key ( ) User delegation key

Signing key

Key 1

Stored access policy

readpolicy24

Permissions

Read

Start and expiry date/time

Start

02/05/2026 | 12:00:00 AM

(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

Expiry

02/05/2026 | 9:00:00 PM

(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

Allowed IP addresses

for example, 168.1.5.65 or 168.1.5.65-168.1....

Allowed protocols

(•) HTTPS only ( ) HTTPS and HTTP

Generate SAS token and URL

Blob SAS token

si=readpolicy24&spr=https&sv=2024-11-04&sr=b&sig=eLarb%2FF%2BykslWP%2FOr...

Copied

Blob SAS URL

https://advancedazstorageasmnt.blob.core.windows.net/azurestoragetraining123/testbl...

advancedazstorageasmnt.blob.core.windows.net/azurestoragetraining123/testblob.txt?si=readpolicy24&spr=https&sv=2024-11-04&sr=b&sig=eLarb%2FF%2BykslWP%2FOruFCu%2B%2B95UyiJjbgOr8Zanxf5c%3D

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<Error>
  <Code>AuthenticationFailed</Code>
  <Message>Server failed to authenticate the request. Make sure the value of Authorization header is formed correctly including the signature. RequestId:3f921606-701e-002c-5cbe-9633c0000000 Time:2026-02-05T16:41:44.8808504Z</Message>
  <AuthenticationErrorDetail>Signature not valid in the specified time frame: Start [Wed, 04 Feb 2026 18:30:00 GMT] - Expiry [Thu, 05 Feb 2026 15:30:00 GMT] - Current [Thu, 05 Feb 2026 16:41:44 GMT]</AuthenticationErrorDetail>
</Error>
```

Task 2 - Disabled Shared Key Access & Use Azure AD



Unable to add roles