Assignment 15 Solutions

1. Please write a program using generator to print the numbers which can be divisible by 5 and 7 between 0 and n in comma separated form while n is input by console?

Example:

If the following n is given as input to the program: 100 Then, the output of the program should be: 0,35,70

```
In [1]: def showDivisible(in_num):
    for ele in range(0,in_num):
        if (ele%5 == 0) and (ele%7 == 0):
            yield ele
    for ele in showDivisible(100):
        print(ele,end=' ')
```

0 35 70

2.Please write a program using generator to print the even numbers between 0 and n in comma separated form while n is input by console?

Example:

If the following n is given as input to the program: 10

Then, the output of the program should be: 0,2,4,6,8,10

```
In [2]: def genEvenNumbers(in_num):
    for ele in range(in_num+1):
        if ele%2 == 0:
            yield ele

for ele in genEvenNumbers(10):
    print(ele,end=' ')
```

0 2 4 6 8 10

3. The Fibonacci Sequence is computed based on the following formula below, Please write a program using list comprehension to print the Fibonacci Sequence in comma separated form with a given n input by console?

```
f(n)=0 if n=0
f(n)=1 if n=1
f(n)=f(n-1)+f(n-2) if n>1
```

```
In [21]: def genFibonaci(in_num):
    if in_num == 0:
        return 0
    elif in_num == 1:
        return 1
    else:
        return genFibonaci(in_num-1)+genFibonaci(in_num-2)

print([genFibonaci(x) for x in range(20)])

[0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144, 233, 377, 610, 987, 1597, 258
```

4.Assuming that we have some email addresses in the "<u>username@companyname.com</u> (<u>mailto:username@companyname.com</u>)" format, please write program to print the user name of a given email address. Both user names and company names are composed of letters only?

Example:

4, 4181]

If the following email address is given as input to the program: john@google.com Then, the output of the program should be: john

```
In [9]: def getUsernames():
    in_string = input('Enter Email Address(es): ')
    out_string = in_string.split('@')
    print(f'Username of {in_string} is {out_string[0]}')

for i in range(3):
    getUsernames()

Enter Email Address(os): amanovishpu@gmail.com
```

Enter Email Address(es): amanovishnu@gmail.com
Username of amanovishnu@gmail.com is amanovishnu
Enter Email Address(es): support.query@ineuron.ai
Username of support.query@ineuron.ai is support.query
Enter Email Address(es): manovishnu@outlook.com
Username of manovishnu@outlook.com is manovishnu

5.Define a class named Shape and its subclass Square. The Square class has an init function which takes a length as argument. Both classes have a area function which can print the area of the shape where Shape's area is 0 by default.

```
In [11]: class Shape:
    def area(self):
        return 0

class Square(Shape):
    def __init__(self, length):
        self.length = length
    def area(self):
        return self.length*self.length

square = Square(50)
print(square.area())
```

2500