

SecureGate

SecureGate checks a code project for **secrets**: passwords, keys and tokens that give access to money, data or servers. It looks through every saved version of the project, not only the latest one. One readable file, `policy.yaml`, decides what happens to each thing it finds: **block**, **warn** or **ignore**. It never shows a whole secret: a found key appears as `sk_1****562d`. It checks each commit on your laptop and each pull request on GitHub, and a read-only dashboard shows the results in your browser, where you can download them or print them.

See it work: on Windows, double-click `Start SecureGate.cmd` in the SecureGate folder. SecureGate opens with its menu. Type 1 and press Enter to scan a demo project full of fake secrets, then press Enter again to see the results in your browser. The first time, install the tools in step 1 of Getting started (`getting-started.pdf`).

Pages

Page	Read it when you want to...
Getting started (<code>getting-started.pdf</code>)	install SecureGate and run your first scan
How it works (<code>how-it-works.pdf</code>)	follow one leaked key from discovery to report
Dashboard (<code>ui.pdf</code>)	see a report in your browser, download or print it, or change the dashboard's colours
The two gates (<code>merge-gate.pdf</code>)	stop secrets before a commit (laptop) and before a merge (GitHub), and turn the GitHub check on
Demo: the merge gate (<code>demo-merge-gate.pdf</code>)	show the GitHub check stopping a fake key, step by step
Presenting to judges (<code>presenting-to-judges.pdf</code>)	show SecureGate live: where it starts, where the data comes from, what to type and what to say
How it's built (<code>how-its-built.pdf</code>)	find your way around the files, or change a behavior
Testing (<code>testing.pdf</code>)	plant a new secret in the demo repo and read the scorecard
Glossary (<code>glossary.pdf</code>)	look up a word
Decisions (<code>decisions.pdf</code>)	know why something is the way it is

Every page is also a PDF, for printing or sharing: see the `docs/pdf/` folder. The pages above are the originals. After changing one, run `make docs-pdf` to update its PDF.