```
[[questions]]
id = "3da96b29-d975-4cd8-a8eb-b1a6bd9b5c0a"
type = "MultipleChoice"
prompt.prompt = """
Which of the following is **NOT** a good reason to wrap unit tests in `#[cfg(test)] mod
tests { ... }`?
"""
answer.answer = "It gives your tests access to private functions"
prompt.distractors = [
  "It can reduce the size of generated compiler artifacts",
  "It can improve compile times",
  "It separates test helper functions from library code",
]
context = """
All unit tests in a given file have access to that file's private functions, regardless of
being in `mod tests` or not.
"""
[[questions]]
type = "MultipleChoice"
prompt.prompt = "How do you run integration tests in a Cairo project?"
prompt.distractors = [
  "By running `scarb cairo-test`",
  "By running `scarb cairo-build` with a filter for the test",
  "By running `scarb cairo-run`",
]
answer.answer = "By running `scarb test` with a filter for the integration tests"
context = """
To run all integration tests, add a filter to `scarb test` that contains the module path
containing the integration tests.
"""
id = "2b553604-8201-4fad-90d6-1b63d99de219"
[[questions]]
type = "MultipleChoice"
prompt.prompt = "What is the difference between unit tests and integration tests?"
prompt.distractors = [
  "Unit tests use the `#[test]` attribute, while integration tests use the `#[cfg(test)]`
attribute.",
  "Unit tests are limited to testing a single module, while integration tests can test
multiple modules but not their interactions.",
  "Unit tests are written in a separate file, while integration tests are written in the same
file as the code being tested.",
]
answer.answer = """Unit tests focus on testing individual functions or modules in
isolation, while
integration tests verify the interaction and behavior of multiple modules or components
working
```

together."""
context = """
Unit tests and integration tests serve different purposes and have distinct characteristics:
- Unit tests:
    - Focus on testing individual functions or modules in isolation.
    - Aim to ensure the correctness of small, self-contained units of code.
    - Often test private functions and implementation details.
    - Located in the same file as the code being tested, typically in a `#[cfg(test)]` module.
- Integration tests:
    - Focus on testing the interaction and behavior of multiple modules or components working together.
    - Verify that different parts of the system integrate correctly and produce the expected results.
    - Use the public API of the library or application being tested.
    - Located in the _tests/_ directory, separate from the main code files.
"""
id = "93d3c7fb-14af-41f6-aba2-7ceff84a163b"