1. Web page editors works on aprinciple.					
A. WWW	B. HTML	C. WYSIWYG	D. WYGWYSI		
2. Which program is used	by web clients to view the w	eb pages?			
A. Web browser	B. Protocol	C. Web server	D. Search Engine		
3. What is the name of the	e location address of the hyp	ertext documents?			
A. Uniform Resource Locator	B. Web server	C. File	D. Web address		
4. What are shared on the	Internet and are called as W	eb pages?			
A. Programs	B. Cables	C. Hypertext documents	D. None		
5. HTML is what type of la	inguage ?				
A. Scripting Language	B. Markup Language	C. Programming Language	D. Network Protocol		
6. HTML uses					
A. User defined tags	B. Pre-specified tags	C. Fixed tags defined by the language	D. Tags only for linking		
7. The correct sequence o	f HTML tags for starting a we	bpage is			
		~ b ~ 0 ~			

A. Head, Title, HTML, body	B. HTML, Body, Title, Head	C. HTML, Head, Title, Body	D. HTML, Head, Title, Body
8. Which of the following to	ag is used for inserting the l	argest heading in HTML?	
A. <h3></h3>	B. <h1></h1>	C. <h5></h5>	D. <h6></h6>
9. Which of the following to	ag is used to insert a line-br	eak in HTML?	
A.	B. <a>	C. <pre></pre>	D.
10. How to create an unord:	ered list (a list with the list it	ter s in bullets) in HTML?	
A. 	B. 	C. 	D. <i>></i>
11. Which character is used	to represent the closing of a	a tί g in HTML?	
A. \	B. !	C. /	D
12. How to create a hyperlin	k in HTML?		
	B. <a url="</td"><td></td><td>D. <a></td>		D. <a>
A. <a href="</td"><td>"www.javatpoint.c</td><td>C. <a link="</td"><td>www.javatpoint.</td></td>	"www.javatpoint.c	C. <a link="</td"><td>www.javatpoint.</td>	www.javatpoint.
"www.javatpoint.co	om"	"www.javatpoint.co	com
m"> javaTpoint.com	javaTpoint.com	m"> javaTpoint.com	<javatpoint.com< td=""></javatpoint.com<>
	/a>		/a>
13. How to create an ordere	d list (a list with the list iten	ns in numbers) in HTML?	

A. 	B. <0l>	C. 	D. <i>></i>
14. How to insert an image in	n HTML?		
A. <img <br="" href="jtp.png"/> />	B. <img url="<br"/> "jtp.png" />	C. <img link="<br"/> "jtp.png" />	D. <img <br="" src="jtp.png"/> />
15. How to add a background	d color in HTML?		
A. <marquee bg="" color:<br="">"red"></marquee>	B. <marquee bg-co<br="">= "red"></marquee>	olor C. <marquee bgcolor="<br">"red"></marquee>	D. <marquee color="<br">"red"></marquee>
16. <input/> is			
A. a format tag	B. an empty tag	C. All the mentioned	D. None
17. Which of the following to	ag is used to make the u	nderlined text?	
A. <i>></i>	B. 	C. <u></u>	D. <pre></pre>
18. How to create a checkbo	x in HTML?		
A. <input type="checkbox"/>	B. <input type="button"/>	C. <checkbox></checkbox>	D. <input type="check"/>
19. Which of the following to	ag is used to define opti	ons in a drop-down selection list?	
A. <select></select>	B. <list></list>	C. <dropdown></dropdown>	D. <option></option>
20. HTML tags are enclosed i	n-		

A. # and #	B. { and }	C. ! and ?	D. < and >				
21. Which of the following tag is used to add rows in the table?							
A. and	B. and >	B. and > C. and					
22. The <hr/> tag in H1 MI	L is used for —						
A. new line	B. vertical ruler	C. new paragra h	D. horizontal ruler				
23. Which of the following	ng attribute is used to provid	e a unique name to an elemer	nt?				
A. class	B. id	C. type	D. None				
24. Which of the following HTML tag is the special formatting tag?							
A.	B. 	C. <pre></pre>	D. None				
25. Which of the following	25. Which of the following is the correct way to s nd mail in HTML?						
A. <a href="mailto:
xy@y">	B. <a :<="" href="xy y" th=""><th>> C. <mail mail="" xy@y=""></mail></th><th>D. None</th>	> C. <mail mail="" xy@y=""></mail>	D. None				
26. Which of the following is the container for , , and ?							
A. <data></data>	B.	C. <group></group>	D. All				
27. How to insert a background image in HTML?							

A. <body background="img.png"></body>	B. 	C. <bg-image "img.png"="" ==""></bg-image>	D. None
28. What are the types of un	ordered or bulleted list in HT	N L?	
A. disc, square, triangle	B. polygon, triangle, circle	C. disc, circle, square	D. All
29. Which of the following is A. <ol alpha="a">	-	st using the lowercase letters C. <ol letter="a">	? D. None
30. Which of the following is A. <ol initial="</td" type="1"><td>the correct way to start an o</td><td>rdered list with the count c n C. <ol num<="" td="" type="1"><td>umeric value 4? D. <ol start<="" td="" type="1"></td></td>	the correct way to start an o	rdered list with the count c n C. <ol num<="" td="" type="1"><td>umeric value 4? D. <ol start<="" td="" type="1"></td>	umeric value 4? D. <ol start<="" td="" type="1">
"4">	begin = "4"> 1 ML attribute is used to defin	= "4">	"4">
A. style	B. type	C. class	D. None
32. Which of the following is	the paragraph tag in HTML?		
A.	B. 	C. <pre></pre>	D. None
33. A program in HTML can b	oe rendered and read by		
A. Web browser	B. Server	C. Interpreter	D. None

34. The tags in HTML are			
A. case-sensitive	B. in upper case	C. not case sensitive	D. in lowercase
25 241:1 611 611 :			
35. Which of the following	is the root tag of the HTML d	ocument?	
A. <body></body>	B. <head></head>	C. <title></td><td>D. <html></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>36. In HTML5, which of the</td><td>e following tag is used to initia</td><td>lize the document type?</td><td></td></tr><tr><td>A. <Doctype HTML></td><td>B. <\Doctype html></td><td>C. <Doctype></td><td>D. <!DOCTYPE html></td></tr><tr><td></td><td></td><td></td><td>D. VIDOCITIE IIIIII</td></tr><tr><td>37. Which of the following</td><td>tag is used to create a combo</td><td>box (or drop-down box)?</td><td></td></tr><tr><td>A. <list></td><td>B. <select></td><td>C. <input type =</td><td>D. </td></tr><tr><td>A. Sist></td><td>b. <select></td><td>"dropdown"></td><td>D. <ui></td></tr><tr><td>38. Which of the following</td><td>are the attributes of the tag?</td><td></td><td></td></tr><tr><td></td><td>,</td><td></td><td></td></tr><tr><td>A. method</td><td>B. action</td><td>C. Both</td><td>D. None</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>39. Which HTML tag is use</td><td>d to display the power in expr</td><td>ression, i.e., (x2 - y2)?</td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>A. <sup></td><td>B. <sub></td><td>C.</td><td>D. None</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>40. Which of the following</td><td>is the correct syntax for refer</td><td>ring the external style sheet?</td><td></td></tr><tr><td>A. <style src =</td><td>B. <style src =</td><td>C. <stylesheet></td><td>D. <link rel="stylesheet"</td></tr><tr><td>example.css></td><td>"example.css" ></td><td>example.css</td><td>type="text/css"</td></tr></tbody></table></title>	

42. The property in CSS used to change the text color of an element is D. All of					href="example.css">
A. bgcolor B. color C. background-color the mention 42. The property in CSS used to change the text color of an element is A. bgcolor B. color C. background-color D. All of the mentione 43. The CSS property used to control the element's font-size is A. text-style B. text-size C. font-size D. None 44. The HTML attribute used to define the internal stylesheet is A. <style> B. style C. C. <l</th><th>41</th><th>. The property in CSS used t</th><th>o change the background co</th><th>olor of an element is</th><th></th></tr><tr><th>A. bgcolor B. color C. background-color the mentione 43. The CSS property used to control the element's font-size is A. text-style B. text-size C. font-size D. None 44. The HTML attribute used to define the internal stylesheet is A. <style> B. style C. C. </th><th>μ</th><th>a. bgcolor</th><th>B. color</th><th>C. background-color</th><th>D. All of the mentioned</th></tr><tr><td>A. bgcolor B. color C. background-color the mentione 43. The CSS property used to control the element's font-size is A. text-style B. text-size C. font-size D. None 44. The HTML attribute used to define the internal stylesheet is A. <style> B. style C. c. c. dink> D. <script> 45. Which of the following CSS property is used to set the background image of an element A. background-attachment B. background-image C. background-color D. None</td><td>42</td><td>2. The property in CSS used t</td><td>o change the text color of a</td><td>n element is</td><td></td></tr><tr><td>A. text-style B. text-size C. font-size D. None 44. The HTML attribute used to define the internal stylesheet is A. <style> B. style C. C. </td><td>μ</td><td>a. bgcolor</td><td>B. color</td><td>C. background-color</td><td>D. All of the mentioned</td></tr><tr><td>44. The HTML attribute used to define the internal stylesheet is A. <style> B. style C. C. </td><td>43</td><td>3. The CSS property used to</td><td>control the element's font-s</td><td>ize is</td><td></td></tr><tr><td>A. <style> B. style C. C. double C. double C.</td><td>μ</td><td>a. text-style</td><td>B. text-size</td><td>C. font-size</td><td>D. None</td></tr><tr><td>45. Which of the following CSS property is used to set the background image of an element A. background- attachment B. background-image C. background-color D. None</td><td>44</td><td>I. The HTML attribute used t</td><td>o define the internal stylesl</td><td>neet is</td><td></td></tr><tr><td>A. background- attachment B. background-image C. background-color D. None</td><td>Þ</td><td>a. <style></td><td>B. style</td><td>C. <link></td><td>D. <script></td></tr><tr><td>attachment B. background-image C. background-color D. None</td><td>45</td><td>i. Which of the following CS</td><td>S property is used to set the</td><td>background image of an el</td><td>ement</td></tr><tr><td>46. Which of the following is the correct syntax to display the hyperlinks without any underline?</td><td>A</td><td>_</td><td>B. background-image</td><td>C. background-color</td><td>D. None</td></tr><tr><td></td><td>46</td><td>6. Which of the following is t</td><td>he correct syntax to display</td><td>the hyperlinks without any</td><td>/ underline?</td></tr><tr><td>A. a {text-decoration : B. a {decoration : no- C. a {text-decoration : underline;} underline;} D. None</td><td></td><td>a. a {text-decoration:</td><td>B. a {decoration : no-</td><td>C. a {text-decoration :</td><td></td></tr></tbody></table></style>					

47. Which of the following property is used as the shorthand property for the padding properties?							
A. padding-left	padding-right	padding	All of the mentioned				
48. Are the negative values allowed in padding property?							
A. Yes	B. No	C. Can't say	D. May be				
49. The CSS property use	ed to make the text bold is						
A. font-weight : bold	B. weight: bold	C. font: bold	D. style: bold				
50. The CSS property use	ed to specify the transparen	cy of an element is					
A. opacity	B. filter	C. visibility	D. overlay				
51. How to select the elements with the class name "example"?							
A. example	B. #example	Cexample	D. Class example				
52. Which of the following is not a value of the font-variant property in CSS?							

A. normal	B. small-caps	C. large-caps	D. inherit	
53. Which of the followin or separate border ?	g CSS property is used to s	specify whether the table cells sha	are the common	
A. border-collapse	B. border-radius	C. border-spacing	D. None	
54. The CSS property used	d to set the distance betwe	een the borders of the adjacent c	ells in the table is	
A. border-collapse	B. border-radius	C. border-spacing	D. None	
55. The CSS property used to set the maximum width of the element's content box is				
A. max-width property	B. height propert	cy C. max-height proper	ty D. position property	
56. If we want define styl	e for an unique element, t	hen which css selector will we us	e ?	
A. Id	B. text	C. class	D. name	
57. If we want to wrap a l	olock of text around an im	age, which css property will we u	ise ?	
A. wrap	B. push C.	float D. align		
58. Which is not the selec	tor type of CSS?			

B. Universal D. Descendant						
A. Type selector	selector	C. Local selector	selector			
,,,						
59. Which is used to i	port an external style	sheet in a manner simil	ar to the <link/> eleme	ent.		
	,					
A. @insert	B. @import	C. #import	D. #insert			
The Cartesian	- Cp	,.				
60. Where is the HTML	document correct place	ce to refer to an externa	I style sheet?			
	P					
	B. At the top of					
A. In the head	the	C. In the body	D. At the End of			
section	document	section	the document			
61. What is the genera	l syntax for the inline in	mage?				
·	•	· ·				
A. src=img	B. src=image	C. img=file	D. img src=file			
S	J	J	o o			
62. To create a link to a	an anchor, you use the	property in A tag	•			
A No	D T	6 11.1	-			
A. Name	B. Tag	C. Link	Ľ). Href		
C2 (TD) (/TD) 1						
63. <td> </td> tag i		s usea for				
A. Table Heading	B. Table R	cords C. Tab	le row	D. none		
		element tha	t provides a version	of the page for		
browsers that do r	ot support frames.					

A. noframes	B. emptyframes	C. blankframes	D. openframes			
65. event invoked generally any communication tha	by the cancellation of an ima t aborts.	ge load but may happen on				
A. onblur	B. onchange	C. onabort	D. onended			
66. Which attribute is used	66. Which attribute is used to name an element uniquely?					
A. class	B. id	C. dot	D. All			
67. Which tag creates a check box for a form in HTML?						
A. <checkbox></checkbox>	B. <input type="checkbox"></input 	C. <input=checkbox></input=checkbox>	D. <input checkbox=""/>			
68. Which type of JavaScript language is						
A. Object-Oriented	B. Object-Based	C. Assembly-language	D. High-level			
69. When interpreter encounters an empty statements, what it will do:						

	B. Promp			
	•	lete the		D. Ignores the
A. Shows a warning	state	ment	C. Throws an error	statements
70. Which of the following	g function of the	String object ret	urns the character in the	strir g starting
at the specified position	on via the specific	ed number of c	aracters?	
A. slice()	B. split()	(C. substr()	D search()
71. In JavaScript the x===y	y statement impl	ies that:		
A D				
A. Both x and y are equal				
in value, type and		re x and y	C. Both are equal in	5.5.4
reference address as		qual in value	the value and data	
well.	only.		type.	at all.
== 0				
72. Choose the correct sni	ppet from the fo	llowing to check	if the variable "a" is not	equal the "NULL":
	5 (6/1)	0 15/ 1	5 :(/ 1	
A. if(a!==null)	B if (a!)	C. if(a!⊨ι	ıll) D. if(a!=nul	1)
73. Which one of the follo	wing operator is	used to check w	eather a specific property	exists or not:
A. Exists	B exist	C. within	D. in	
74. Which one of the follo	wing is an ternar	y operator:		

	B. :	C			+	
75. What is the correct	syntax for I	referring to an ext	ernal scri _l	ot called "ge	ek.js"?	
A. <script src="geek.js"></script 		<script nref="geek.js"></script 	C. <s re</s 	cript f="geek.js">	D.	<script name="geek.js"></script
76. Which of the follow	ing is corre	ct about features	of JavaScı	ript?		
A. It can not Handling dates and time.		. JavaScript is a object-based scripting langua		C. JavaScrip interpret scripting		D. All
77. Why so JavaScript a	and Java hav	ve similar name?				
	B. Java	Script's C	. They be	oth		
A. JavaScript is a	=	ax is	origina			
stripped-down	looc	ely based	the icla	nd of		
• •		=				
version of Java		ava's	Java		D. None	
• •	on J	wing purpose – B. to execute Que	Java		D. None	
version of Java	on J	wing purpose – B. to execute Querellated to	Java			
version of Java	on J	wing purpose – B. to execute Que	Java	C. to add		y D. All
version of Java 78. JavaScript is design	on Joed for followers	wing purpose – B. to execute Querelated to databases on a server	Java eries	C. to add to htm	interactivit I pages	D. All
78. JavaScript is design A. to style HTML page 79. What are the three	ed for followers	wing purpose – B. to execute Querelated to databases on a server	Java eries ne in a for	C. to add to htm	interactivit I pages	D. All
78. JavaScript is design A. to style HTML page	ed for followers important	wing purpose – B. to execute Querelated to databases on a server	Java eries ne in a for	C. to add to htm loop on a lotialization,	interactivit I pages	D. All

MCQ - Study

A. .\\

B. //

C. * *\

D. * */

81. What are the type	s of Pop up boxes av	ailable in JavaScri	pt?	
A. Alert	B. Prompt	C. Confirm	D. All	
82. Which of the follo	wing method checks	if its argument is	not a number?	
A. isNaN()	B. nonNaN()	C. NaN()	D. None	
83. Which of the follo	wing is not a style ta	g?		
A. 	B. <tt></tt>		C. <i>></i>	D. All the are style tag
84. When should you	use path along with	file name of pictu	re in IMG tag?	
A. path is optional ar not necessary	of im	the location nage file naml file are rent	C. when image file and html file both are on same location	D. path is always necessary when inserting image
85. Theattribute	adds space within e	each cell.		
A. CELL SPACING	B. CELL PAC	DDING C. V	WIDTH D. A	LIGN
_	=		e requires two A (Anchor) t attribute.	ags, the
A. NAME & LINK	B. LINK & HREF	C. HREF & NA	ME D. TARGET & VALU	JE
87. Which of the follo	wing is true about Ja	vascript		

	A. It is a server side scripting language		B. It is client side scripting language C. It		C. It is a S	Software	D. It is a databas	
8	38. Which type of JavaSc	ript l	anguage is					
	A. Object-Oriented		B. Object-Based		C.	Assembly- language	D.	High-level
8	39. Is javascript case sens	iti ve	1?					
	A. Flase		B. TRUE	C.	Both		D. None	
9	90. Can we compulsorily	pa ss	parameters in Jav	ascr	ipt Fu	nctions?		
	A. TRUE	В	Flase	C.	Both		D. None	
9	91. How many buttons al	ert k	oox has?					
	A. One	В	Two	C.	Three		D. None	
9	92. prompt box is used to	inp	ut values?					
	A. No	В	Yes	C.	Both		D. None	
9	93. location dot href is us	ed t	o redirect web pag	ge?				
	A. FALSE		B. TRUE	C.	Both		D. none	
9	94. What is a full form of	DC I	ΛI?					
	A. Develop Object Model	В	Document Object- oriented Modeling	C.	Docu Orie Mod	ted	D. Docum Object	

MCQ - Study

OF Events are bandled b	.,			
95. Events are handled b)Y			
A. Error Handler	B. Event Handler	C. Web Browser	D. None	
96. break and continue a	are opposite of each o	other?		
A. TRUE	B. False	C. Both	D. None	
97. Javascript is mainly ເ	ısed by Serverside Scı	ripting.		
A. TRUE	B. False	C. Both	D. None	
98. Which element we u	se to write javascript	code?		
A. div	B. form	C. script	D. body	
99. Full form of URL is				
	D. Universal			
A. Uniform Resource	B. Universal Resource			
Locator	Locator	C. Both of Ab	ove D. None	
100. HTML is what	type of language?			
A. Scripting Language	B. Markup Language	C. Programming Language	D. High Level Language	

101. What is the host name part of http://www.google.com?

A. HTTP	B. www	C. google	D. com	
400 141:1 51			10.11.	
102. Which of the	ne following devices tra	anslates hostnames into	o IP addresses?	
A. DNS Server	B. Hub	C. DHCP Server	D. Firewall	
103. Thetr	ranslates internet doma	ain and host names to I	P address.	
A. domain name system	B. routing information protocol	C. network time protocol	D. internet relay chat	
104. What does	a DNS client called?			
A. DNS handler	B. DNS resolver	C. DNS updater	D. None	
105. The Docum	ent in the WWW can b	e grouped intobr	oad categories	
A. 2	B. 3	C. 4	D. None	
106. Which prog	gram is used by web cli	ents to view the web pa	ages?	
A. Web browser	B. Protocol	C. Web server	D. Search Engine	
107. What is the	e name of the location	address of the hypertex	kt documents?	
A. Uniform Resource Locator	e B. Web server	C. File	D. Web address	

MCQ - Study

108. What does the .com domain represents?

A. VEducation domain

B. Commercial

domain

C. Network

D. None

109. Which of the following statements regarding the utilization of client-side scripting is TRUE?

A. Client-side scripting refers to scripts executed on the Web browser instead of the Web server.

B. Client-side scripting refers to scripts executed on the server on behalf of the client.

C. Client-side scripting refers to scripts executed on the SQL Server by the Web Server.

D. Client-side
scripting refers
to scripts
executed on the
Web server by
the Client Server.