Sr No	Question	Option 1	Option 2	Option 3	Option 4
		NoSQL	Distributed	Relational	Operational
1	SQLite is a ?	database	database	database	database
2	SQLite written in?	C++	С	Java	Python
	SQLite is an in-process library that			zero- configuratio	All the
3	implements a?	self-contained	serverless	n	mentioned
4	Which command is used to modifies an existing database object, such as a table?	Create	<mark>Alter</mark>	Drop	Modify
_		TDLIE	FALCE	Can be true	C
5	Does SQLite is case insensitive?	TRUE	FALSE	or false	Can not say
e	Which of the following command is true regarding ROLLBACK Statement? Any column can still store any type of	ROLLBACK;	ROLLBACK TO SAVEPOINT savepoint_n ame;	None	ROLLBACK TO savepoint_na me;
7	data but the preferred storage class for a column is called its ?	affinity	type affinity	column store	type storage
8	Which operator is used to search for values that are within a set of values, given the minimum value and the maximum value?	And	EXISTS	In	Between
	By using sqlite3, we can store our data				
g	on	local	Global	Server	None
	close() function in sqlite3 is used for the	To close the query	To close the table	To close the database	None
11	connect() function in sqlite3 is used for ?	To connect the database	To open the database	To create a database	All of the mentioned
12	Correct way to import the sqlite3 in the program ?	import sqlite3	import sqlite3 as s	from sqlite3 import *	All of the mentioned
	Correct way to run the query in Python sqlite3 is	sqlite3.execut e.query	ute(query)	sqlite.run.ex ecute(query)	None
14	For what purpose sqlite3 is used ?	Front end	Back end	CLI	GUI
15	What the following query does ?, select count(*) from table	It return all rows data	It return number of rows in table	It return number of columns in table	It will give an error
16	To open or connect with the database, which function we used or call at runtime?	open()	connect()	database()	All of the mentioned

Sr No		Question	Option 1	Option 2	Option 3	Option 4
		NA/leisle of the fallowing mandale is				
	17	Which of the following module is	File	CCV	Danda	Numanu
	1/	required to import to work with CSV file? Which of the following is not a function of	riie	CSv	Panda	Numpy
	1 2	csv module?	readline()	writerow()	reader()	 writer()
	10	The writer() function has how many	readiffe()	writerow()	reader()	writer()
	19	mandatory parameters?	1	2	3	4
		Which of the following parameter needs	_			
		to be added with open function to avoid				
		blank row followed file each row in CSV				
	20	file?	qoutechar	quoting	newline	Skiprow
		Anshuman wants to separate the values				
		by a \$ sign. Suggest to him a pair of	open,quotech	writer,quote	open,delimit	writer,
	21	function and parameter to use it.	ar	char	er	delimiter
		Which of the following is tasks cannot be	Data in	Uniqueness	Saving data	
	22	done or difficult with CSV module?	tabular form	of data	permanently	All of these
		The command used to skip a row in a CSV				
	23	file is	next()	skip()	omit()	bound()
		Which of the following is a string used to			form	
		terminate lines produced by	Line	_	feeddata	
	24	writer()method of csv module?	terminator()	enter key	terminator	
	25	A CSV file is also known as a	Flat File	3D File	String Filo	Random File
	23	Which of the following mode is used	riat riie	3D FIIE	String File	Kandom File
		when dealing with non-text files like				
	26	image or exe files?	Text mode	Binary Mode	yls mode	csv mode
	2.0	Which of the following are	TEXT IIIOGE	Billary Wode	Als Hiode	csv mode
	27	modules/libraries in Python?	NumPy	Pandas	Matplotlib	All
		, , , , , , , , , , , , , , , , , , , ,	Number	Numerical	Numbers in	
	28	NumPy stands for	Python	Python	Python	None
		Which of the following libraries allows to	-			
		manipulate, transform and visualize data				
	29	easily and efficiently.	Pandas	NumPy	Matplotlib	All
			Panel Data	Panel Data		Panel
	30	PANDAS stands for	Analysis	analyst	Panel Data	Dashboard
		is an important library used				
	31	for analyzing data.	Math	Random	Pandas	None
		Important data structure of pandas			Series and	
	32	is/are	Series	Data Frame	Data Frame	None
		Which of the following library in Python is	<u> </u>	_		l
	33	used for plotting graphs and visualization.	Pandas	NumPy	Matplotlib	All
	~ .	Pandas Series can	G		CL day	All
	34	have data types	float	integer	String	All

Sr No	Question	Option 1	Option 2	Option 3	Option 4
	is used when data is in				
35	Tabular Format.	Pandas	NumPy	Matplotlib	All
	Which of the following command is used	pip install	install		
36	to install pandas?	pandas	pandas	pip pandas	None
	A is a collection of data				
	values and operations that can be applied	Data			
37	to that data.	Structure	Data Frame	Table	None
	A is a one-dimensional			Series and	
38	array.	Series	Data Frame	Data Frame	None
	Which of the following statement is	We can create Series from Dictionary in	Keys of dictionary become index of the	Order of indexes created from Keys may not be in the same order as typed in	
39	correct?	Python	series	dictionary	All
40	Pandas is an open-source Library?	Ruby	Javascript	Java	Python
41	Pandas key data structure is called?	Keyframe	DataFrame	Statistics	Econometrics
	Which of the following module is to be				
	imported to create Series?	Pandas	NumPy	Matplotlib	None
43	A panel is a container of data	1D	2D	3D	Infinite
	Which of the following module is required to import to work with CSV file? Which of the following is not a function of csv module?		CSV writerow()	pandas	numpy writer()
	The writer() function has how many	readiffe()	Witter GW()	reducity	Wilcel()
<u>Δ</u> 6	mandatory parameters?	1	2	3	4
	Which of the following parameter needs to be added with open function to avoid blank row followed file each row in CSV				
47	file?	qoutechar	quoting	newline	skiprow
	The command used to skip a row in a CSV				
48	file is	next()	skip()	omit()	bounce()
	By using sqlite3, we can store our data				
49	on	local	Global	Server	None
	For fetch the data, which function we use			executequer	
50	to run the select query ?	fetch()	rawquery()	y()	execute()
51	Sqlite3 in python is the module by which we can handle	Database	GUI	CLI	Connectivity

Sr No		Question	Option 1	Option 2	Option 3	Option 4
		To open or connect with the database,				
		which function we used or call at runtime				
	52	?	open()	connect()	database()	AII
			1 0	It return	It return	
				number of	number of	
		What the following query does ?, select	It return all	rows in	columns in	It will give an
	53	count(*) from table	rows data	table	table	error
		Which keyword we use to fetch the data		00.0.0		
	54	from the table in database ?	fetch	select	raw	AII
	<u> </u>	Trom the table in adtabase .	reterr	Sciecc	pip sqlite3	7.11
		Which of the correct way to install the		pip install	install	
	55	sqlite3 in python?	install sqlite3	sqlite3	python	None
	55	squites in python:	install squites	squites	руспоп	INOTIE
		Which of the following function are used			executequer	
	56	to execute the query in sqlite3 python?	execute()	auon()		run()
	30	Which of the following is not the function	execute()	query()	y()	Tun()
	- 7	_	anon()	sonnost()	database()	(ra) (1)
	5/	of the sqlite3 in python ?	open()	connect()	database()	raw()
		NA/high of the fallowing to allow manyided				
	-0	Which of the following tool are provided		NAC a.l	: f	A 11
	58	by the python to manage the database ?	sqlite3	MySql	infomix	All
		Which statement is used to create a	CREATE	CREATE	PRODUCE	PRODUCE
	59	trigger?	TRIGGER	TRIGGERS	TRIGEER	TRIGGERS
		For which of the following are triggers not				
	60	supported?	delete	update	insert	views
		Which statement is used to remove a				
	61	trigger?	REMOVE	DELETE	DROP	CLEAR
		Which of the following is not a valid				
	62	SQLite3 type?	FLOAT	NUMERIC	DECIMAL	CHARACTER
		Which of the following is not a DDL				
	63	command?	TRUNCATE	ALTER	CREATE	UPDATE
		Which of the following are TCL	COMMIT and	UPDATE and	SELECT and	GRANT and
	64	commands?	ROLLBACK	TRUNCATE	INSERT	REVOKE
		Which statement is used to delete all				
		rows in a table without having the action				
	65	logged?	DELETE	REMOVE	DROP	TRUNCATE
		Which datatype can store unstructured				
	66	data in a column?	CHAR	RAW	NUMERIC	VARCHAR
		Which of the following is not a valid				
	67	aggregate function?	COUNT	COMPUTE	SUM	MAX
		Which data manipulation command is				
		used to combines the records from one				
	68	or more tables?	SELECT	PROJECT	JOIN	PRODUCT
		Which operator is used to compare a				
	60	value to a specified list of values?	ANY	BETWEEN	ALL	IN

Sr No		Question	Option 1	Option 2	Option 3	Option 4
		What operator tests column for absence		Exists	IS NULL	None of the
	70	of data	NOT Operator	Operator	Operator	above
			When existing	When a	When some	
		In which of the following cases a DML	rows are	table is	rows are	
	71	statement is not executed?	modified	deleted	deleted	All
		If we have not specified ASC or DESC after	mounica	deleteu)	deleted	7.11
		a SQLite3 ORDER BY clause, the following			There is no	
	72	is used by default	DESC	ASC	default value	None
	12	What is returned by INSTR ('JAVAT	DESC	ASC	deraute value	None
	73	POINT', 'P')?	6	7	POINT	JAVAT
	73	A command that lets you change one or	0	/	CINT	BAVAI
	7/	more field in a table is:	INSERT	MODIFY	LOOK-UP	All
	74		IINSEKT	INIODIFT	NON-EQUI	All
	75	Which of the following is also called an INNER JOIN?	SELF JOIN	EQUI JOIN	JOIN	None
	73	INNER JOIN!	SELF JOIN	Similar to	Similar to	INOTIE
			Similar to the	WHERE	WHERE	
			WHERE clause			
			but is used for		used for	
			columns		groups	Acts exactly
	7.0	Which of the following is true about the	rather than	than	rather than	like a WHERE
	/6	HAVING clause?	groups	columns	rows	clause
		clause creates temporary				
		relation for the query on which it is	NA/1711	ED 0 1 4		SELECT.
	//	defined.	WITH	FROM	WHERE	SELECT
		command makes the updates				
		performed by the transaction permanent				
	78	in the database?	ROLLBACK	COMMIT	TRUNCATE	DELETE
		NA/high tune of IOIN is used to returns				
	70	Which type of JOIN is used to returns	Natural JOIN	Outer JOIN	EOULIOIN	All
	79	rows that do not have matching values? Which of the following are	inatural JOIN	Outer JOIN	EQUI JOIN	All
	00	_	Nu uma Du c	Pandas	Matalatlih	All
	80	modules/libraries in Python?	NumPy Number		Matplotlib	AII
	01	Num Pu stands for	Python	Numerical Python	Numbers in	None
	ΟŢ	NumPy stands for	Python	Python	Python	ivone
		Which of the following libraries allows to				
	0.3	manipulate, transform and visualize data	Dandes	Numa De c	Motolotii-	All
	82	easily and efficiently.	Pandas	NumPy	Matplotlib	All
	0.2	DANDAC atomdo for	Panel Data	Panel Data	Danal Data	Panel
	రర	PANDAS stands for	Analysis	analyst	Panel Data	Dashboard
		is an important library used		nl.	D I.	.
	84	for analyzing data.	Math	Random	Pandas	None
	6 -	Important data structure of pandas	G	D. I. 5	Series and	
	85	is/are	Series	Data Frame	Data Frame	None

Sr No		Question	Option 1	Option 2	Option 3	Option 4
		Which of the following library in Python is				
	86	used for plotting graphs and visualization.	Pandas	NumPy	Matplotlib	All
		Pandas Series can				
	87	have data types	float	integer	String	All
		is used when data is in				
	88	Tabular Format.	Pandas	NumPy	Matplotlib	All
		Which of the following command is used	pip install	install		
	89	to install pandas?	pandas	pandas	pip pandas	None
		Which is a python package used for 2D	matplotlib.py	matplotlib.p	matplotlib.n	matplotlib.pl
	90	graphics?	plot	ip	umpy	t
		Identify the package manager for Python				python
	91	packages, or modules.	Matplotlib	PIP	plt.show()	package
	92					
		Read the following code: Identify the				
		purpose of this code and choose the right				
		option from the				
		following.C:\Users\YourName\AppData\L				
		ocal\Programs\Python\Python36-	Check if PIP is		Download a	Check PIP
	93	32\Scripts>pip – version	Installed	Install PIP	Package	version
	94	Which key is used to run the module?	F6	F3	F4	F5
		which library is the most used visulization				
	95	library in python?	visual	matlibplot	matplotlib	matlab
			import	import	import	
		recommanded way to load matplotlib	matplotlib.py	matplotlib.p	matplotlib as	1 '
	96	library is	plot as plt	yplot	plt	matplotlib
		which function of matplotlib can be used				<u> </u>
	97	to create a line chart?	line	plot	graph	bar
	~ -	which function can be used to export		6		
	98	generated graph in matplotlib to png	savefigure	savefig	save	export
		which one of these is not a valid line style	l		<u>.</u> .	
	99	in matplotlib	1_1	''	''	<u>'<'</u>
		which graph should be used if we want to		l.	[.	
	100	show distribution of elements?	pie	basemap	bar	histogram
		which graph should be used If we want to	l.			l .
	101	find patterns in data?	bar	histogram	scatterplots	basemap
		which method can be used to get the			l .	
	102	shortest path in networkx library	shortest_path			sortPath
		which one of these is not a type of	weighted	directed	undirected	
	103	network graph	graph	graph	graph	circular graph

Sr No	Question	Option 1	Option 2	Option 3	Option 4
				c) Improve	
		Understand	b) Take a	the past	
104	Data visualization helps to	data easily	decisions	performance	d) All
	What are the mandatory parameters to				
105	plot data on chart for plot() method?	x and y	b) color	c) others	d) None
100	The method is used to create	X and y	27 00101	o, others	a, itolic
106	a line chart.	pl.pie()	b) pl.col()	c) pl.plot()	d) pl.line()
	To change the width of bars in bar chart,				
	which of the following argument with a				
107	float value is used?	thick	b) thickness	c) width	d) barwidth
100	Which measure of central tendency takes	Median	Dance	Mada	Maar
108	into account the magnitude of scores?	Median	Range	Mode	Mean
		The median of		The	
		an ordered	The most	arithmetic	The middle or
			frequently	average of	approximate
	The median of an ordered set of data is	the value that	observed	the data	middle of the
109	the value that represents	represents	value	values	data set
	A measure of central tendency, given as				
	the value above which half of the values				
110	fall and below which half of the values fall is called the	Maxima	Mode	Median	Mean
110	is called the	IVIAXIIIIA	ivioue	3.from	Ivieari
	Best way to import the pandas module in	import	2.import	pandas	4.All of the
111	your program ?	pandas	1	import *	mentioned
			В.	-	
	Which of the following takes a dict of		DataFrame.f	C.	
	dicts or a dict of array-like sequences and	DataFrame.fr	rom_record	DataFrame.fr	4.All of the
112	returns a DataFrame?	om_items	S	om_dict	mentioned
		N	l. Ni		
143	Num Dy stands for	Number	b. Numerical		d. None of
113	NumPy stands for Which of the following libraries allows to	Python	Python	in Python	the above
	manipulate, transform and visualize data				4.All of the
114	easily and efficiently.	Pandas	b. NumPy	c. Matplotlib	mentioned
	is an important library used		1	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
115	for analyzing data.	Math	b. Random	c. Pandas	d. None
	Important data structure of pandas		b. Data	c. Both of	
116	is/are	Series	Frame	the above	d. None
	Pandas Series can				4.All of the
117	have data types	float	b. integer	c. String	mentioned

Sr No	Question	Option 1	Option 2	Option 3	Option 4
	How we can call the function of sqlite3, if	sqlite.function			None of
135	we import by import sqlite3 as sq?	()	function()	sq.function()	these
	Sqlite3 in python is the module by which				
136	we can handle	Database	GUI	cli	Connectivity
	To open or connect with the database,				
	which function we used or call at runtime				
137	?	open()	connect()	database()	All of these
				It is	
			It is used to	undefined	
	What is the correct statement about the	It is used to	execute the	function in	
	RawQuery() function in sqlite3 in python	fetch the row	select query	python	None of
138	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	from the table		sqlite3	these
			It return	It return	
			number of	number of	
	What the following query does ?, select	It return all	rows in	columns in	It will give an
139	count(*) from table	rows data	table	table	error
	Which keyword we use to fetch the data		(0.0.0)		All of the
140	from the table in database ?	fetch	select	raw	above
1.0	Which of the correct way to install the	100011	pip install	pip install	None of the
141	sqlite3 in python?	install sqlite3	sqlite3	sqlite3	above
171	Which of the following function are used	mstan squtes	Squices	sques	above
1/12	to close the database?	exit()	def()	disconnect()	close()
142	to close the database:	exit()	uei()	uisconnect()	ciose()
	Which of the following is correct syntax	sqlite.connect	salite conne	sqlite.connec	None of the
1/12	of the connect() function in sqlite3?	()	ct.database	t(database)	above
143	The connect() function in squites:	()	ct.uatabase	t(database)	above
	Which of the following is not the correct	import sqlite3	import	import	None of the
144	way to import the sqlite3 ?	1 ' '	sglite3 as p		above
144	Which of the following is not the function	as s	squites as p	sqlite3 as sq	above
145	<u> </u>	loonnoot()	alaca()	overute()	rau()
145	of the sqlite3 in python ?	connect()	close()	execute()	raw()
	Which of the following tool are provided				All of the
146	Which of the following tool are provided		N 4 C l	: f	All of the
146	by the python to manage the database?	sqlite3	MySql	infomix	above
	 COL	NoSQL	Distributed	Relational	Operational
	SQLite is a ?	database	database	database	database
148	SQLite written in?	C++	С	Java	Python
				zero-	All Cit
	SQLite is an in-process library that			configuratio	All of the
149	implements a?	self-contained	serverless	n	above
	Which command is used to modifies an				
150	existing database object, such as a table?	Create	Alter	Drop	Modify
	SQLite dot commands and exception				
151	should not be terminated by?	:	/	;	"

Sr No		Question	Option 1	Option 2	Option 3	Option 4
		Which command print STRING in place of		.value		.nullvalue
	152	NULL values?	.null STRING	STRING	.nullSTRING	STRING
					Can be true	
:	153	Does SQLite is case insensitive?	TRUE	FALSE	or false	Can not say
				ROLLBACK		
				ТО		
				SAVEPOINT		ROLLBACK TO
		Which of the following command is true		savepoint_n		savepoint_na
:	154	regarding ROLLBACK Statement?	ROLLBACK;	ame;	save point	me;
		Any column can still store any type of				
		data but the preferred storage class for a				
:	155	column is called its ?	affinity	type affinity	column store	type storage
		Which operator is used to search for	,			
		values that are within a set of values,				
		given the minimum value and the				
:	156	maximum value?	And	EXISTS	In	Between
			D. Richard	Dwight	Eliot	
	157	SQLite Developed by?	Hipp	Merriman	Horowitz	Kevin Ryan
	158	SQLite Initial release?	1997	1998	1999	2000
			LEFT OUTER	RIGHT	FULL OUTER	
:	159	Which join is supported in SQLite?	JOIN	OUTER JOIN	JOIN	All of these
		Which command is used to modifies				
:	160	records?	Insert	Update	Delete	Modify
		Which command list names and files of				
:	161	attached databases?	db	use	.database	database
		Which of the following statement is used				
		to delete entire a table and also its				
:	162	information?	DELETE TABLE	DROP TABLE	QUIT TABLE	All of these
		SELECT statement that comes under				
:	163	which of the following types of SQLite?	DDL	All of these	DML	DQL
		Which of the following command is used				
:	164	to export the whole database into a file?	.quit	.help	.dump	.header on
		What is the name of the SQL database				
	165	the comes distributed with Python?	MySQL	SQLite	PostgreSQL	PySQL
		Which of the following are				
		valid Cursor methods used to execute				
		SQL statments and retrieve query results?		Cursor.exec	Cursor.fetch	Cursor.fetch
	166	Select all that apply.	Cursor.run()	ute()	all()	many()

Sr No	Question	Option 1	Option 2	Option 3	Option 4
		-	·		
					Any character
		Any character			such as the
		such as the			comma (,) or
		comma (,) or	Anywhere		tab (\t) that is
		tab (\t) that is	the comma	Delimiters	used to
		used to	(,) character	are not used	separate
	In regards to separated value files such	separate	is used in	in separated	the column d
167	as .csv , what is the delimiter?	'	the file	value files	ata.
	In separated value files such		The author		The column
	as .csv and .tsv, what does the first row in	Notes about	of the table	The source	names of the
168	the file typically contain?	the table data		of the data	data
100	ene me typicany contain.	tile table data	uutu	System.out("	<u>uata</u>
		print("May	echo("May	May the	printf("May
	How to output the string "May the odds	the odds	the odds	odds favor	the odds
169	favor you" in Python?	favor you")	favor you")	you")	favor you")
103	How to create a variable in Python with	ravor you y	iaro. you y	Integer a =	lavoi you y
170	value 22.6?	int a = 22.6	a = 22.6	22.6	None
1,0	14146 22161		22.0		110116
	SELECT statement that comes under				
171	which of the following types of SQLite?	DDL	All of these	DML	DQL
	trinon or the following types or exerce:	551	7 til Ol tilese	J.VI.2	
	Which of the following command is used				
172	to export the whole database into a file?	.quit	.help	.dump	.header on
	о одрего иле иле однавае иле и иле	190.0		, a. a	
	What is the name of the SQL database				
173	the comes distributed with Python?	MySQL	SQLite	PostgreSQL	PySQL
	Which of the following are	,			75 45
	valid Cursor methods used to execute				
	SQL statments and retrieve query results?		Cursor.exec	Cursor.fetch	Cursor.fetch
174	Select all that apply.	Cursor.run()	ute()	all()	many()
			W	V	- 70
					Any character
		Any character			such as the
		such as the			comma (,) or
			Anywhere		tab (\t) that is
		tab (\t) that is	the comma	Delimiters	used to
		used to	(,) character	are not used	separate
	In regards to separated value files such	separate	is used in	in separated	the column d
175	as .csv , what is the delimiter?	the row data	the file	value files	ata.
1,3	In separated value files such		The author	- 4.46 11163	The column
	as .csv and .tsv, what does the first row in	Notes about	of the table	The source	names of the
176	the file typically contain?		data	of the data	data
170	How to add single-line comment in	/* This is	!! This is	// This is	# This is
177	Python?	comment */	comment	comment	comment
	r yunon:	comment /	Comment	Comment	comment

Sr No	Question	Option 1	Option 2	Option 3	Option 4
	How to convert the uppercase letters in				
1	8 the string to lowercase in Python?	lowercase()	capilaize()	lower()	toLower()
	How to fetch characters from a given				
1	9 range in Python?	[:]	in operator	[]	None
	uses square brackets for			<u>_</u> .	
1	0 comma-separated values in Python?	Lists	Dictionary	Tuples	None
	How to compath conston function in	dama Cumatia	def	function	void
1	How to correctly create a function in	demoFunctio	demoFuncti		demoFunctio
16	1 Python?	n() Define a	on()	n()	n()
		function		Define an	Define a
1	2 The def keyword is used in Python to?	name	Define a list		Dictionary
10	Is Python case sensitive when dealing	name	שבוווופ מ וואנ	array machine	Dictionally
19	3 with identifiers?	yes	no	dependent	none
	With Identifiers:	yes		асренаен	none
		they are used		they are	
		to indicate a		used to	
		private	they	indicate	they slow
	Why are local variable names beginning	variables of a	confuse the	global	down
18	4 with an underscore discouraged?	class	interpreter	variables	execution
18	5 All keywords in Python are in	lower case	UPPER CASE	Capitalized	None
				underscore	
			all private	and	
			members	ampersand	
			must have	are the only	
				two special	
	Which of the following is true for variable	unlimited	trailing	characters	
18	6 names in Python?	length	underscores	allowed	none
	Which combole used in tout file med to for				
1	Which symbols used in text file mode for 7 the write and read operations.	l _{r+}	\\\\\\	 r	
- T	To open a file in python language	r+	W+	r	W
18		Begin()	Create()	Open()	File()
<u> </u>	What is the default mode of opening a	DCBIII()	or cate()	Ορείι()	()
1:	9 file?	read	write	append	none
				fileObject.wr	
		file.writelines(fileObject.w	itelines(sequ	
19	O Correct syntax of file.writelines() is?	sequence)	ritelines()	ence)	none
	In file handling, what does this terms	· · · ·	append,	all of the	
19	1 means "r, a"?	read, append	read	mentioned	none
	Which function is used to read single line			Readstateme	
19	2 from file?	Readline()	Readlines()	nt()	Readfullline()