

EXPERIMENT - 10

Name: Bhavik Pahuja
Branch: B.E. CSE (AIML)
Semester: 5
Subject Name: ADBMS

UID: 24BAI70522
Section: 24AIT_KRG-1_B
Date of Performance: 14.09.2026
Subject Code: 24CSP-310

1. Design a robust PostgreSQL transaction system for the students table where multiple student records are inserted in a single transaction.

If any insert fails due to invalid data, only that insert should be rolled back while preserving the previous successful inserts using savepoints.

The system should provide clear messages for both successful and failed insertions, ensuring data integrity and controlled error handling.

Solution:

```
BEGIN TRANSACTION;
```

```
INSERT INTO students(name, age, class)
```

```
VALUES ('Anisha', 16, 8);
```

```
DO $$
```

```
BEGIN
```

```
    RAISE NOTICE 'Anisha inserted successfully';
```

```
END;
```

```
$$;
```

```
SAVEPOINT SP1;
```

```
INSERT INTO students(name, age, class)
```

```
VALUES ('Neha', 17, 8);
```

```
DO $$
```

```
BEGIN
```

```
    RAISE NOTICE 'Neha inserted successfully';
```

```
END;
```

```
$$;
```

```
SAVEPOINT SP2;
```

```
INSERT INTO students(name, age, class) VALUES
```

```
('Anisha', 18, 9);
```

```
ROLLBACK TO SAVEPOINT SP2;
```

```
DO $$
```

```
BEGIN
```

```
RAISE NOTICE 'Failed to insert Anisha. Only failed insert rolled back.';
END;
$$;
INSERT INTO students(name, age, class)
VALUES ('Mayank', 19, 9);
DO $$
BEGIN
    RAISE NOTICE 'Mayank inserted successfully';
END;
$$;

RELEASE SAVEPOINT SP2;
RELEASE SAVEPOINT SP1;

COMMIT;

SELECT * FROM students;
```