

Placement MCQ Generator

Claude Skill Demonstration


Name – Bhavneet Kour

URN – 2302497

1. Skill Description

Placement MCQ Generator is a Claude Skill designed for CSE/IT students preparing for technical placement tests. It generates placement-oriented multiple-choice questions on topics such as DBMS, SQL, OS, Computer Networks, OOP, C++, Python and DSA. It produces a mixture of conceptual, application-based and tricky questions along with an answer key and short explanations.

2. Skill Structure



3. Test Case — Skill OFF

give 5 networking questions

Here are five computer networking questions, ranging from basic to more involved:

1. What is the difference between TCP and UDP, and when would you choose one over the other?
2. Explain what happens, step by step, when you type a URL into a browser and press Enter.
3. What is the purpose of a subnet mask, and how many usable hosts are in a /26 network?
4. How does DNS resolution work, and what is the difference between a recursive and an iterative query?
5. What are the differences between a hub, a switch, and a router, and at which OSI layer does each operate?

If you meant professional networking (questions to ask people at events), I can give you a set of those instead.

     16 hours ago

4. Test Case — Skill ON

give 5 networking questions

Read a file, ran a command ▾

Drafting multiple-choice questions on networking topics.

Read the MCQ generator skill for formatting guidance [SKILL.md](#)

Ran a command >

Drafting a set of networking quiz questions.

Computer Networks MCQs (5 questions)

Q1. (Easy) At which OSI layer does a standard (unmanaged) network switch primarily operate?

A) Physical layer
B) Data Link layer
C) Network layer
D) Transport layer

Q2. (Medium) A host has the IP address 192.168.1.70/26. What is the broadcast address of its subnet?

A) 192.168.1.63
B) 192.168.1.255
C) 192.168.1.128
D) 192.168.1.127

Q3. (Tricky) Which statement about TCP is **FALSE**?

- A) TCP establishes a connection using a three-way handshake
- B) TCP delivers data to the application in the order it was sent
- C) TCP guarantees data arrives within a fixed time limit
- D) TCP uses acknowledgements and retransmission to handle lost segments

Q4. (Medium) A user is successfully logged in to a web app but tries to open an admin-only page they don't have permission for. Which HTTP status code is most appropriate?

- A) 403 Forbidden
- B) 401 Unauthorized
- C) 400 Bad Request
- D) 404 Not Found

Q5. (Tricky) A router has two interfaces, and each interface connects to its own 4-port switch with PCs attached. How many broadcast domains are there?

- A) 1
- B) 2
- C) 8
- D) 3

Answer Key

Q1. Answer: B) Data Link layer

Explanation: A switch forwards frames using MAC addresses, which belong to Layer 2.
Common mistake: confusing it with a router, which works at Layer 3 using IP addresses.

Q2. Answer: D) 192.168.1.127

Explanation: A /26 mask gives block sizes of 64, so subnets start at .0, .64, .128, .192. The host .70 falls in the .64 subnet, whose broadcast is the last address before .128, which is .127.

5.Github Repository URL

<https://github.com/Bhavneet-sketch06/claude-placement-mcq-skill>