



Select a
definition

StudentProjectManagementSystem v1



StudentProjectManagementSystem ^{1.0}

OAS 3.0

<http://localhost:5093/swagger/v1/swagger.json>

Project



ProjectTask



Status



GET /api/Status



Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://localhost:5093/api/Status' \  
  -H 'accept: text/plain'
```

Request URL

<http://localhost:5093/api/Status>

Server response

Code

Details

200

Response body

```
[  
  {
```

Code

Details

```
"statusId": 1,
"statusName": "string",
"description": "string"
},
{
"statusId": 2,
"statusName": "abc",
"description": "abc"
},
{
"statusId": 3,
"statusName": "completed",
"description": "completed"
}
]
```

Download

Response headers

content-type: application/json; charset=utf-8
date: Thu,30 Jul 2026 17:08:18 GMT
server: Kestrel
transfer-encoding: chunked

Responses

Code	Description	Links
200	OK	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
[
{
"statusId": 0,
"statusName": "string",
"description": "string"
}
]
```

POST /api/Status	⌵
Parameters	CancelReset
No parameters	
Request body	application/json
Edit Value Schema	

```
{
  "statusName": "completed",
  "description": "completed"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5093/api/Status' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
    "statusName": "completed",
    "description": "completed"
  }'
```

Request URL

http://localhost:5093/api/Status

Server response

Code

Details

201

Undocumented

Response body

```
{
  "statusId": 3,
  "statusName": "completed",
  "description": "completed"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,30 Jul 2026 17:08:09 GMT
location: http://localhost:5093/api/Status/3
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK Media type text/plain Controls Accept header. Example Value Schema <pre>{ "statusId": 0, "statusName": "string", "description": "string" }</pre>	No links

GET /api/Status/{id}

Parameters

Cancel

Name	Description
id * required integer(\$int32) (path)	3

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5093/api/Status/3' \
  -H 'accept: text/plain'
```

Request URL

http://localhost:5093/api/Status/3

Server response

Code	Details
200	Response body <pre>{ "statusId": 3, "statusName": "completed", }</pre>

Code	Details	Download						
	<pre>"description": "completed" }</pre> Response headers <pre>content-type: application/json; charset=utf-8 date: Thu,30 Jul 2026 17:08:46 GMT server: Kestrel transfer-encoding: chunked</pre> Responses <table><tr><th>Code</th><th>Description</th><th>Links</th></tr><tr><td>200</td><td>OK</td><td>No links</td></tr></table> Media type text/plain Controls Accept header. Example Value Schema <pre>{ "statusId": 0, "statusName": "string", "description": "string" }</pre>	Code	Description	Links	200	OK	No links	
Code	Description	Links						
200	OK	No links						

PUT

/api/Status/{id}

Parameters

Cancel

Reset

Name	Description
id * required integer(\$int32) (path)	2

Request body

application/json

Edit Value

Schema

```
{
  "statusName": "pending",
  "description": "pending"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:5093/api/Status/2' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
    "statusName": "pending",
    "description": "pending"
  }'
```

Request URL

http://localhost:5093/api/Status/2

Server response

Code

Details

200

Response body

```
{
  "statusId": 2,
  "statusName": "pending",
  "description": "pending"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,30 Jul 2026 17:09:13 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	OK	No links
	Media type	
	text/plain	
	Controls Accept header.	
	Example Value	Schema
	<pre>{ "statusId": 0, "statusName": "string", "description": "string" }</pre>	

DELETE

/api/Status/{id}

Parameters

Cancel

Name	Description
id * required integer(\$int32) (path)	3

Execute

Clear

Responses

Curl

curl -X 'DELETE' \

'http://localhost:5093/api/Status/3' \

-H 'accept: */*'

Request URL

http://localhost:5093/api/Status/3

Server response

Code	Details
204	Response headers
Undocumented	date: Thu,30 Jul 2026 17:09:45 GMT server: Kestrel

Responses		
Code	Description	Links
200	OK	No links

User

Schemas