


1.First React App

Aim:

To Create a new React Application with the name “myfirstreact”, Run the application to print “welcome to the first session of React” as heading of that page.

Steps :

1.creating react app

A terminal window with tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS, and POSTMAN CONSOLE. The TERMINAL tab is active. The prompt is PS C:\Users\laksh>. The command npx create-react-app myfirstreact has been entered. The output shows a success message and a list of commands: npm start (Starts the development server.), npm run build (Bundles the app into static files for production.), npm test (Starts the test runner.), and npm run eject (Removes this tool and copies build dependencies, configuration files).

```
PS C:\Users\laksh> npx create-react-app myfirstreact

Success! Created myfirstreact at C:\Users\laksh\myfirstreact
Inside that directory, you can run several commands:


  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.


  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
```

2.open the app created : cd firstapp



App.js:

A screenshot of the Visual Studio Code editor interface. The Explorer sidebar on the left shows a project named 'MYFIRSTREACT' with a 'src' folder containing files like 'App.css', 'App.js', 'App.test.js', 'index.css', 'index.js', 'logo.svg', and 'reportWebVitals.js'. The 'App.js' file is selected and open in the main editor. The code in 'App.js' is as follows:

```
src > JS App.js > default
1  function App() {
2    return (
3      <div>
4        <h1>Welcome to the first session of React</h1>
5      </div>
6    );
7  }
8
9  export default App;
```

Webpage output:

