

STABILITY REPORT OF CRANE OPERATION ON BARGE MAHASAGAR

Rev.	Description	Date	Prepared	Review	
Client: ARCADIA SHIPPING CO.		Project: BARGE MAHASAGAR			
Doc #		Document Title:		Prepared	
CM - 07 – 2083 -101		STABILITY REPORT ON CRANE OPERATION		IK	
Scale	Size			Sheet	Date
	A4			1 Of 57	26-09-2007
				Checked	
				NK	
				Reviewed	
				JK	
 Cybermarine Knowledge Systems Pvt. Ltd. 511, Hermes Atrium, Sector - 11, CBD Belapur, Navi Mumbai- 400 614 INDIA Tel: +91 22 27564132/33, +91 22 40363999 Fax: +91 22 27564629 E-mail : info@cybermarine.net Website : www.cybermarine.net					

CONTENTS

Page No

1) Objective	03
2) General Information	04
3) Definition, Symbols & Sign Convention	05
4) Tables of Hydrostatic Particulars	06
5) Definition of KN	31
6) Volume Used for KN Computation	32
7) Displacement Vs KN Tables	33
8) Cond # 01 LIGHTSHIP	45
9) Cond # 02 LIGHTSHIP + CRANE	48
10)Cond # 03 LIGHTSHIP + WATER + CRANE OPERATING ALONG STARBOARD SIDE	51
11) Cond # 04 LIGHTSHIP + WATER + CRANE OPERATING ALONG CENTRELINE.	54
12) Lightship Particulars	57

1.OBJECTIVE

A crane of 56.88 T capable of lifting loads of 14.52 T is loaded onto a barge of 36.50 x 10.50 x 2.75 m.

Stability of the Barge is checked for the above loading as per IMO Resolution A.749 (18)

REGULATION

- Intact Stability Criteria in accordance with **Resolution A.749 (18)** adopted on 4 November 1993 **Paragraph 4.7.3.**
 - 1) The area under a righting lever curve up to the angle of maximum righting lever should not be less than 0.08metre-radian.
 - 2) The static angle of heel due to a uniformly distributed wind load of 0.54 kPa (wind speed 30 m/s) should not exceed an angle corresponding to half freeboard for the relevant loading condition, where the lever of wind heeling moment is measured from the centroid of the windage area to half the draught.
 - 3) The minimum range of stability should be:

For $L \leq 100\text{m}$	20^0
For $L \geq 150\text{m}$	15^0
For intermediate length	by interpolation

2. GENERAL INFORMATION

Length Overall	36.50	M
L B P	36.50	M
Breadth Mld.	10.50	M
Depth Mld.	2.75	M
Lightship	324.40	T

CRANE PARTICULARS

Crane Weight	: 56.88 T
Load Lifted	: 14.52 T at operating Radius 7.62 m
Type of Crane	: TATA 955 A Crane.
Boom Length	: 30.48 M

NOTE : The Lightship Particulars of Barge is taken from reference Barge – D B Syndicate (AB/ 04 – 265)

Definitions , Symbols and Sign Conventions

AP	at	Frame 0
FP	at	Frame 72
Midship	at	250mm Fwd of Frame 36
Frame Spacing		500mm through

List Of Symbols

Symbol	Unit	Description
LOA	M	Length Overall
LBP	M	Length Between Perpendiculars
B(Mld)	M	Moulded Breadth
D(Mld)	M	Moulded Depth
TPCm	T/Cm	Tonnes per 1 Cm immersion
MCTCm	T-M/Cm	Moment to change Trim by 1 Cm
Draft B _L (AP)	M	Draft at AP w r t moulded Base line
Draft B _L (FP)	M	Draft at FP w r t Moulded Baseline
Draft B _L (Mean)	M	Draft wrt Moulded Baseline at Midship
Draft B _L (Mean)	M	[Draft B _L (AP) + Draft B _L (FP)] x 0.5
VCG,KG	M	Vertical Center of Gravity above Base Line before correcting for free surface
KGo	M	Vertical Center of Gravity above Base Line after correcting for free surface
KB	M	Vertical Center of Buoyancy from Base Line
KMt	M	Transverse Metacenter above Base Line
GoMt	M	Transverse Metacenter above KGo
GZ	M	Righting Arm
FSM	T-M	Free Surface Moment
sp.gr.		Specific Gravity
LCG	M	Longitudinal Centre of Gravity
LCB	M	Longitudinal Centre of Buoyancy
LCF	M	Longitudinal Centre of Floatation

Sign Convention

LCB,LCG,LCF	Fore of Midship is negative and aft of midship is positive.
Trim by Aft	Positive
Trim by Ford	Negative

Hydrostatic Particulars at a Trim of 0.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.50	172.3	168.1	-0.30	-0.15	0.25	3.49	8.48	18.14
0.51	175.7	171.5	-0.30	-0.14	0.26	3.50	8.49	17.80
0.52	179.2	174.9	-0.29	-0.14	0.26	3.50	8.50	17.47
0.53	182.7	178.3	-0.29	-0.13	0.27	3.50	8.52	17.15
0.54	186.2	181.7	-0.29	-0.12	0.27	3.50	8.54	16.85
0.55	189.7	185.1	-0.29	-0.11	0.28	3.50	8.55	16.56
0.56	193.2	188.5	-0.28	-0.11	0.28	3.51	8.57	16.28
0.57	196.7	191.9	-0.28	-0.10	0.29	3.51	8.58	16.00
0.58	200.1	195.3	-0.28	-0.09	0.29	3.51	8.60	15.74
0.59	203.6	198.7	-0.28	-0.09	0.30	3.51	8.61	15.49
0.60	207.1	202.1	-0.28	-0.08	0.30	3.51	8.63	15.24
0.61	210.6	205.5	-0.28	-0.07	0.31	3.52	8.65	15.01
0.62	214.1	208.9	-0.27	-0.06	0.31	3.52	8.66	14.78
0.63	217.7	212.4	-0.27	-0.06	0.32	3.52	8.67	14.55
0.64	221.2	215.8	-0.26	-0.05	0.32	3.52	8.69	14.33
0.65	224.8	219.3	-0.26	-0.04	0.33	3.52	8.70	14.12
0.66	228.3	222.8	-0.25	-0.03	0.33	3.53	8.72	13.92
0.67	231.9	226.2	-0.25	-0.02	0.34	3.53	8.73	13.72
0.68	235.4	229.7	-0.24	-0.01	0.34	3.53	8.74	13.53
0.69	239.0	233.1	-0.24	-0.01	0.35	3.53	8.76	13.34
0.70	242.5	236.6	-0.23	0.00	0.35	3.53	8.77	13.16
0.71	246.1	240.1	-0.23	0.01	0.36	3.53	8.79	12.99
0.72	249.6	243.5	-0.23	0.02	0.36	3.54	8.80	12.82
0.73	253.2	247.0	-0.22	0.03	0.37	3.54	8.81	12.66
0.74	256.7	250.5	-0.22	0.04	0.37	3.54	8.83	12.50
0.75	260.3	253.9	-0.22	0.04	0.38	3.54	8.84	12.34
0.76	263.8	257.4	-0.21	0.05	0.38	3.54	8.85	12.19
0.77	267.4	260.8	-0.21	0.06	0.39	3.55	8.87	12.04
0.78	270.9	264.3	-0.21	0.06	0.39	3.55	8.88	11.90
0.79	274.5	267.8	-0.20	0.08	0.40	3.55	8.90	11.76
0.80	278.0	271.2	-0.20	0.08	0.40	3.55	8.91	11.62
0.81	281.5	274.7	-0.20	0.09	0.41	3.55	8.92	11.49
0.82	285.1	278.1	-0.19	0.10	0.41	3.55	8.94	11.36
0.83	288.6	281.6	-0.19	0.11	0.42	3.56	8.95	11.24
0.84	292.2	285.1	-0.19	0.12	0.42	3.56	8.96	11.11
0.85	295.7	288.5	-0.19	0.12	0.43	3.56	8.98	10.99
0.86	299.3	292.0	-0.18	0.13	0.43	3.56	8.99	10.88
0.87	302.8	295.5	-0.18	0.14	0.44	3.56	9.01	10.77
0.88	306.4	298.9	-0.18	0.15	0.44	3.57	9.02	10.65
0.89	309.9	302.4	-0.17	0.16	0.45	3.57	9.03	10.55
0.90	313.5	305.8	-0.17	0.16	0.45	3.57	9.05	10.44
0.91	317.0	309.3	-0.17	0.17	0.46	3.57	9.06	10.34
0.92	320.6	312.8	-0.17	0.18	0.46	3.57	9.07	10.24
0.93	324.2	316.3	-0.16	0.19	0.47	3.57	9.09	10.14
0.94	327.8	319.8	-0.16	0.20	0.47	3.58	9.10	10.04
0.95	331.4	323.3	-0.15	0.20	0.48	3.58	9.12	9.94
0.96	335.0	326.8	-0.15	0.21	0.48	3.58	9.13	9.85
0.97	338.6	330.3	-0.14	0.22	0.49	3.58	9.14	9.76
0.98	342.2	333.8	-0.14	0.23	0.49	3.58	9.16	9.67
0.99	345.8	337.4	-0.13	0.24	0.50	3.58	9.17	9.58
1.00	349.4	340.9	-0.13	0.24	0.51	3.59	9.18	9.50
1.01	353.0	344.4	-0.13	0.25	0.51	3.59	9.20	9.41
1.02	356.6	347.9	-0.12	0.26	0.52	3.59	9.21	9.33

Hydrostatic Particulars at a Trim of 0.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.03	360.2	351.4	-0.12	0.27	0.52	3.59	9.23	9.25
1.04	363.8	354.9	-0.11	0.27	0.53	3.59	9.23	9.17
1.05	367.4	358.4	-0.11	0.28	0.53	3.59	9.25	9.10
1.06	371.0	361.9	-0.11	0.29	0.54	3.60	9.27	9.02
1.07	374.6	365.5	-0.10	0.30	0.54	3.60	9.28	8.95
1.08	378.2	369.0	-0.10	0.31	0.55	3.60	9.29	8.87
1.09	381.8	372.5	-0.10	0.31	0.55	3.60	9.31	8.80
1.10	385.4	376.0	-0.09	0.32	0.56	3.60	9.32	8.73
1.11	389.0	379.5	-0.09	0.33	0.56	3.61	9.34	8.67
1.12	392.6	383.0	-0.09	0.34	0.57	3.61	9.35	8.60
1.13	396.2	386.5	-0.08	0.35	0.57	3.61	9.36	8.53
1.14	399.8	390.0	-0.08	0.35	0.58	3.61	9.38	8.47
1.15	403.4	393.6	-0.08	0.36	0.58	3.61	9.39	8.41
1.16	407.0	397.1	-0.07	0.37	0.59	3.61	9.40	8.35
1.17	410.6	400.6	-0.07	0.38	0.59	3.62	9.42	8.29
1.18	414.2	404.1	-0.07	0.38	0.60	3.62	9.43	8.23
1.19	417.8	407.6	-0.06	0.39	0.60	3.62	9.44	8.17
1.20	421.4	411.1	-0.06	0.40	0.61	3.62	9.46	8.11
1.21	425.0	414.6	-0.06	0.41	0.61	3.62	9.47	8.05
1.22	428.6	418.1	-0.05	0.42	0.62	3.62	9.49	8.00
1.23	432.2	421.7	-0.05	0.42	0.62	3.63	9.50	7.94
1.24	435.9	425.3	-0.05	0.43	0.63	3.63	9.51	7.89
1.25	439.5	428.8	-0.04	0.44	0.63	3.63	9.53	7.84
1.26	443.2	432.4	-0.04	0.45	0.64	3.63	9.54	7.79
1.27	446.8	435.9	-0.03	0.45	0.64	3.63	9.55	7.73
1.28	450.5	439.5	-0.03	0.46	0.65	3.63	9.57	7.68
1.29	454.1	443.1	-0.02	0.47	0.65	3.64	9.58	7.63
1.30	457.8	446.6	-0.02	0.47	0.66	3.64	9.59	7.59
1.31	461.4	450.2	-0.01	0.48	0.66	3.64	9.61	7.54
1.32	465.1	453.7	-0.01	0.49	0.67	3.64	9.62	7.49
1.33	468.7	457.3	-0.01	0.50	0.67	3.64	9.64	7.45
1.34	472.4	460.9	0.00	0.51	0.68	3.64	9.65	7.40
1.35	476.0	464.4	0.00	0.52	0.68	3.65	9.66	7.36
1.36	479.7	468.0	0.01	0.52	0.69	3.65	9.68	7.31
1.37	483.3	471.5	0.01	0.53	0.69	3.65	9.69	7.27
1.38	487.0	475.1	0.01	0.53	0.70	3.65	9.70	7.23
1.39	490.6	478.7	0.02	0.54	0.70	3.65	9.71	7.18
1.40	494.3	482.2	0.02	0.55	0.71	3.65	9.73	7.14
1.41	497.9	485.8	0.02	0.56	0.71	3.66	9.75	7.10
1.42	501.6	489.4	0.03	0.56	0.72	3.66	9.75	7.06
1.43	505.2	492.9	0.03	0.57	0.72	3.66	9.77	7.03
1.44	508.9	496.5	0.04	0.58	0.73	3.66	9.79	6.99
1.45	512.5	500.0	0.04	0.59	0.73	3.66	9.79	6.95
1.46	516.2	503.6	0.04	0.59	0.74	3.66	9.81	6.91
1.47	519.8	507.2	0.05	0.60	0.75	3.66	9.82	6.88
1.48	523.5	510.7	0.05	0.61	0.75	3.67	9.84	6.84
1.49	527.1	514.3	0.05	0.62	0.76	3.67	9.85	6.80
1.50	530.8	517.8	0.06	0.63	0.76	3.67	9.87	6.77
1.51	534.4	521.4	0.06	0.64	0.77	3.67	9.88	6.74
1.52	538.1	525.0	0.06	0.64	0.77	3.67	9.90	6.70
1.53	541.7	528.5	0.06	0.65	0.78	3.67	9.90	6.67
1.54	545.4	532.1	0.07	0.66	0.78	3.68	9.92	6.64
1.55	549.1	535.7	0.07	0.67	0.79	3.68	9.94	6.60

Hydrostatic Particulars at a Trim of 0.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.56	552.8	539.3	0.08	0.67	0.79	3.68	9.94	6.57
1.57	556.5	542.9	0.08	0.67	0.80	3.68	9.95	6.54
1.58	560.1	546.5	0.08	0.67	0.80	3.68	9.95	6.51
1.59	563.8	550.1	0.09	0.67	0.81	3.68	9.95	6.47
1.60	567.5	553.6	0.09	0.67	0.81	3.68	9.95	6.44
1.61	571.2	557.2	0.10	0.67	0.82	3.68	9.95	6.41
1.62	574.8	560.8	0.10	0.67	0.82	3.68	9.95	6.38
1.63	578.5	564.4	0.10	0.67	0.83	3.68	9.95	6.35
1.64	582.2	568.0	0.11	0.67	0.83	3.68	9.95	6.32
1.65	585.9	571.6	0.11	0.67	0.84	3.68	9.95	6.29
1.66	589.6	575.2	0.11	0.67	0.84	3.68	9.95	6.26
1.67	593.2	578.8	0.12	0.67	0.85	3.68	9.95	6.23
1.68	596.9	582.4	0.12	0.67	0.85	3.68	9.95	6.20
1.69	600.6	586.0	0.12	0.67	0.86	3.68	9.95	6.18
1.70	604.3	589.5	0.13	0.67	0.86	3.68	9.95	6.15
1.71	608.0	593.1	0.13	0.67	0.87	3.68	9.95	6.12
1.72	611.6	596.7	0.13	0.67	0.87	3.68	9.95	6.10
1.73	615.3	600.3	0.14	0.67	0.88	3.68	9.95	6.07
1.74	619.0	603.9	0.14	0.67	0.88	3.68	9.95	6.04
1.75	622.7	607.5	0.14	0.67	0.89	3.68	9.95	6.02
1.76	626.4	611.1	0.14	0.67	0.89	3.68	9.95	5.99
1.77	630.0	614.7	0.15	0.67	0.90	3.68	9.95	5.97
1.78	633.7	618.3	0.15	0.67	0.90	3.68	9.95	5.95
1.79	637.4	621.8	0.15	0.67	0.91	3.68	9.95	5.92
1.80	641.1	625.4	0.16	0.67	0.91	3.68	9.95	5.90
1.81	644.8	629.0	0.16	0.67	0.92	3.68	9.96	5.87
1.82	648.4	632.6	0.16	0.67	0.92	3.68	9.96	5.85
1.83	652.1	636.2	0.16	0.67	0.93	3.68	9.96	5.83
1.84	655.8	639.8	0.17	0.67	0.93	3.68	9.96	5.81
1.85	659.5	643.4	0.17	0.67	0.94	3.68	9.96	5.78
1.86	663.2	647.0	0.17	0.67	0.94	3.68	9.96	5.76
1.87	666.8	650.6	0.18	0.67	0.95	3.68	9.96	5.74
1.88	670.5	654.2	0.18	0.67	0.95	3.68	9.96	5.72
1.89	674.2	657.8	0.18	0.67	0.96	3.68	9.96	5.70
1.90	677.9	661.3	0.18	0.67	0.96	3.68	9.96	5.68
1.91	681.6	664.9	0.19	0.67	0.97	3.68	9.96	5.66
1.92	685.2	668.5	0.19	0.67	0.97	3.68	9.96	5.64
1.93	688.9	672.1	0.19	0.67	0.98	3.68	9.96	5.62
1.94	692.6	675.7	0.19	0.67	0.98	3.68	9.96	5.60
1.95	696.3	679.3	0.20	0.67	0.99	3.68	9.96	5.58
1.96	700.0	682.9	0.20	0.67	1.00	3.68	9.96	5.56
1.97	703.6	686.5	0.20	0.67	1.00	3.68	9.96	5.54
1.98	707.3	690.1	0.20	0.67	1.01	3.68	9.96	5.52
1.99	711.0	693.7	0.21	0.67	1.01	3.68	9.96	5.50
2.00	714.7	697.3	0.21	0.67	1.02	3.68	9.96	5.49
2.01	718.4	700.8	0.21	0.67	1.02	3.68	9.96	5.47
2.02	722.1	704.4	0.21	0.67	1.03	3.68	9.96	5.45
2.03	725.7	708.0	0.22	0.67	1.03	3.68	9.96	5.43
2.04	729.4	711.6	0.22	0.67	1.04	3.68	9.96	5.42
2.05	733.1	715.2	0.22	0.67	1.04	3.68	9.96	5.40
2.06	736.8	718.8	0.22	0.67	1.05	3.68	9.96	5.38
2.07	740.5	722.4	0.22	0.67	1.05	3.68	9.96	5.37
2.08	744.1	726.0	0.23	0.67	1.06	3.68	9.96	5.35

Hydrostatic Particulars at a Trim of 0.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.09	747.8	729.6	0.23	0.67	1.06	3.68	9.96	5.33
2.10	751.5	733.2	0.23	0.67	1.07	3.68	9.96	5.32
2.11	755.2	736.8	0.23	0.67	1.07	3.68	9.96	5.30
2.12	758.9	740.4	0.23	0.67	1.08	3.68	9.96	5.29
2.13	762.5	743.9	0.24	0.67	1.08	3.68	9.96	5.27
2.14	766.2	747.5	0.24	0.67	1.09	3.68	9.96	5.26
2.15	769.9	751.1	0.24	0.67	1.09	3.68	9.96	5.24
2.16	773.6	754.7	0.24	0.67	1.10	3.68	9.96	5.23
2.17	777.3	758.3	0.24	0.67	1.10	3.68	9.96	5.21
2.18	781.0	761.9	0.25	0.67	1.11	3.68	9.96	5.20
2.19	784.6	765.5	0.25	0.67	1.11	3.68	9.96	5.18
2.20	788.3	769.1	0.25	0.67	1.12	3.68	9.96	5.17
2.21	792.0	772.7	0.25	0.67	1.12	3.68	9.96	5.16
2.22	795.7	776.3	0.25	0.67	1.13	3.68	9.96	5.14
2.23	799.4	779.9	0.26	0.67	1.13	3.68	9.96	5.13
2.24	803.0	783.5	0.26	0.67	1.14	3.68	9.96	5.12
2.25	806.7	787.0	0.26	0.67	1.14	3.68	9.96	5.10
2.26	810.4	790.6	0.26	0.67	1.15	3.68	9.96	5.09
2.27	814.1	794.2	0.26	0.67	1.15	3.68	9.96	5.08
2.28	817.8	797.8	0.27	0.67	1.16	3.68	9.96	5.06
2.29	821.4	801.4	0.27	0.67	1.16	3.68	9.96	5.05
2.30	825.1	805.0	0.27	0.67	1.17	3.68	9.96	5.04
2.31	828.8	808.6	0.27	0.67	1.17	3.68	9.96	5.03
2.32	832.5	812.2	0.27	0.67	1.18	3.68	9.96	5.02
2.33	836.2	815.8	0.27	0.67	1.18	3.68	9.96	5.00
2.34	839.8	819.4	0.28	0.67	1.19	3.68	9.96	4.99
2.35	843.5	823.0	0.28	0.67	1.19	3.68	9.96	4.98
2.36	847.2	826.5	0.28	0.67	1.20	3.68	9.96	4.97
2.37	850.9	830.1	0.28	0.67	1.20	3.68	9.96	4.96
2.38	854.6	833.7	0.28	0.67	1.21	3.68	9.96	4.95
2.39	858.3	837.3	0.28	0.67	1.21	3.68	9.96	4.94
2.40	861.9	840.9	0.29	0.67	1.22	3.68	9.96	4.92
2.41	865.6	844.5	0.29	0.67	1.22	3.68	9.96	4.91
2.42	869.3	848.1	0.29	0.67	1.23	3.68	9.96	4.90
2.43	873.0	851.7	0.29	0.67	1.23	3.68	9.96	4.89
2.44	876.7	855.3	0.29	0.67	1.24	3.68	9.96	4.88
2.45	880.3	858.9	0.29	0.66	1.24	3.68	9.96	4.87
2.46	884.0	862.4	0.30	0.66	1.25	3.68	9.96	4.86
2.47	887.6	866.0	0.30	0.66	1.25	3.68	9.96	4.85
2.48	891.3	869.5	0.30	0.66	1.26	3.68	9.96	4.84
2.49	894.9	873.1	0.30	0.66	1.26	3.68	9.96	4.83
2.50	898.5	876.6	0.30	0.66	1.27	3.68	9.96	4.82
2.51	902.2	880.2	0.30	0.66	1.27	3.68	9.96	4.81
2.52	905.8	883.7	0.30	0.66	1.28	3.68	9.96	4.81
2.53	909.5	887.3	0.31	0.66	1.28	3.68	9.97	4.80
2.54	913.1	890.8	0.31	0.66	1.29	3.68	9.97	4.79
2.55	916.8	894.4	0.31	0.66	1.29	3.68	9.97	4.78
2.56	920.4	898.0	0.31	0.66	1.30	3.68	9.97	4.77
2.57	924.0	901.5	0.31	0.66	1.30	3.68	9.97	4.76
2.58	927.7	905.1	0.31	0.66	1.31	3.68	9.97	4.75
2.59	931.3	908.6	0.31	0.66	1.31	3.68	9.97	4.74
2.60	935.0	912.2	0.32	0.66	1.32	3.68	9.97	4.74
2.61	938.6	915.7	0.32	0.66	1.32	3.68	9.97	4.73

Hydrostatic Particulars at a Trim of 0.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.62	942.3	919.3	0.32	0.66	1.33	3.68	9.97	4.72
2.63	945.9	922.8	0.32	0.66	1.33	3.68	9.97	4.71
2.64	949.5	926.4	0.32	0.66	1.34	3.68	9.97	4.70
2.65	953.2	929.9	0.32	0.66	1.35	3.68	9.97	4.70
2.66	956.8	933.5	0.32	0.66	1.35	3.68	9.97	4.69
2.67	960.5	937.0	0.32	0.66	1.36	3.68	9.97	4.68
2.68	964.1	940.6	0.33	0.66	1.36	3.68	9.97	4.67
2.69	967.8	944.2	0.33	0.66	1.37	3.68	9.97	4.67
2.70	971.4	947.7	0.33	0.66	1.37	3.68	9.97	4.66
2.71	975.0	951.3	0.33	0.66	1.38	3.68	9.97	4.65
2.72	978.7	954.8	0.33	0.66	1.38	3.68	9.97	4.65
2.73	982.3	958.4	0.33	0.66	1.39	3.68	9.97	4.64
2.74	986.0	961.9	0.33	0.66	1.39	3.68	9.97	4.63
2.75	989.6	965.5	0.33	0.66	1.40	3.68	9.97	4.62

Hydrostatic Particulars at a Trim of 0.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.50	172.1	167.9	2.20	0.08	0.27	3.53	8.72	18.34
0.51	175.6	171.3	2.16	0.09	0.27	3.53	8.74	17.99
0.52	179.2	174.8	2.12	0.09	0.28	3.53	8.75	17.65
0.53	182.7	178.2	2.08	0.10	0.28	3.53	8.77	17.33
0.54	186.2	181.7	2.05	0.11	0.29	3.54	8.79	17.01
0.55	189.8	185.1	2.01	0.12	0.29	3.54	8.81	16.71
0.56	193.3	188.6	1.97	0.12	0.30	3.54	8.82	16.42
0.57	196.8	192.0	1.94	0.13	0.30	3.54	8.83	16.14
0.58	200.4	195.5	1.91	0.14	0.31	3.54	8.85	15.88
0.59	203.9	198.9	1.88	0.14	0.31	3.55	8.87	15.62
0.60	207.5	202.4	1.84	0.15	0.32	3.55	8.88	15.37
0.61	211.0	205.9	1.82	0.16	0.32	3.55	8.90	15.12
0.62	214.5	209.3	1.79	0.16	0.33	3.55	8.92	14.89
0.63	218.1	212.8	1.76	0.17	0.33	3.55	8.93	14.66
0.64	221.6	216.2	1.73	0.18	0.34	3.56	8.95	14.45
0.65	225.2	219.7	1.71	0.19	0.34	3.56	8.96	14.23
0.66	228.7	223.1	1.68	0.19	0.35	3.56	8.98	14.03
0.67	232.2	226.6	1.66	0.20	0.35	3.56	9.00	13.83
0.68	235.8	230.0	1.63	0.21	0.36	3.56	9.01	13.64
0.69	239.3	233.5	1.61	0.21	0.36	3.57	9.03	13.45
0.70	242.9	237.0	1.59	0.22	0.37	3.57	9.04	13.27
0.71	246.5	240.5	1.57	0.23	0.37	3.57	9.06	13.09
0.72	250.1	244.0	1.56	0.24	0.38	3.57	9.08	12.91
0.73	253.7	247.5	1.54	0.24	0.38	3.58	9.09	12.75
0.74	257.3	251.0	1.52	0.25	0.39	3.58	9.11	12.58
0.75	260.9	254.5	1.51	0.26	0.39	3.58	9.12	12.42
0.76	264.5	258.0	1.49	0.26	0.40	3.58	9.14	12.27
0.77	268.1	261.5	1.47	0.27	0.40	3.58	9.16	12.12
0.78	271.7	265.0	1.46	0.28	0.41	3.58	9.17	11.97
0.79	275.2	268.5	1.44	0.29	0.41	3.59	9.19	11.83
0.80	278.8	272.0	1.43	0.29	0.42	3.59	9.20	11.69
0.81	282.4	275.5	1.42	0.30	0.42	3.59	9.22	11.56
0.82	286.0	279.0	1.40	0.31	0.43	3.59	9.23	11.43
0.83	289.6	282.5	1.39	0.31	0.43	3.59	9.25	11.30
0.84	293.2	286.0	1.38	0.32	0.44	3.60	9.27	11.18
0.85	296.8	289.6	1.36	0.33	0.44	3.60	9.28	11.06
0.86	300.4	293.1	1.35	0.34	0.45	3.60	9.30	10.94
0.87	304.0	296.6	1.34	0.34	0.45	3.60	9.31	10.82
0.88	307.6	300.1	1.33	0.35	0.46	3.60	9.33	10.71
0.89	311.2	303.6	1.31	0.36	0.46	3.61	9.34	10.60
0.90	314.8	307.1	1.30	0.37	0.47	3.61	9.35	10.49
0.91	318.4	310.6	1.29	0.38	0.47	3.61	9.37	10.39
0.92	322.0	314.1	1.28	0.38	0.48	3.61	9.38	10.28
0.93	325.6	317.6	1.27	0.39	0.48	3.61	9.40	10.18
0.94	329.2	321.2	1.26	0.40	0.49	3.61	9.41	10.08
0.95	332.8	324.7	1.25	0.41	0.49	3.62	9.42	9.99

Hydrostatic Particulars at a Trim of 0.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.96	336.4	328.2	1.24	0.42	0.50	3.62	9.44	9.90
0.97	340.0	331.7	1.23	0.42	0.50	3.62	9.45	9.80
0.98	343.6	335.2	1.22	0.43	0.51	3.62	9.47	9.71
0.99	347.2	338.7	1.21	0.44	0.51	3.62	9.48	9.63
1.00	350.9	342.3	1.20	0.45	0.52	3.63	9.49	9.54
1.01	354.5	345.9	1.19	0.45	0.52	3.63	9.51	9.45
1.02	358.2	349.4	1.19	0.46	0.53	3.63	9.52	9.37
1.03	361.8	353.0	1.18	0.47	0.53	3.63	9.54	9.29
1.04	365.5	356.6	1.17	0.48	0.54	3.63	9.55	9.21
1.05	369.1	360.1	1.17	0.49	0.54	3.63	9.56	9.13
1.06	372.8	363.7	1.16	0.49	0.55	3.64	9.58	9.05
1.07	376.4	367.2	1.16	0.50	0.55	3.64	9.59	8.98
1.08	380.1	370.8	1.15	0.51	0.56	3.64	9.61	8.91
1.09	383.7	374.4	1.14	0.52	0.56	3.64	9.62	8.84
1.10	387.4	377.9	1.14	0.53	0.57	3.64	9.64	8.76
1.11	391.0	381.5	1.13	0.53	0.57	3.64	9.65	8.70
1.12	394.7	385.0	1.13	0.54	0.58	3.65	9.66	8.63
1.13	398.3	388.6	1.12	0.55	0.58	3.65	9.68	8.56
1.14	402.0	392.2	1.11	0.56	0.59	3.65	9.69	8.50
1.15	405.6	395.7	1.11	0.57	0.59	3.65	9.71	8.43
1.16	409.3	399.3	1.10	0.57	0.60	3.65	9.72	8.37
1.17	412.9	402.8	1.10	0.58	0.60	3.65	9.73	8.31
1.18	416.6	406.4	1.09	0.59	0.61	3.66	9.75	8.25
1.19	420.2	410.0	1.09	0.60	0.61	3.66	9.76	8.19
1.20	423.9	413.5	1.08	0.60	0.62	3.66	9.77	8.13
1.21	427.5	417.1	1.08	0.61	0.62	3.66	9.79	8.07
1.22	431.2	420.6	1.07	0.62	0.63	3.66	9.80	8.02
1.23	434.8	424.2	1.07	0.63	0.63	3.66	9.82	7.96
1.24	438.5	427.8	1.07	0.63	0.64	3.67	9.83	7.91
1.25	442.1	431.3	1.06	0.64	0.64	3.67	9.84	7.86
1.26	445.8	434.9	1.06	0.65	0.65	3.67	9.86	7.81
1.27	449.4	438.4	1.05	0.66	0.65	3.67	9.87	7.75
1.28	453.1	442.0	1.05	0.67	0.66	3.67	9.89	7.70
1.29	456.7	445.6	1.04	0.67	0.66	3.67	9.90	7.65
1.30	460.4	449.2	1.04	0.68	0.67	3.68	9.91	7.61
1.31	464.1	452.8	1.04	0.69	0.67	3.68	9.93	7.56
1.32	467.8	456.4	1.03	0.69	0.68	3.68	9.93	7.51
1.33	471.4	460.0	1.03	0.69	0.68	3.68	9.93	7.46
1.34	475.1	463.5	1.03	0.69	0.69	3.68	9.93	7.41
1.35	478.8	467.1	1.03	0.69	0.70	3.68	9.93	7.37
1.36	482.5	470.7	1.02	0.69	0.70	3.68	9.93	7.32
1.37	486.2	474.3	1.02	0.69	0.71	3.68	9.93	7.28
1.38	489.8	477.9	1.02	0.69	0.71	3.68	9.93	7.23
1.39	493.5	481.5	1.01	0.69	0.72	3.68	9.93	7.19
1.40	497.2	485.1	1.01	0.69	0.72	3.68	9.93	7.14
1.41	500.9	488.7	1.01	0.69	0.73	3.68	9.93	7.10

Hydrostatic Particulars at a Trim of 0.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.42	504.6	492.3	1.01	0.69	0.73	3.68	9.93	7.06
1.43	508.2	495.8	1.00	0.69	0.74	3.68	9.93	7.02
1.44	511.9	499.4	1.00	0.69	0.74	3.68	9.93	6.98
1.45	515.6	503.0	1.00	0.69	0.75	3.68	9.93	6.94
1.46	519.3	506.6	1.00	0.69	0.75	3.68	9.93	6.90
1.47	523.0	510.2	0.99	0.69	0.76	3.68	9.93	6.86
1.48	526.6	513.8	0.99	0.69	0.76	3.68	9.93	6.83
1.49	530.3	517.4	0.99	0.69	0.77	3.68	9.93	6.79
1.50	534.0	521.0	0.99	0.69	0.77	3.68	9.93	6.75
1.51	537.7	524.6	0.99	0.69	0.78	3.68	9.93	6.72
1.52	541.4	528.1	0.98	0.69	0.78	3.68	9.93	6.68
1.53	545.0	531.7	0.98	0.69	0.79	3.68	9.93	6.65
1.54	548.7	535.3	0.98	0.69	0.79	3.68	9.93	6.61
1.55	552.4	538.9	0.98	0.69	0.80	3.68	9.93	6.58
1.56	556.1	542.5	0.97	0.69	0.80	3.68	9.93	6.55
1.57	559.7	546.1	0.97	0.69	0.81	3.68	9.93	6.51
1.58	563.4	549.7	0.97	0.69	0.81	3.68	9.93	6.48
1.59	567.1	553.3	0.97	0.69	0.82	3.68	9.93	6.45
1.60	570.8	556.9	0.97	0.69	0.82	3.68	9.93	6.42
1.61	574.5	560.5	0.96	0.69	0.83	3.68	9.93	6.39
1.62	578.2	564.1	0.96	0.69	0.83	3.68	9.93	6.36
1.63	581.8	567.6	0.96	0.69	0.84	3.68	9.93	6.33
1.64	585.5	571.2	0.96	0.69	0.84	3.68	9.94	6.30
1.65	589.2	574.8	0.96	0.69	0.85	3.68	9.94	6.27
1.66	592.9	578.4	0.95	0.69	0.85	3.68	9.94	6.24
1.67	596.6	582.0	0.95	0.69	0.86	3.68	9.94	6.21
1.68	600.2	585.6	0.95	0.69	0.86	3.68	9.94	6.18
1.69	603.9	589.2	0.95	0.69	0.87	3.68	9.94	6.16
1.70	607.6	592.8	0.95	0.69	0.87	3.68	9.94	6.13
1.71	611.3	596.4	0.95	0.69	0.88	3.68	9.94	6.10
1.72	615.0	600.0	0.94	0.68	0.88	3.68	9.94	6.08
1.73	618.6	603.6	0.94	0.68	0.89	3.68	9.94	6.05
1.74	622.3	607.1	0.94	0.68	0.89	3.68	9.94	6.03
1.75	626.0	610.7	0.94	0.68	0.90	3.68	9.94	6.00
1.76	629.7	614.3	0.94	0.68	0.90	3.68	9.94	5.98
1.77	633.4	617.9	0.94	0.68	0.91	3.68	9.94	5.95
1.78	637.1	621.5	0.93	0.68	0.91	3.68	9.94	5.93
1.79	640.7	625.1	0.93	0.68	0.92	3.68	9.94	5.90
1.80	644.4	628.7	0.93	0.68	0.92	3.68	9.94	5.88
1.81	648.1	632.3	0.93	0.68	0.93	3.68	9.94	5.86
1.82	651.8	635.9	0.93	0.68	0.93	3.68	9.94	5.83
1.83	655.5	639.5	0.93	0.68	0.94	3.68	9.94	5.81
1.84	659.1	643.1	0.93	0.68	0.94	3.68	9.94	5.79
1.85	662.8	646.7	0.92	0.68	0.95	3.68	9.94	5.77
1.86	666.5	650.2	0.92	0.68	0.95	3.68	9.94	5.75
1.87	670.2	653.8	0.92	0.68	0.96	3.68	9.94	5.73

Hydrostatic Particulars at a Trim of 0.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.88	673.9	657.4	0.92	0.68	0.96	3.68	9.94	5.70
1.89	677.5	661.0	0.92	0.68	0.97	3.68	9.94	5.68
1.90	681.2	664.6	0.92	0.68	0.97	3.68	9.94	5.66
1.91	684.9	668.2	0.92	0.68	0.98	3.68	9.94	5.64
1.92	688.6	671.8	0.91	0.68	0.98	3.68	9.94	5.62
1.93	692.3	675.4	0.91	0.68	0.99	3.68	9.94	5.60
1.94	695.9	679.0	0.91	0.68	0.99	3.68	9.94	5.58
1.95	699.6	682.6	0.91	0.68	1.00	3.68	9.94	5.56
1.96	703.3	686.2	0.91	0.68	1.00	3.68	9.94	5.55
1.97	707.0	689.7	0.91	0.68	1.01	3.68	9.94	5.53
1.98	710.7	693.3	0.91	0.68	1.01	3.68	9.94	5.51
1.99	714.4	696.9	0.91	0.68	1.02	3.68	9.94	5.49
2.00	718.0	700.5	0.90	0.68	1.02	3.68	9.94	5.47
2.01	721.7	704.1	0.90	0.68	1.03	3.68	9.94	5.46
2.02	725.4	707.7	0.90	0.68	1.04	3.68	9.94	5.44
2.03	729.1	711.3	0.90	0.68	1.04	3.68	9.94	5.42
2.04	732.8	714.9	0.90	0.68	1.05	3.68	9.94	5.40
2.05	736.4	718.5	0.90	0.68	1.05	3.68	9.94	5.39
2.06	740.1	722.1	0.90	0.68	1.06	3.68	9.94	5.37
2.07	743.8	725.7	0.90	0.68	1.06	3.68	9.94	5.35
2.08	747.5	729.3	0.89	0.68	1.07	3.68	9.94	5.34
2.09	751.2	732.8	0.89	0.68	1.07	3.68	9.94	5.32
2.10	754.8	736.4	0.89	0.68	1.08	3.68	9.94	5.31
2.11	758.5	740.0	0.89	0.68	1.08	3.68	9.94	5.29
2.12	762.2	743.6	0.89	0.68	1.09	3.68	9.94	5.28
2.13	765.9	747.2	0.89	0.68	1.09	3.68	9.94	5.26
2.14	769.6	750.8	0.89	0.68	1.10	3.68	9.94	5.25
2.15	773.3	754.4	0.89	0.68	1.10	3.68	9.94	5.23
2.16	776.9	758.0	0.89	0.68	1.11	3.68	9.94	5.22
2.17	780.6	761.6	0.88	0.68	1.11	3.68	9.94	5.20
2.18	784.3	765.2	0.88	0.68	1.12	3.68	9.94	5.19
2.19	788.0	768.8	0.88	0.68	1.12	3.68	9.94	5.17
2.20	791.7	772.4	0.88	0.68	1.13	3.68	9.94	5.16
2.21	795.3	775.9	0.88	0.68	1.13	3.68	9.94	5.15
2.22	799.0	779.5	0.88	0.68	1.14	3.68	9.94	5.13
2.23	802.7	783.1	0.88	0.68	1.14	3.68	9.94	5.12
2.24	806.4	786.7	0.88	0.68	1.15	3.68	9.94	5.11
2.25	810.1	790.3	0.88	0.68	1.15	3.68	9.94	5.09
2.26	813.7	793.9	0.88	0.68	1.16	3.68	9.94	5.08
2.27	817.4	797.5	0.87	0.68	1.16	3.68	9.94	5.07
2.28	821.1	801.1	0.87	0.68	1.17	3.68	9.94	5.06
2.29	824.8	804.7	0.87	0.68	1.17	3.68	9.94	5.04
2.30	828.5	808.2	0.87	0.68	1.18	3.68	9.94	5.03
2.31	832.1	811.8	0.87	0.68	1.18	3.68	9.94	5.02
2.32	835.8	815.4	0.87	0.68	1.19	3.68	9.94	5.01
2.33	839.5	819.0	0.87	0.68	1.19	3.68	9.94	5.00

Hydrostatic Particulars at a Trim of 0.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.34	843.2	822.6	0.87	0.68	1.20	3.68	9.94	4.98
2.35	846.8	826.2	0.87	0.68	1.20	3.68	9.94	4.97
2.36	850.5	829.7	0.87	0.68	1.21	3.68	9.94	4.96
2.37	854.2	833.3	0.86	0.68	1.21	3.68	9.94	4.95
2.38	857.8	836.9	0.86	0.68	1.22	3.68	9.94	4.94
2.39	861.5	840.5	0.86	0.68	1.22	3.68	9.94	4.93
2.40	865.2	844.1	0.86	0.68	1.23	3.68	9.94	4.92
2.41	868.8	847.6	0.86	0.68	1.23	3.68	9.94	4.91
2.42	872.5	851.2	0.86	0.68	1.24	3.68	9.94	4.90
2.43	876.2	854.8	0.86	0.68	1.24	3.68	9.94	4.89
2.44	879.8	858.4	0.86	0.68	1.25	3.68	9.94	4.88
2.45	883.5	861.9	0.86	0.68	1.25	3.68	9.94	4.87
2.46	887.1	865.5	0.86	0.68	1.26	3.68	9.94	4.86
2.47	890.8	869.1	0.86	0.68	1.26	3.68	9.94	4.85
2.48	894.5	872.6	0.85	0.68	1.27	3.68	9.94	4.84
2.49	898.1	876.2	0.85	0.68	1.27	3.68	9.94	4.83
2.50	901.8	879.8	0.85	0.68	1.28	3.68	9.94	4.82
2.51	905.4	883.3	0.85	0.68	1.28	3.68	9.94	4.81
2.52	909.0	886.9	0.85	0.68	1.29	3.68	9.94	4.80
2.53	912.6	890.3	0.85	0.68	1.29	3.68	9.94	4.79
2.54	916.1	893.8	0.84	0.68	1.30	3.68	9.95	4.78
2.55	919.5	897.1	0.84	0.68	1.30	3.68	9.95	4.78
2.56	917.5	895.2	0.75	0.44	1.32	3.61	9.61	4.73
2.57	921.1	898.7	0.75	-0.15	1.32	3.46	8.82	4.58
2.58	924.6	902.1	0.74	-0.67	1.32	3.34	8.12	4.45
2.59	928.3	905.7	0.74	-1.37	1.33	3.19	7.17	4.30
2.60	932.1	909.3	0.74	-2.07	1.33	3.03	6.22	4.16
2.61	935.8	913.0	0.74	-2.77	1.34	2.88	5.27	4.01
2.62	939.5	916.6	0.74	-3.46	1.34	2.73	4.32	3.87
2.63	943.2	920.2	0.73	-4.16	1.34	2.58	3.38	3.72
2.64	947.0	923.9	0.76	-4.23	1.34	2.63	3.63	3.77
2.65	949.5	926.3	0.74	-4.60	1.35	2.55	3.32	3.69
2.66	951.9	928.7	0.73	-4.96	1.35	2.47	3.02	3.61
2.67	954.4	931.1	0.72	-5.33	1.35	2.39	2.75	3.53
2.68	956.8	933.5	0.70	-5.69	1.35	2.31	2.49	3.46
2.69	959.2	935.8	0.69	-6.06	1.36	2.23	2.25	3.38
2.70	961.7	938.2	0.68	-6.43	1.36	2.16	2.02	3.30
2.71	964.1	940.5	0.66	-6.79	1.36	2.08	1.81	3.22
2.72	966.0	942.4	0.65	-7.16	1.37	2.00	1.62	3.15
2.73	967.9	944.3	0.63	-7.53	1.37	1.92	1.44	3.07
2.74	969.8	946.1	0.62	-7.89	1.37	1.84	1.27	3.00
2.75	971.7	948.0	0.60	-8.26	1.37	1.76	1.12	2.92

Hydrostatic Particulars at a Trim of 1.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.50	173.0	168.8	4.74	0.38	0.32	3.55	8.88	18.45
0.51	176.5	172.2	4.66	0.38	0.33	3.55	8.90	18.09
0.52	180.1	175.7	4.57	0.38	0.33	3.56	8.93	17.75
0.53	183.7	179.2	4.49	0.38	0.34	3.56	8.95	17.42
0.54	187.3	182.7	4.41	0.39	0.34	3.56	8.98	17.11
0.55	190.8	186.2	4.34	0.39	0.34	3.57	9.00	16.81
0.56	194.4	189.7	4.27	0.39	0.35	3.57	9.03	16.51
0.57	198.0	193.1	4.20	0.39	0.35	3.57	9.05	16.23
0.58	201.6	196.6	4.13	0.40	0.36	3.57	9.07	15.96
0.59	205.1	200.1	4.06	0.40	0.36	3.58	9.10	15.70
0.60	208.7	203.6	4.00	0.40	0.36	3.58	9.12	15.45
0.61	212.3	207.1	3.94	0.41	0.37	3.58	9.14	15.20
0.62	215.9	210.6	3.88	0.41	0.37	3.59	9.17	14.97
0.63	219.5	214.1	3.82	0.41	0.38	3.59	9.19	14.74
0.64	223.1	217.6	3.77	0.42	0.38	3.59	9.21	14.51
0.65	226.7	221.1	3.71	0.42	0.39	3.59	9.22	14.30
0.66	230.2	224.6	3.66	0.43	0.39	3.59	9.24	14.09
0.67	233.8	228.1	3.61	0.44	0.40	3.60	9.26	13.89
0.68	237.4	231.6	3.56	0.44	0.40	3.60	9.28	13.70
0.69	241.0	235.1	3.51	0.45	0.40	3.60	9.29	13.51
0.70	244.6	238.6	3.47	0.46	0.41	3.60	9.31	13.33
0.71	248.2	242.1	3.42	0.46	0.41	3.61	9.33	13.15
0.72	251.8	245.6	3.38	0.47	0.42	3.61	9.34	12.97
0.73	255.3	249.1	3.34	0.48	0.42	3.61	9.36	12.81
0.74	258.9	252.6	3.29	0.49	0.43	3.61	9.38	12.64
0.75	262.6	256.1	3.26	0.49	0.43	3.61	9.39	12.48
0.76	266.2	259.7	3.22	0.50	0.44	3.62	9.41	12.33
0.77	269.8	263.2	3.18	0.51	0.44	3.62	9.43	12.18
0.78	273.5	266.8	3.15	0.51	0.45	3.62	9.44	12.03
0.79	277.1	270.3	3.12	0.52	0.45	3.62	9.46	11.88
0.80	280.7	273.9	3.08	0.53	0.45	3.62	9.48	11.74
0.81	284.4	277.4	3.05	0.53	0.46	3.63	9.49	11.61
0.82	288.0	281.0	3.02	0.54	0.46	3.63	9.51	11.48
0.83	291.7	284.5	2.99	0.55	0.47	3.63	9.53	11.35
0.84	295.3	288.1	2.96	0.55	0.47	3.63	9.55	11.22
0.85	298.9	291.6	2.93	0.56	0.48	3.63	9.56	11.10
0.86	302.6	295.2	2.90	0.57	0.48	3.64	9.58	10.98
0.87	306.2	298.8	2.87	0.57	0.49	3.64	9.59	10.86
0.88	309.9	302.3	2.85	0.58	0.49	3.64	9.61	10.75
0.89	313.5	305.9	2.82	0.59	0.50	3.64	9.63	10.64
0.90	317.1	309.4	2.79	0.59	0.50	3.64	9.64	10.53
0.91	320.8	313.0	2.77	0.60	0.51	3.65	9.66	10.42
0.92	324.4	316.5	2.74	0.61	0.51	3.65	9.68	10.32
0.93	328.1	320.1	2.72	0.62	0.52	3.65	9.69	10.22
0.94	331.7	323.6	2.70	0.62	0.52	3.65	9.71	10.12
0.95	335.3	327.2	2.67	0.63	0.53	3.65	9.73	10.02

Hydrostatic Particulars at a Trim of 1.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.96	339.0	330.7	2.65	0.64	0.53	3.66	9.74	9.93
0.97	342.6	334.3	2.63	0.64	0.54	3.66	9.76	9.83
0.98	346.3	337.8	2.61	0.65	0.54	3.66	9.77	9.74
0.99	349.9	341.4	2.58	0.66	0.55	3.66	9.79	9.66
1.00	353.5	344.9	2.56	0.66	0.55	3.66	9.81	9.57
1.01	357.2	348.5	2.54	0.67	0.55	3.67	9.82	9.48
1.02	360.8	352.0	2.52	0.68	0.56	3.67	9.84	9.40
1.03	364.5	355.6	2.50	0.68	0.56	3.67	9.86	9.32
1.04	368.1	359.1	2.49	0.69	0.57	3.67	9.87	9.24
1.05	371.8	362.7	2.47	0.70	0.57	3.67	9.89	9.16
1.06	375.5	366.3	2.45	0.71	0.58	3.67	9.90	9.09
1.07	379.1	369.9	2.43	0.70	0.58	3.67	9.90	9.01
1.08	382.8	373.5	2.42	0.70	0.59	3.68	9.91	8.93
1.09	386.5	377.0	2.40	0.70	0.59	3.68	9.91	8.86
1.10	390.1	380.6	2.38	0.70	0.60	3.68	9.91	8.79
1.11	393.8	384.2	2.37	0.70	0.60	3.68	9.91	8.71
1.12	397.5	387.8	2.35	0.70	0.61	3.68	9.91	8.64
1.13	401.2	391.4	2.34	0.70	0.61	3.68	9.91	8.58
1.14	404.9	395.0	2.32	0.70	0.62	3.68	9.91	8.51
1.15	408.5	398.6	2.31	0.70	0.62	3.68	9.91	8.44
1.16	412.2	402.2	2.29	0.70	0.63	3.68	9.91	8.38
1.17	415.9	405.7	2.28	0.70	0.63	3.68	9.91	8.31
1.18	419.6	409.3	2.26	0.70	0.64	3.68	9.91	8.25
1.19	423.2	412.9	2.25	0.70	0.64	3.68	9.91	8.19
1.20	426.9	416.5	2.24	0.70	0.65	3.68	9.91	8.13
1.21	430.6	420.1	2.22	0.70	0.65	3.68	9.91	8.07
1.22	434.3	423.7	2.21	0.70	0.66	3.68	9.91	8.01
1.23	438.0	427.3	2.20	0.70	0.66	3.68	9.91	7.96
1.24	441.6	430.9	2.18	0.70	0.67	3.68	9.91	7.90
1.25	445.3	434.5	2.17	0.70	0.67	3.68	9.91	7.84
1.26	449.0	438.0	2.16	0.70	0.68	3.68	9.91	7.79
1.27	452.7	441.6	2.15	0.70	0.68	3.68	9.91	7.74
1.28	456.4	445.2	2.13	0.70	0.69	3.68	9.91	7.69
1.29	460.0	448.8	2.12	0.70	0.69	3.68	9.91	7.64
1.30	463.7	452.4	2.11	0.70	0.70	3.68	9.91	7.58
1.31	467.4	456.0	2.10	0.70	0.70	3.68	9.91	7.54
1.32	471.1	459.6	2.09	0.70	0.71	3.68	9.91	7.49
1.33	474.8	463.2	2.08	0.70	0.71	3.68	9.91	7.44
1.34	478.4	466.8	2.07	0.70	0.72	3.68	9.92	7.39
1.35	482.1	470.4	2.06	0.70	0.72	3.68	9.92	7.35
1.36	485.8	473.9	2.04	0.70	0.73	3.68	9.92	7.30
1.37	489.5	477.5	2.03	0.70	0.73	3.68	9.92	7.26
1.38	493.2	481.1	2.02	0.70	0.74	3.68	9.92	7.21
1.39	496.8	484.7	2.01	0.70	0.74	3.68	9.92	7.17
1.40	500.5	488.3	2.00	0.70	0.75	3.68	9.92	7.13
1.41	504.2	491.9	1.99	0.70	0.75	3.68	9.92	7.09

Hydrostatic Particulars at a Trim of 1.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.42	507.9	495.5	1.98	0.70	0.76	3.68	9.92	7.05
1.43	511.6	499.1	1.98	0.70	0.76	3.68	9.92	7.00
1.44	515.2	502.7	1.97	0.70	0.77	3.68	9.92	6.97
1.45	518.9	506.3	1.96	0.70	0.77	3.68	9.92	6.93
1.46	522.6	509.9	1.95	0.70	0.78	3.68	9.92	6.89
1.47	526.3	513.4	1.94	0.70	0.78	3.68	9.92	6.85
1.48	530.0	517.0	1.93	0.70	0.79	3.68	9.92	6.81
1.49	533.6	520.6	1.92	0.70	0.79	3.68	9.92	6.78
1.50	537.3	524.2	1.91	0.70	0.80	3.68	9.92	6.74
1.51	541.0	527.8	1.90	0.70	0.80	3.68	9.92	6.70
1.52	544.7	531.4	1.90	0.70	0.81	3.68	9.92	6.67
1.53	548.4	535.0	1.89	0.70	0.81	3.68	9.92	6.63
1.54	552.0	538.6	1.88	0.70	0.82	3.68	9.92	6.60
1.55	555.7	542.2	1.87	0.70	0.82	3.68	9.92	6.57
1.56	559.4	545.8	1.86	0.70	0.83	3.68	9.92	6.53
1.57	563.1	549.4	1.86	0.70	0.83	3.68	9.92	6.50
1.58	566.8	553.0	1.85	0.70	0.84	3.68	9.92	6.47
1.59	570.5	556.5	1.84	0.70	0.84	3.68	9.92	6.44
1.60	574.1	560.1	1.83	0.70	0.85	3.68	9.92	6.41
1.61	577.8	563.7	1.82	0.70	0.85	3.68	9.92	6.38
1.62	581.5	567.3	1.82	0.70	0.86	3.68	9.92	6.35
1.63	585.2	570.9	1.81	0.70	0.86	3.68	9.92	6.32
1.64	588.9	574.5	1.80	0.70	0.87	3.68	9.92	6.29
1.65	592.5	578.1	1.80	0.70	0.87	3.68	9.92	6.26
1.66	596.2	581.7	1.79	0.70	0.88	3.68	9.92	6.23
1.67	599.9	585.3	1.78	0.70	0.88	3.68	9.92	6.20
1.68	603.6	588.9	1.78	0.70	0.89	3.68	9.92	6.18
1.69	607.3	592.5	1.77	0.70	0.89	3.68	9.92	6.15
1.70	610.9	596.0	1.76	0.70	0.90	3.68	9.92	6.12
1.71	614.6	599.6	1.76	0.70	0.90	3.68	9.92	6.10
1.72	618.3	603.2	1.75	0.70	0.91	3.68	9.92	6.07
1.73	622.0	606.8	1.74	0.70	0.91	3.68	9.92	6.04
1.74	625.7	610.4	1.74	0.70	0.91	3.68	9.92	6.02
1.75	629.4	614.0	1.73	0.70	0.92	3.68	9.92	5.99
1.76	633.0	617.6	1.72	0.70	0.92	3.68	9.92	5.97
1.77	636.7	621.2	1.72	0.70	0.93	3.68	9.92	5.95
1.78	640.4	624.8	1.71	0.70	0.93	3.68	9.92	5.92
1.79	644.1	628.4	1.71	0.70	0.94	3.68	9.92	5.90
1.80	647.8	632.0	1.70	0.70	0.94	3.68	9.92	5.88
1.81	651.4	635.6	1.69	0.70	0.95	3.68	9.92	5.85
1.82	655.1	639.1	1.69	0.70	0.95	3.68	9.92	5.83
1.83	658.8	642.7	1.68	0.70	0.96	3.68	9.92	5.81
1.84	662.5	646.3	1.68	0.70	0.96	3.68	9.92	5.79
1.85	666.2	649.9	1.67	0.70	0.97	3.68	9.92	5.76
1.86	669.8	653.5	1.67	0.70	0.97	3.68	9.92	5.74
1.87	673.5	657.1	1.66	0.70	0.98	3.68	9.92	5.72

Hydrostatic Particulars at a Trim of 1.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.88	677.2	660.7	1.65	0.70	0.98	3.68	9.92	5.70
1.89	680.9	664.3	1.65	0.70	0.99	3.68	9.92	5.68
1.90	684.6	667.9	1.64	0.70	0.99	3.68	9.93	5.66
1.91	688.3	671.5	1.64	0.70	1.00	3.68	9.93	5.64
1.92	691.9	675.1	1.63	0.70	1.00	3.68	9.93	5.62
1.93	695.6	678.6	1.63	0.70	1.01	3.68	9.93	5.60
1.94	699.3	682.2	1.62	0.70	1.01	3.68	9.93	5.58
1.95	703.0	685.8	1.62	0.70	1.02	3.68	9.93	5.56
1.96	706.7	689.4	1.61	0.70	1.02	3.68	9.93	5.54
1.97	710.3	693.0	1.61	0.70	1.03	3.68	9.93	5.53
1.98	714.0	696.6	1.60	0.70	1.03	3.68	9.93	5.51
1.99	717.7	700.2	1.60	0.70	1.04	3.68	9.93	5.49
2.00	721.4	703.8	1.59	0.70	1.04	3.68	9.93	5.47
2.01	725.1	707.4	1.59	0.70	1.05	3.68	9.93	5.45
2.02	728.7	711.0	1.58	0.70	1.05	3.68	9.93	5.44
2.03	732.4	714.6	1.58	0.70	1.06	3.68	9.93	5.42
2.04	736.1	718.2	1.57	0.70	1.06	3.68	9.93	5.40
2.05	739.8	721.7	1.57	0.70	1.07	3.68	9.93	5.39
2.06	743.5	725.3	1.57	0.70	1.07	3.68	9.93	5.37
2.07	747.2	728.9	1.56	0.70	1.08	3.68	9.93	5.35
2.08	750.8	732.5	1.56	0.70	1.08	3.68	9.93	5.34
2.09	754.5	736.1	1.55	0.70	1.09	3.68	9.93	5.32
2.10	758.2	739.7	1.55	0.70	1.09	3.68	9.93	5.31
2.11	761.9	743.3	1.54	0.70	1.10	3.68	9.93	5.29
2.12	765.5	746.9	1.54	0.70	1.10	3.68	9.93	5.28
2.13	769.2	750.5	1.54	0.70	1.11	3.68	9.93	5.26
2.14	772.9	754.0	1.53	0.70	1.11	3.68	9.93	5.25
2.15	776.6	757.6	1.53	0.70	1.12	3.68	9.93	5.23
2.16	780.2	761.2	1.52	0.70	1.12	3.68	9.93	5.22
2.17	783.9	764.8	1.52	0.70	1.13	3.68	9.93	5.20
2.18	787.6	768.4	1.51	0.70	1.13	3.68	9.93	5.19
2.19	791.3	772.0	1.51	0.70	1.14	3.68	9.93	5.17
2.20	794.9	775.6	1.51	0.70	1.14	3.68	9.93	5.16
2.21	798.6	779.1	1.50	0.70	1.15	3.68	9.93	5.15
2.22	802.3	782.7	1.50	0.70	1.15	3.68	9.93	5.13
2.23	806.0	786.3	1.49	0.70	1.16	3.68	9.93	5.12
2.24	809.6	789.9	1.49	0.70	1.16	3.68	9.93	5.11
2.25	813.3	793.5	1.49	0.70	1.17	3.68	9.93	5.09
2.26	817.0	797.0	1.48	0.70	1.17	3.68	9.93	5.08
2.27	820.6	800.6	1.48	0.70	1.18	3.68	9.93	5.07
2.28	824.2	804.1	1.47	0.70	1.18	3.68	9.93	5.06
2.29	827.8	807.7	1.47	0.70	1.19	3.68	9.93	5.05
2.30	831.4	811.1	1.46	0.70	1.19	3.68	9.93	5.03
2.31	835.0	814.6	1.46	0.70	1.20	3.68	9.93	5.02
2.32	838.5	818.1	1.45	0.70	1.20	3.68	9.93	5.01
2.33	842.0	821.5	1.44	0.70	1.21	3.68	9.93	5.00

Hydrostatic Particulars at a Trim of 1.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.34	845.5	824.8	1.44	0.70	1.21	3.68	9.93	4.99
2.35	848.9	828.2	1.43	0.70	1.22	3.68	9.93	4.98
2.36	846.9	826.2	1.34	0.63	1.23	3.66	9.83	4.98
2.36	846.9	826.2	1.34	0.63	1.23	3.66	9.83	4.98
2.38	858.9	838.0	1.40	-1.48	1.23	3.21	6.60	4.54
2.39	862.2	841.2	1.39	-1.66	1.24	3.17	6.36	4.49
2.40	865.2	844.1	1.38	-1.85	1.24	3.13	6.13	4.44
2.41	868.2	847.0	1.37	-2.03	1.25	3.09	5.90	4.39
2.42	871.2	849.9	1.36	-2.21	1.25	3.05	5.68	4.34
2.43	874.2	852.9	1.34	-2.39	1.25	3.02	5.47	4.29
2.44	877.2	855.8	1.33	-2.58	1.26	2.98	5.26	4.24
2.45	880.1	858.7	1.32	-2.76	1.26	2.94	5.06	4.20
2.46	883.1	861.6	1.30	-2.94	1.26	2.90	4.86	4.15
2.47	886.1	864.5	1.29	-3.13	1.27	2.86	4.66	4.10
2.48	889.1	867.4	1.28	-3.31	1.27	2.82	4.48	4.05
2.49	892.1	870.3	1.27	-3.49	1.27	2.78	4.29	4.01
2.50	895.0	873.2	1.26	-3.68	1.28	2.74	4.12	3.96
2.51	898.0	876.1	1.24	-3.86	1.28	2.70	3.94	3.92
2.52	901.0	879.0	1.23	-4.04	1.29	2.66	3.78	3.87
2.53	903.9	881.8	1.22	-4.22	1.29	2.62	3.61	3.83
2.54	906.3	884.2	1.20	-4.41	1.29	2.58	3.45	3.78
2.55	908.7	886.6	1.19	-4.59	1.29	2.54	3.30	3.74
2.56	911.2	889.0	1.17	-4.77	1.30	2.50	3.15	3.70
2.57	913.6	891.3	1.15	-4.96	1.30	2.47	3.01	3.65
2.58	916.0	893.7	1.14	-5.14	1.30	2.43	2.87	3.61
2.59	918.5	896.1	1.12	-5.32	1.31	2.39	2.73	3.57
2.60	920.9	898.4	1.11	-5.50	1.31	2.35	2.60	3.53
2.61	923.3	900.7	1.09	-5.69	1.31	2.31	2.47	3.48
2.62	925.7	903.1	1.07	-5.87	1.31	2.27	2.35	3.44
2.63	928.0	905.4	1.06	-6.05	1.32	2.23	2.23	3.40
2.64	930.4	907.7	1.04	-6.24	1.32	2.19	2.12	3.36
2.65	932.8	910.0	1.02	-6.42	1.32	2.15	2.01	3.32
2.65	932.8	910.0	1.02	-6.42	1.32	2.15	2.01	3.32
2.67	937.3	914.4	0.99	-6.79	1.33	2.07	1.80	3.24
2.68	939.1	916.2	0.97	-6.97	1.33	2.03	1.70	3.20
2.69	940.9	918.0	0.96	-7.15	1.33	1.99	1.61	3.16
2.70	942.8	919.8	0.94	-7.34	1.34	1.95	1.51	3.12
2.71	944.6	921.6	0.92	-7.52	1.34	1.91	1.43	3.08
2.72	946.4	923.3	0.91	-7.70	1.34	1.88	1.34	3.04
2.73	948.3	925.1	0.89	-7.89	1.34	1.84	1.26	3.00
2.74	950.1	926.9	0.87	-8.07	1.34	1.80	1.18	2.96
2.75	951.9	928.7	0.86	-8.25	1.35	1.76	1.11	2.92

Hydrostatic Particulars at a Trim of 1.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.50	178.9	174.5	6.81	2.56	0.41	3.17	6.30	16.39
0.51	182.0	177.6	6.73	2.45	0.41	3.20	6.47	16.26
0.52	185.2	180.7	6.66	2.34	0.42	3.23	6.64	16.12
0.53	188.5	183.9	6.59	2.22	0.42	3.25	6.81	15.99
0.54	191.8	187.1	6.51	2.11	0.42	3.28	6.99	15.85
0.55	195.1	190.3	6.44	2.00	0.43	3.31	7.17	15.72
0.56	198.4	193.6	6.36	1.89	0.43	3.34	7.35	15.58
0.57	201.8	196.8	6.29	1.79	0.43	3.37	7.55	15.46
0.58	205.2	200.2	6.21	1.67	0.44	3.39	7.71	15.31
0.59	208.6	203.5	6.14	1.57	0.44	3.42	7.89	15.17
0.60	212.0	206.8	6.07	1.47	0.44	3.44	8.07	15.02
0.61	215.5	210.2	5.99	1.37	0.45	3.47	8.25	14.87
0.62	218.9	213.6	5.92	1.27	0.45	3.49	8.42	14.71
0.63	222.4	217.0	5.84	1.18	0.45	3.51	8.59	14.55
0.64	226.0	220.4	5.77	1.10	0.46	3.53	8.75	14.39
0.65	229.5	223.9	5.70	1.02	0.46	3.56	8.91	14.22
0.66	233.1	227.4	5.62	0.94	0.47	3.57	9.06	14.05
0.67	236.6	230.9	5.55	0.88	0.47	3.59	9.20	13.87
0.68	240.2	234.4	5.48	0.82	0.47	3.61	9.34	13.70
0.69	243.8	237.9	5.41	0.77	0.48	3.62	9.44	13.52
0.70	247.5	241.4	5.34	0.77	0.48	3.62	9.47	13.34
0.71	251.1	245.0	5.27	0.78	0.48	3.63	9.49	13.16
0.72	254.7	248.5	5.21	0.78	0.49	3.63	9.52	12.99
0.73	258.3	252.0	5.14	0.78	0.49	3.63	9.54	12.82
0.74	261.9	255.6	5.08	0.78	0.50	3.64	9.57	12.66
0.75	265.6	259.1	5.02	0.78	0.50	3.64	9.59	12.50
0.76	269.2	262.6	4.96	0.79	0.50	3.64	9.62	12.35
0.77	272.8	266.2	4.91	0.79	0.51	3.65	9.64	12.20
0.78	276.4	269.7	4.85	0.79	0.51	3.65	9.67	12.05
0.79	280.1	273.2	4.80	0.79	0.51	3.65	9.69	11.91
0.80	283.7	276.8	4.75	0.80	0.52	3.65	9.72	11.77
0.81	287.4	280.4	4.69	0.80	0.52	3.66	9.74	11.64
0.82	291.0	283.9	4.64	0.79	0.53	3.66	9.75	11.50
0.83	294.7	287.5	4.60	0.79	0.53	3.66	9.76	11.37
0.84	298.4	291.1	4.55	0.78	0.53	3.66	9.77	11.24
0.85	302.0	294.7	4.50	0.78	0.54	3.66	9.78	11.11
0.86	305.7	298.2	4.46	0.77	0.54	3.66	9.79	10.99
0.87	309.3	301.8	4.41	0.77	0.55	3.66	9.79	10.87
0.88	313.0	305.4	4.37	0.77	0.55	3.66	9.80	10.76
0.89	316.7	309.0	4.33	0.77	0.56	3.66	9.80	10.64
0.90	320.3	312.5	4.29	0.76	0.56	3.66	9.80	10.53
0.91	324.0	316.1	4.25	0.76	0.56	3.66	9.80	10.42
0.92	327.7	319.7	4.21	0.76	0.57	3.66	9.81	10.32
0.93	331.3	323.3	4.17	0.76	0.57	3.66	9.81	10.21
0.94	335.0	326.8	4.13	0.76	0.58	3.66	9.81	10.11
0.95	338.7	330.4	4.09	0.76	0.58	3.67	9.82	10.01

Hydrostatic Particulars at a Trim of 1.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.96	342.3	334.0	4.06	0.75	0.59	3.67	9.82	9.92
0.97	346.0	337.6	4.02	0.75	0.59	3.67	9.82	9.82
0.98	349.7	341.1	3.99	0.75	0.59	3.67	9.82	9.73
0.99	353.3	344.7	3.95	0.75	0.60	3.67	9.83	9.64
1.00	357.0	348.3	3.92	0.75	0.60	3.67	9.83	9.55
1.01	360.6	351.9	3.89	0.75	0.61	3.67	9.83	9.46
1.02	364.3	355.4	3.86	0.75	0.61	3.67	9.84	9.38
1.03	368.0	359.0	3.83	0.74	0.62	3.67	9.84	9.30
1.03	368.0	359.0	3.83	0.74	0.62	3.67	9.84	9.30
1.05	375.3	366.2	3.76	0.74	0.63	3.67	9.84	9.14
1.06	379.0	369.8	3.73	0.74	0.63	3.67	9.85	9.06
1.07	382.7	373.3	3.71	0.74	0.63	3.67	9.85	8.98
1.08	386.3	376.9	3.68	0.74	0.64	3.67	9.85	8.91
1.09	390.0	380.5	3.65	0.74	0.64	3.67	9.85	8.83
1.10	393.7	384.1	3.62	0.74	0.65	3.67	9.86	8.76
1.11	397.3	387.7	3.59	0.73	0.65	3.67	9.86	8.69
1.12	401.0	391.2	3.57	0.73	0.66	3.67	9.86	8.62
1.13	404.7	394.8	3.54	0.73	0.66	3.67	9.86	8.55
1.14	408.4	398.4	3.52	0.73	0.67	3.67	9.86	8.49
1.15	412.0	402.0	3.49	0.73	0.67	3.67	9.87	8.42
1.16	415.7	405.6	3.47	0.73	0.67	3.67	9.87	8.36
1.17	419.4	409.1	3.44	0.73	0.68	3.67	9.87	8.30
1.18	423.0	412.7	3.42	0.73	0.68	3.67	9.87	8.23
1.19	426.7	416.3	3.40	0.73	0.69	3.67	9.88	8.17
1.20	430.4	419.9	3.37	0.72	0.69	3.67	9.88	8.12
1.21	434.1	423.5	3.35	0.72	0.70	3.67	9.88	8.06
1.22	437.7	427.1	3.33	0.72	0.70	3.67	9.88	8.00
1.23	441.4	430.6	3.31	0.72	0.71	3.67	9.88	7.94
1.24	445.1	434.2	3.29	0.72	0.71	3.67	9.89	7.89
1.25	448.7	437.8	3.26	0.72	0.72	3.67	9.89	7.83
1.26	452.4	441.4	3.24	0.72	0.72	3.67	9.89	7.78
1.27	456.1	445.0	3.22	0.72	0.73	3.67	9.89	7.73
1.28	459.8	448.5	3.20	0.72	0.73	3.67	9.89	7.68
1.29	463.4	452.1	3.18	0.72	0.73	3.67	9.90	7.63
1.30	467.1	455.7	3.16	0.71	0.74	3.67	9.90	7.58
1.31	470.8	459.3	3.15	0.71	0.74	3.67	9.90	7.53
1.32	474.4	462.9	3.13	0.71	0.75	3.67	9.90	7.48
1.33	478.1	466.5	3.11	0.71	0.75	3.67	9.90	7.43
1.34	481.8	470.0	3.09	0.71	0.76	3.67	9.90	7.39
1.35	485.5	473.6	3.07	0.71	0.76	3.67	9.91	7.34
1.36	489.2	477.2	3.05	0.71	0.77	3.67	9.90	7.30
1.37	492.8	480.8	3.04	0.71	0.77	3.67	9.90	7.25
1.38	496.5	484.4	3.02	0.71	0.78	3.67	9.90	7.21
1.39	500.2	488.0	3.00	0.71	0.78	3.67	9.90	7.17
1.40	503.9	491.6	2.98	0.71	0.79	3.67	9.90	7.12
1.41	507.6	495.2	2.97	0.71	0.79	3.67	9.90	7.08

Hydrostatic Particulars at a Trim of 1.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.42	511.2	498.8	2.95	0.71	0.80	3.67	9.90	7.04
1.43	514.9	502.4	2.93	0.71	0.80	3.67	9.90	7.00
1.44	518.6	505.9	2.92	0.71	0.80	3.67	9.90	6.96
1.45	522.3	509.5	2.90	0.71	0.81	3.67	9.90	6.92
1.46	526.0	513.1	2.89	0.71	0.81	3.67	9.91	6.89
1.47	529.6	516.7	2.87	0.71	0.82	3.68	9.91	6.85
1.48	533.3	520.3	2.86	0.71	0.82	3.68	9.91	6.81
1.49	537.0	523.9	2.84	0.71	0.83	3.68	9.91	6.78
1.50	540.7	527.5	2.83	0.71	0.83	3.68	9.91	6.74
1.51	544.4	531.1	2.81	0.71	0.84	3.68	9.91	6.71
1.52	548.0	534.7	2.80	0.71	0.84	3.68	9.91	6.67
1.53	551.7	538.3	2.78	0.71	0.85	3.68	9.91	6.64
1.54	555.4	541.9	2.77	0.71	0.85	3.68	9.91	6.60
1.55	559.1	545.4	2.75	0.71	0.86	3.68	9.91	6.57
1.56	562.8	549.0	2.74	0.71	0.86	3.68	9.91	6.54
1.57	566.4	552.6	2.73	0.71	0.87	3.68	9.91	6.50
1.58	570.1	556.2	2.71	0.71	0.87	3.68	9.91	6.47
1.59	573.8	559.8	2.70	0.71	0.88	3.68	9.91	6.44
1.60	577.5	563.4	2.69	0.71	0.88	3.68	9.91	6.41
1.61	581.2	567.0	2.68	0.71	0.89	3.68	9.91	6.38
1.62	584.8	570.6	2.66	0.71	0.89	3.68	9.91	6.35
1.63	588.5	574.2	2.65	0.71	0.89	3.68	9.91	6.32
1.64	592.2	577.8	2.64	0.71	0.90	3.68	9.91	6.29
1.65	595.9	581.4	2.63	0.71	0.90	3.68	9.91	6.26
1.66	599.6	584.9	2.61	0.71	0.91	3.68	9.91	6.24
1.67	603.3	588.5	2.60	0.71	0.91	3.68	9.91	6.21
1.68	606.9	592.1	2.59	0.71	0.92	3.68	9.91	6.18
1.69	610.6	595.7	2.58	0.71	0.92	3.68	9.91	6.15
1.70	614.3	599.3	2.57	0.71	0.93	3.68	9.91	6.13
1.71	618.0	602.9	2.56	0.71	0.93	3.68	9.91	6.10
1.72	621.7	606.5	2.54	0.71	0.94	3.68	9.91	6.08
1.73	625.3	610.1	2.53	0.71	0.94	3.68	9.91	6.05
1.74	629.0	613.7	2.52	0.71	0.95	3.68	9.91	6.02
1.75	632.7	617.3	2.51	0.71	0.95	3.68	9.91	6.00
1.76	636.4	620.9	2.50	0.71	0.96	3.68	9.91	5.98
1.77	640.1	624.5	2.49	0.71	0.96	3.68	9.91	5.95
1.78	643.7	628.0	2.48	0.71	0.97	3.68	9.91	5.93
1.79	647.4	631.6	2.47	0.71	0.97	3.68	9.91	5.90
1.80	651.1	635.2	2.46	0.71	0.98	3.68	9.91	5.88
1.81	654.8	638.8	2.45	0.71	0.98	3.68	9.91	5.86
1.82	658.5	642.4	2.44	0.71	0.99	3.68	9.91	5.84
1.83	662.2	646.0	2.43	0.71	0.99	3.68	9.91	5.81
1.84	665.8	649.6	2.42	0.71	1.00	3.68	9.91	5.79
1.85	669.5	653.2	2.41	0.71	1.00	3.68	9.91	5.77
1.86	673.2	656.8	2.40	0.71	1.01	3.68	9.91	5.75
1.87	676.9	660.4	2.39	0.71	1.01	3.68	9.91	5.73

Hydrostatic Particulars at a Trim of 1.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.88	680.6	664.0	2.38	0.71	1.01	3.68	9.91	5.71
1.89	684.2	667.5	2.37	0.71	1.02	3.68	9.91	5.69
1.90	687.9	671.1	2.36	0.71	1.02	3.68	9.91	5.67
1.91	691.6	674.7	2.35	0.71	1.03	3.68	9.91	5.65
1.92	695.3	678.3	2.34	0.71	1.03	3.68	9.91	5.63
1.93	698.9	681.9	2.34	0.71	1.04	3.68	9.91	5.61
1.94	702.6	685.5	2.33	0.71	1.04	3.68	9.91	5.59
1.95	706.3	689.1	2.32	0.71	1.05	3.68	9.91	5.57
1.96	710.0	692.7	2.31	0.71	1.05	3.68	9.91	5.55
1.97	713.6	696.2	2.30	0.71	1.06	3.68	9.91	5.53
1.98	717.3	699.8	2.29	0.71	1.06	3.68	9.91	5.52
1.99	721.0	703.4	2.28	0.71	1.07	3.68	9.91	5.50
2.00	724.7	707.0	2.28	0.71	1.07	3.68	9.91	5.48
2.01	728.3	710.6	2.27	0.71	1.08	3.68	9.91	5.46
2.02	732.0	714.2	2.26	0.71	1.08	3.68	9.91	5.45
2.03	735.7	717.7	2.25	0.71	1.09	3.68	9.91	5.43
2.04	739.3	721.3	2.24	0.71	1.09	3.68	9.91	5.41
2.05	742.9	724.8	2.23	0.71	1.10	3.68	9.91	5.40
2.06	746.5	728.3	2.22	0.71	1.10	3.68	9.91	5.38
2.07	750.1	731.8	2.21	0.71	1.11	3.68	9.91	5.37
2.08	753.7	735.3	2.20	0.71	1.11	3.68	9.91	5.35
2.09	757.2	738.8	2.19	0.71	1.12	3.68	9.91	5.34
2.10	760.8	742.2	2.18	0.71	1.12	3.68	9.91	5.32
2.11	764.3	745.6	2.17	0.71	1.13	3.68	9.91	5.31
2.12	767.8	749.0	2.16	0.71	1.13	3.68	9.91	5.29
2.13	771.2	752.4	2.15	0.29	1.14	3.59	9.18	5.21
2.13	771.2	752.4	2.15	0.29	1.14	3.59	9.18	5.21
2.15	778.1	759.1	2.13	-0.34	1.15	3.45	8.18	5.06
2.16	781.5	762.4	2.12	-0.79	1.15	3.36	7.52	4.95
2.17	784.9	765.7	2.10	-1.17	1.16	3.27	6.99	4.84
2.18	788.2	768.9	2.09	-1.29	1.16	3.25	6.82	4.80
2.19	791.5	772.2	2.08	-1.42	1.16	3.22	6.66	4.76
2.20	794.8	775.4	2.07	-1.54	1.17	3.20	6.50	4.72
2.21	798.1	778.6	2.05	-1.66	1.17	3.17	6.34	4.68
2.22	801.1	781.5	2.04	-1.78	1.17	3.14	6.19	4.64
2.23	804.0	784.4	2.02	-1.90	1.18	3.12	6.03	4.60
2.24	807.0	787.3	2.00	-2.03	1.18	3.09	5.88	4.56
2.25	810.0	790.3	1.99	-2.15	1.18	3.06	5.74	4.52
2.26	813.0	793.2	1.97	-2.27	1.19	3.04	5.59	4.48
2.27	816.0	796.1	1.95	-2.39	1.19	3.01	5.45	4.44
2.28	819.0	799.0	1.94	-2.51	1.19	2.99	5.31	4.40
2.29	822.0	801.9	1.92	-2.64	1.20	2.96	5.17	4.37
2.30	825.0	804.8	1.91	-2.76	1.20	2.93	5.04	4.33
2.31	827.9	807.8	1.89	-2.88	1.20	2.91	4.90	4.29
2.32	830.9	810.7	1.88	-3.00	1.21	2.88	4.77	4.25
2.33	833.9	813.6	1.86	-3.12	1.21	2.85	4.65	4.22

Hydrostatic Particulars at a Trim of 1.5 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.34	836.9	816.4	1.84	-3.25	1.21	2.83	4.52	4.18
2.35	839.8	819.3	1.83	-3.37	1.22	2.80	4.40	4.15
2.36	842.8	822.2	1.81	-3.49	1.22	2.78	4.28	4.11
2.37	845.7	825.1	1.80	-3.61	1.22	2.75	4.16	4.08
2.38	848.6	827.9	1.78	-3.73	1.23	2.72	4.04	4.04
2.39	851.6	830.8	1.77	-3.86	1.23	2.70	3.93	4.01
2.40	854.5	833.7	1.75	-3.98	1.24	2.67	3.81	3.97
2.41	857.4	836.5	1.74	-4.10	1.24	2.64	3.70	3.94
2.42	860.1	839.1	1.72	-4.22	1.24	2.62	3.60	3.90
2.43	862.5	841.4	1.70	-4.34	1.24	2.59	3.49	3.87
2.44	864.9	843.8	1.68	-4.47	1.25	2.57	3.39	3.84
2.45	867.2	846.1	1.66	-4.59	1.25	2.54	3.29	3.81
2.46	869.6	848.4	1.64	-4.71	1.25	2.51	3.19	3.78
2.47	872.0	850.7	1.62	-4.83	1.25	2.49	3.09	3.74
2.48	874.4	853.0	1.60	-4.95	1.26	2.46	2.99	3.71
2.49	876.8	855.4	1.58	-5.08	1.26	2.43	2.90	3.68
2.50	879.1	857.7	1.57	-5.20	1.26	2.41	2.81	3.65
2.51	881.5	860.0	1.55	-5.32	1.27	2.38	2.72	3.62
2.52	883.9	862.3	1.53	-5.44	1.27	2.36	2.63	3.59
2.53	886.3	864.7	1.51	-5.56	1.27	2.33	2.55	3.56
2.54	888.6	867.0	1.49	-5.69	1.27	2.30	2.46	3.53
2.55	891.0	869.3	1.47	-5.81	1.28	2.28	2.38	3.50
2.56	893.4	871.6	1.46	-5.93	1.28	2.25	2.30	3.47
2.57	895.8	873.9	1.44	-6.05	1.28	2.22	2.22	3.44
2.58	898.1	876.2	1.42	-6.17	1.29	2.20	2.14	3.41
2.59	900.5	878.5	1.40	-6.29	1.29	2.17	2.07	3.38
2.60	902.9	880.9	1.38	-6.42	1.29	2.15	2.00	3.35
2.61	905.3	883.2	1.37	-6.54	1.29	2.12	1.93	3.32
2.62	907.6	885.5	1.35	-6.66	1.30	2.09	1.86	3.29
2.63	909.5	887.3	1.33	-6.78	1.30	2.07	1.79	3.26
2.64	911.3	889.1	1.31	-6.91	1.30	2.04	1.72	3.23
2.65	913.2	890.9	1.29	-7.03	1.30	2.02	1.66	3.20
2.66	915.0	892.7	1.27	-7.15	1.30	1.99	1.60	3.18
2.67	916.9	894.5	1.26	-7.27	1.31	1.96	1.53	3.15
2.68	918.7	896.3	1.24	-7.39	1.31	1.94	1.47	3.12
2.69	920.5	898.1	1.22	-7.52	1.31	1.91	1.42	3.09
2.70	922.4	899.9	1.20	-7.64	1.31	1.88	1.36	3.06
2.71	924.2	901.7	1.18	-7.76	1.32	1.86	1.31	3.04
2.72	926.1	903.5	1.17	-7.88	1.32	1.83	1.25	3.01
2.73	927.9	905.3	1.15	-8.01	1.32	1.81	1.20	2.98
2.74	929.7	907.1	1.13	-8.13	1.32	1.78	1.15	2.96
2.75	931.6	908.9	1.11	-8.25	1.32	1.75	1.10	2.93

Hydrostatic Particulars at a Trim of 2.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.50	195.0	190.3	7.81	4.29	0.49	2.89	4.78	13.75
0.51	197.9	193.1	7.76	4.21	0.50	2.91	4.88	13.65
0.52	200.8	195.9	7.70	4.13	0.50	2.93	4.99	13.56
0.53	203.7	198.7	7.65	4.05	0.51	2.95	5.10	13.48
0.54	206.6	201.5	7.60	3.96	0.51	2.97	5.22	13.39
0.55	209.5	204.3	7.56	3.88	0.51	2.99	5.33	13.31
0.56	212.4	207.2	7.51	3.80	0.52	3.02	5.44	13.22
0.57	215.3	210.0	7.47	3.70	0.52	3.04	5.55	13.14
0.58	218.2	212.8	7.42	3.61	0.52	3.06	5.66	13.06
0.59	221.1	215.7	7.38	3.52	0.53	3.07	5.77	12.98
0.60	224.0	218.5	7.34	3.43	0.53	3.09	5.88	12.91
0.61	226.9	221.3	7.30	3.34	0.54	3.11	5.99	12.83
0.62	229.8	224.2	7.26	3.25	0.54	3.13	6.11	12.76
0.63	232.7	227.0	7.23	3.16	0.54	3.15	6.22	12.69
0.64	235.6	229.9	7.19	3.07	0.55	3.17	6.34	12.62
0.65	238.7	232.9	7.14	2.97	0.55	3.19	6.46	12.54
0.66	241.9	236.0	7.08	2.88	0.56	3.21	6.57	12.46
0.67	245.2	239.2	7.02	2.79	0.56	3.23	6.70	12.38
0.68	248.4	242.3	6.97	2.70	0.56	3.25	6.82	12.30
0.69	251.6	245.5	6.91	2.61	0.57	3.27	6.94	12.23
0.70	254.9	248.6	6.86	2.52	0.57	3.29	7.07	12.15
0.71	258.2	251.9	6.80	2.43	0.57	3.31	7.19	12.08
0.72	261.5	255.1	6.75	2.34	0.58	3.33	7.32	12.00
0.73	264.8	258.4	6.69	2.24	0.58	3.35	7.45	11.93
0.74	268.2	261.6	6.63	2.16	0.58	3.37	7.58	11.85
0.75	271.5	264.9	6.58	2.07	0.59	3.39	7.71	11.78
0.76	274.9	268.2	6.52	1.98	0.59	3.41	7.84	11.70
0.77	278.4	271.6	6.47	1.89	0.59	3.43	7.97	11.62
0.77	278.4	271.6	6.47	1.89	0.59	3.43	7.97	11.62
0.79	285.2	278.3	6.35	1.72	0.60	3.46	8.22	11.47
0.80	288.7	281.7	6.30	1.64	0.60	3.48	8.35	11.38
0.81	292.2	285.0	6.24	1.56	0.61	3.50	8.48	11.30
0.82	295.7	288.5	6.18	1.48	0.61	3.51	8.60	11.21
0.83	299.2	291.9	6.13	1.41	0.61	3.53	8.72	11.13
0.84	302.7	295.3	6.07	1.33	0.62	3.55	8.84	11.04
0.85	306.3	298.8	6.02	1.26	0.62	3.56	8.95	10.95
0.86	309.8	302.3	5.96	1.19	0.62	3.57	9.07	10.85
0.87	313.4	305.8	5.91	1.13	0.63	3.59	9.17	10.76
0.88	317.0	309.3	5.85	1.07	0.63	3.60	9.28	10.66
0.88	317.0	309.3	5.85	1.07	0.63	3.60	9.28	10.66
0.90	324.2	316.3	5.74	0.96	0.64	3.62	9.47	10.47
0.91	327.9	319.9	5.69	0.91	0.64	3.63	9.55	10.37
0.92	331.5	323.4	5.64	0.88	0.65	3.64	9.61	10.27
0.93	335.2	327.0	5.59	0.87	0.65	3.64	9.62	10.17
0.94	338.8	330.5	5.53	0.86	0.65	3.64	9.63	10.08
0.95	342.5	334.1	5.48	0.86	0.66	3.65	9.64	9.98

Hydrostatic Particulars at a Trim of 2.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
0.96	346.1	337.7	5.43	0.85	0.66	3.65	9.65	9.88
0.97	349.8	341.2	5.39	0.85	0.66	3.65	9.66	9.79
0.98	353.4	344.8	5.34	0.84	0.67	3.65	9.68	9.70
0.99	357.1	348.4	5.29	0.83	0.67	3.65	9.69	9.61
1.00	360.7	351.9	5.25	0.83	0.67	3.65	9.70	9.53
1.01	364.4	355.5	5.20	0.82	0.68	3.65	9.71	9.44
1.02	368.0	359.1	5.16	0.82	0.68	3.65	9.72	9.36
1.03	371.7	362.6	5.12	0.81	0.69	3.66	9.73	9.28
1.04	375.3	366.2	5.07	0.81	0.69	3.66	9.73	9.20
1.05	379.0	369.8	5.03	0.80	0.69	3.66	9.74	9.12
1.06	382.7	373.3	4.99	0.80	0.70	3.66	9.75	9.05
1.07	386.3	376.9	4.95	0.79	0.70	3.66	9.76	8.97
1.08	390.0	380.5	4.91	0.79	0.71	3.66	9.77	8.90
1.09	393.7	384.1	4.87	0.78	0.71	3.66	9.78	8.82
1.10	397.3	387.6	4.83	0.78	0.71	3.66	9.79	8.75
1.11	401.0	391.2	4.80	0.78	0.72	3.66	9.79	8.68
1.12	404.7	394.8	4.76	0.77	0.72	3.66	9.79	8.62
1.13	408.3	398.4	4.72	0.77	0.73	3.66	9.80	8.55
1.14	412.0	402.0	4.69	0.77	0.73	3.66	9.80	8.48
1.15	415.7	405.5	4.65	0.77	0.73	3.66	9.80	8.42
1.16	419.3	409.1	4.62	0.77	0.74	3.66	9.81	8.36
1.17	423.0	412.7	4.59	0.77	0.74	3.66	9.81	8.29
1.18	426.7	416.3	4.55	0.77	0.75	3.66	9.81	8.23
1.19	430.3	419.8	4.52	0.76	0.75	3.67	9.81	8.17
1.19	430.3	419.8	4.52	0.76	0.75	3.67	9.81	8.17
1.21	437.7	427.0	4.46	0.76	0.76	3.67	9.82	8.06
1.22	441.3	430.6	4.43	0.76	0.76	3.67	9.82	8.00
1.23	445.0	434.1	4.40	0.76	0.77	3.67	9.83	7.95
1.24	448.7	437.7	4.37	0.76	0.77	3.67	9.83	7.89
1.25	452.3	441.3	4.34	0.76	0.77	3.67	9.83	7.84
1.26	456.0	444.9	4.31	0.76	0.78	3.67	9.83	7.79
1.27	459.7	448.5	4.28	0.75	0.78	3.67	9.84	7.73
1.28	463.3	452.0	4.25	0.75	0.79	3.67	9.84	7.68
1.29	467.0	455.6	4.22	0.75	0.79	3.67	9.84	7.63
1.30	470.7	459.2	4.19	0.75	0.80	3.67	9.84	7.58
1.31	474.4	462.8	4.17	0.75	0.80	3.67	9.85	7.54
1.32	478.0	466.4	4.14	0.75	0.80	3.67	9.85	7.49
1.33	481.7	470.0	4.11	0.75	0.81	3.67	9.85	7.44
1.34	485.4	473.5	4.09	0.75	0.81	3.67	9.85	7.40
1.35	489.0	477.1	4.06	0.75	0.82	3.67	9.86	7.35
1.36	492.7	480.7	4.04	0.74	0.82	3.67	9.86	7.31
1.37	496.4	484.3	4.01	0.74	0.83	3.67	9.86	7.26
1.38	500.1	487.9	3.99	0.74	0.83	3.67	9.86	7.22
1.39	503.7	491.4	3.97	0.74	0.83	3.67	9.86	7.18
1.40	507.4	495.0	3.94	0.74	0.84	3.67	9.87	7.14
1.41	511.1	498.6	3.92	0.74	0.84	3.67	9.87	7.09

Hydrostatic Particulars at a Trim of 2.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.42	514.7	502.2	3.90	0.74	0.85	3.67	9.87	7.05
1.43	518.4	505.8	3.87	0.74	0.85	3.67	9.87	7.01
1.44	522.1	509.4	3.85	0.74	0.86	3.67	9.87	6.98
1.45	525.8	512.9	3.83	0.73	0.86	3.67	9.88	6.94
1.46	529.4	516.5	3.81	0.73	0.86	3.67	9.88	6.90
1.47	533.1	520.1	3.79	0.73	0.87	3.67	9.88	6.86
1.48	536.8	523.7	3.77	0.73	0.87	3.67	9.88	6.83
1.49	540.4	527.3	3.74	0.73	0.88	3.67	9.88	6.79
1.50	544.1	530.8	3.72	0.73	0.88	3.67	9.89	6.75
1.51	547.8	534.4	3.70	0.73	0.89	3.67	9.89	6.72
1.52	551.5	538.0	3.68	0.73	0.89	3.67	9.89	6.68
1.53	555.1	541.6	3.66	0.73	0.90	3.67	9.89	6.65
1.54	558.8	545.2	3.65	0.73	0.90	3.67	9.89	6.62
1.55	562.5	548.8	3.63	0.73	0.90	3.67	9.89	6.58
1.56	566.1	552.3	3.61	0.73	0.91	3.67	9.90	6.55
1.57	569.8	555.9	3.59	0.72	0.91	3.67	9.90	6.52
1.58	573.5	559.5	3.57	0.72	0.92	3.67	9.90	6.49
1.59	577.2	563.1	3.55	0.72	0.92	3.67	9.90	6.46
1.60	580.8	566.7	3.53	0.72	0.93	3.67	9.90	6.43
1.61	584.5	570.3	3.52	0.73	0.93	3.67	9.90	6.40
1.62	588.2	573.9	3.50	0.73	0.94	3.67	9.90	6.37
1.63	591.9	577.5	3.48	0.73	0.94	3.67	9.90	6.34
1.64	595.6	581.0	3.46	0.73	0.95	3.67	9.90	6.31
1.65	599.3	584.6	3.45	0.73	0.95	3.67	9.90	6.28
1.66	602.9	588.2	3.43	0.73	0.95	3.67	9.90	6.25
1.67	606.6	591.8	3.41	0.73	0.96	3.67	9.90	6.22
1.68	610.3	595.4	3.40	0.73	0.96	3.67	9.90	6.20
1.69	614.0	599.0	3.38	0.73	0.97	3.67	9.90	6.17
1.70	617.7	602.6	3.36	0.73	0.97	3.67	9.90	6.14
1.71	621.3	606.2	3.35	0.73	0.98	3.67	9.90	6.12
1.72	625.0	609.8	3.33	0.73	0.98	3.67	9.90	6.09
1.73	628.7	613.4	3.32	0.73	0.99	3.67	9.90	6.07
1.74	632.4	616.9	3.30	0.73	0.99	3.67	9.90	6.04
1.75	636.0	620.5	3.28	0.73	1.00	3.67	9.90	6.02
1.76	639.7	624.1	3.27	0.73	1.00	3.67	9.90	5.99
1.77	643.4	627.7	3.25	0.73	1.00	3.67	9.90	5.97
1.78	647.0	631.3	3.24	0.73	1.01	3.67	9.90	5.95
1.79	650.7	634.8	3.22	0.73	1.01	3.67	9.90	5.92
1.80	654.3	638.3	3.21	0.73	1.02	3.67	9.90	5.90
1.81	657.9	641.9	3.19	0.73	1.02	3.67	9.90	5.88
1.82	661.5	645.4	3.18	0.73	1.03	3.67	9.90	5.86
1.83	665.1	648.9	3.16	0.73	1.03	3.67	9.90	5.83
1.84	668.7	652.4	3.15	0.73	1.04	3.67	9.90	5.81
1.85	672.3	655.9	3.13	0.73	1.04	3.67	9.90	5.79
1.86	675.9	659.4	3.11	0.73	1.05	3.67	9.90	5.77
1.87	679.4	662.8	3.10	0.73	1.05	3.67	9.90	5.75


Hydrostatic Particulars at a Trim of 2.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
1.88	682.9	666.3	3.08	0.64	1.06	3.66	9.74	5.72
1.89	686.5	669.7	3.07	0.36	1.06	3.60	9.27	5.65
1.90	690.0	673.1	3.05	0.22	1.07	3.57	9.03	5.60
1.91	693.5	676.5	3.03	0.07	1.07	3.54	8.79	5.55
1.92	696.9	679.9	3.02	-0.16	1.07	3.49	8.42	5.48
1.93	700.4	683.3	3.00	-0.29	1.08	3.46	8.22	5.44
1.94	703.8	686.7	2.98	-0.54	1.08	3.40	7.85	5.36
1.95	707.3	690.0	2.97	-0.70	1.09	3.37	7.62	5.30
1.96	710.6	693.3	2.95	-0.87	1.09	3.33	7.37	5.24
1.97	714.0	696.6	2.93	-1.10	1.09	3.28	7.05	5.16
1.98	717.4	699.9	2.91	-1.20	1.10	3.26	6.92	5.12
1.99	720.7	703.1	2.90	-1.29	1.10	3.24	6.80	5.08
2.00	724.0	706.3	2.88	-1.38	1.11	3.22	6.67	5.04
2.01	727.3	709.6	2.86	-1.47	1.11	3.20	6.55	5.00
2.02	730.6	712.8	2.84	-1.56	1.11	3.18	6.43	4.96
2.03	733.9	716.0	2.82	-1.65	1.12	3.17	6.32	4.92
2.04	736.8	718.9	2.80	-1.74	1.12	3.15	6.20	4.89
2.05	739.8	721.8	2.78	-1.84	1.12	3.13	6.09	4.85
2.06	742.8	724.7	2.76	-1.93	1.12	3.11	5.97	4.81
2.07	745.8	727.6	2.74	-2.02	1.13	3.09	5.86	4.78
2.08	748.8	730.5	2.72	-2.11	1.13	3.07	5.75	4.74
2.09	751.8	733.4	2.70	-2.20	1.13	3.05	5.64	4.71
2.10	754.7	736.3	2.68	-2.29	1.14	3.03	5.53	4.67
2.11	757.7	739.2	2.66	-2.38	1.14	3.01	5.43	4.64
2.12	760.6	742.1	2.64	-2.48	1.14	2.99	5.32	4.60
2.13	763.6	745.0	2.62	-2.57	1.15	2.97	5.22	4.57
2.14	766.6	747.9	2.60	-2.66	1.15	2.95	5.12	4.54
2.15	769.5	750.7	2.58	-2.75	1.15	2.93	5.02	4.50
2.16	772.4	753.6	2.56	-2.84	1.16	2.91	4.92	4.47
2.17	775.4	756.5	2.54	-2.93	1.16	2.89	4.82	4.44
2.18	778.3	759.3	2.52	-3.02	1.16	2.87	4.72	4.40
2.19	781.2	762.2	2.50	-3.12	1.16	2.85	4.63	4.37
2.20	784.2	765.0	2.48	-3.21	1.17	2.83	4.53	4.34
2.21	787.1	767.9	2.46	-3.30	1.17	2.81	4.44	4.31
2.22	790.0	770.8	2.44	-3.39	1.17	2.79	4.35	4.28
2.23	792.9	773.6	2.42	-3.48	1.18	2.77	4.26	4.25
2.24	795.9	776.5	2.40	-3.57	1.18	2.75	4.17	4.22
2.25	798.8	779.3	2.38	-3.67	1.18	2.73	4.08	4.19
2.26	801.7	782.2	2.36	-3.76	1.19	2.71	3.99	4.15
2.27	804.6	785.0	2.34	-3.85	1.19	2.69	3.91	4.12
2.28	807.5	787.8	2.32	-3.94	1.19	2.67	3.82	4.10
2.29	810.4	790.7	2.31	-4.03	1.20	2.65	3.74	4.07
2.30	813.4	793.5	2.29	-4.12	1.20	2.63	3.66	4.04
2.31	815.8	795.9	2.26	-4.22	1.20	2.61	3.58	4.01
2.32	818.2	798.3	2.24	-4.31	1.21	2.59	3.50	3.98
2.33	820.6	800.6	2.22	-4.40	1.21	2.58	3.42	3.95

Hydrostatic Particulars at a Trim of 2.0 M

Draft mld M	Disp T	Vol CuM	LCB M	LCF M	VCB M	TP1CM T/CM	MCT1CM T-M/CM	KMt M
2.34	823.0	802.9	2.20	-4.49	1.21	2.56	3.35	3.92
2.35	825.4	805.2	2.18	-4.58	1.21	2.54	3.27	3.90
2.36	827.7	807.6	2.16	-4.67	1.21	2.52	3.20	3.87
2.37	830.1	809.9	2.13	-4.77	1.22	2.50	3.12	3.84
2.38	832.5	812.2	2.11	-4.86	1.22	2.48	3.05	3.82
2.39	834.9	814.5	2.09	-4.95	1.22	2.46	2.98	3.79
2.40	837.3	816.8	2.07	-5.04	1.22	2.44	2.91	3.76
2.41	839.6	819.2	2.05	-5.13	1.23	2.42	2.84	3.74
2.42	842.0	821.5	2.03	-5.22	1.23	2.40	2.77	3.71
2.43	844.4	823.8	2.01	-5.32	1.23	2.38	2.70	3.68
2.44	846.8	826.1	1.99	-5.41	1.23	2.36	2.64	3.66
2.45	849.2	828.5	1.97	-5.50	1.24	2.34	2.57	3.63
2.46	851.5	830.8	1.95	-5.59	1.24	2.32	2.51	3.61
2.47	853.9	833.1	1.93	-5.68	1.24	2.30	2.45	3.58
2.48	856.3	835.4	1.90	-5.77	1.25	2.28	2.39	3.56
2.49	858.7	837.7	1.88	-5.87	1.25	2.26	2.33	3.53
2.50	861.1	840.1	1.86	-5.96	1.25	2.24	2.27	3.51
2.51	863.4	842.4	1.84	-6.05	1.25	2.22	2.21	3.48
2.52	865.8	844.7	1.83	-6.14	1.26	2.20	2.15	3.46
2.53	868.2	847.0	1.81	-6.23	1.26	2.18	2.10	3.43
2.54	870.6	849.4	1.79	-6.32	1.26	2.16	2.04	3.41
2.55	873.0	851.7	1.77	-6.42	1.26	2.14	1.99	3.39
2.56	875.3	854.0	1.75	-6.51	1.27	2.12	1.93	3.36
2.57	877.7	856.3	1.73	-6.60	1.27	2.10	1.88	3.34
2.58	879.9	858.4	1.71	-6.69	1.27	2.08	1.83	3.32
2.59	881.7	860.2	1.69	-6.78	1.27	2.06	1.78	3.29
2.60	883.5	862.0	1.67	-6.87	1.27	2.04	1.73	3.27
2.61	885.4	863.8	1.65	-6.97	1.28	2.02	1.68	3.25
2.62	887.2	865.6	1.63	-7.06	1.28	2.00	1.63	3.22
2.63	889.1	867.4	1.61	-7.15	1.28	1.98	1.59	3.20
2.64	890.9	869.2	1.59	-7.24	1.28	1.97	1.54	3.18
2.65	892.8	871.0	1.57	-7.33	1.28	1.95	1.50	3.16
2.66	894.6	872.8	1.55	-7.42	1.29	1.93	1.45	3.13
2.67	896.4	874.6	1.53	-7.52	1.29	1.91	1.41	3.11
2.68	898.3	876.4	1.51	-7.61	1.29	1.89	1.37	3.09
2.69	900.1	878.2	1.49	-7.70	1.29	1.87	1.32	3.07
2.70	902.0	880.0	1.47	-7.79	1.29	1.85	1.28	3.05
2.71	903.8	881.8	1.46	-7.88	1.30	1.83	1.24	3.03
2.72	905.6	883.6	1.44	-7.97	1.30	1.81	1.21	3.00
2.73	907.5	885.4	1.42	-8.07	1.30	1.79	1.17	2.98
2.74	909.3	887.2	1.40	-8.16	1.30	1.77	1.13	2.96
2.75	911.2	889.0	1.38	-8.25	1.30	1.75	1.09	2.94

KN CONCEPT



$$\underline{GZ = KN - KG \sin \theta}$$

VOLUME USED FOR KN COMPUTATION




TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
302.2	1.892	2.955	3.338	3.356	3.177	2.869
305.6	1.876	2.944	3.327	3.346	3.168	2.861
309.0	1.859	2.932	3.317	3.334	3.159	2.853
312.4	1.841	2.921	3.306	3.322	3.150	2.846
315.8	1.824	2.911	3.296	3.310	3.141	2.838
319.2	1.807	2.900	3.286	3.299	3.132	2.831
322.6	1.791	2.890	3.277	3.288	3.122	2.824
326.0	1.775	2.880	3.266	3.277	3.111	2.816
329.8	1.757	2.869	3.252	3.265	3.100	2.809
333.6	1.740	2.858	3.238	3.253	3.089	2.799
337.4	1.723	2.848	3.224	3.242	3.078	2.790
341.2	1.707	2.837	3.210	3.231	3.068	2.781
345.0	1.691	2.827	3.197	3.218	3.058	2.772
348.7	1.675	2.814	3.184	3.204	3.048	2.764
352.5	1.660	2.802	3.171	3.191	3.038	2.755
356.3	1.644	2.789	3.159	3.177	3.026	2.747
359.7	1.631	2.778	3.148	3.166	3.016	2.740
363.1	1.618	2.767	3.137	3.154	3.005	2.732
366.5	1.605	2.757	3.126	3.143	2.995	2.724
369.9	1.593	2.746	3.113	3.132	2.984	2.715
373.3	1.580	2.736	3.100	3.121	2.974	2.707
376.7	1.568	2.726	3.086	3.111	2.964	2.699
380.1	1.556	2.716	3.073	3.100	2.955	2.691
383.5	1.545	2.707	3.061	3.088	2.945	2.683
386.9	1.533	2.697	3.048	3.075	2.936	2.675
390.8	1.520	2.687	3.034	3.061	2.925	2.667
394.6	1.508	2.675	3.021	3.048	2.912	2.659
398.4	1.496	2.661	3.008	3.034	2.900	2.649
402.3	1.484	2.647	2.994	3.021	2.889	2.640
406.1	1.472	2.633	2.982	3.008	2.877	2.630
409.9	1.461	2.619	2.968	2.996	2.866	2.621
413.8	1.449	2.606	2.953	2.983	2.854	2.612
417.6	1.438	2.593	2.937	2.971	2.844	2.603
421.5	1.427	2.580	2.922	2.957	2.833	2.595
425.3	1.417	2.568	2.907	2.942	2.822	2.586
429.2	1.406	2.556	2.893	2.928	2.809	2.577
433.1	1.396	2.543	2.878	2.914	2.797	2.568
437.0	1.386	2.531	2.864	2.900	2.785	2.558
440.8	1.376	2.520	2.850	2.887	2.773	2.549
444.7	1.366	2.505	2.837	2.874	2.761	2.539
448.6	1.357	2.490	2.823	2.861	2.750	2.530
452.0	1.348	2.477	2.810	2.849	2.740	2.522
455.4	1.340	2.464	2.796	2.838	2.730	2.515
458.9	1.332	2.451	2.782	2.825	2.720	2.507
462.3	1.324	2.439	2.768	2.812	2.709	2.499
465.8	1.316	2.427	2.755	2.800	2.698	2.491
469.2	1.309	2.414	2.741	2.787	2.687	2.482
472.6	1.301	2.402	2.728	2.775	2.677	2.474
476.1	1.294	2.390	2.715	2.762	2.666	2.465

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
479.5	1.286	2.379	2.702	2.750	2.656	2.457
483.4	1.278	2.366	2.688	2.737	2.644	2.448
487.3	1.270	2.353	2.674	2.724	2.633	2.439
491.1	1.262	2.340	2.660	2.711	2.622	2.430
495.0	1.254	2.324	2.645	2.697	2.611	2.421
498.9	1.247	2.309	2.629	2.683	2.598	2.412
502.8	1.239	2.293	2.613	2.668	2.586	2.402
506.7	1.232	2.278	2.597	2.654	2.574	2.393
510.6	1.225	2.263	2.582	2.640	2.562	2.383
514.0	1.218	2.250	2.568	2.627	2.551	2.375
517.4	1.212	2.237	2.555	2.615	2.541	2.367
520.9	1.206	2.225	2.542	2.603	2.530	2.359
524.3	1.200	2.212	2.529	2.591	2.520	2.351
527.8	1.194	2.200	2.516	2.580	2.510	2.343
531.2	1.188	2.188	2.503	2.568	2.500	2.335
534.7	1.182	2.176	2.491	2.555	2.489	2.326
538.1	1.177	2.164	2.476	2.542	2.478	2.318
541.6	1.171	2.150	2.462	2.529	2.467	2.309
545.1	1.165	2.136	2.448	2.516	2.456	2.301
548.6	1.160	2.121	2.433	2.503	2.446	2.293
552.1	1.154	2.107	2.419	2.491	2.435	2.284
555.6	1.149	2.093	2.405	2.478	2.425	2.276
559.1	1.144	2.079	2.392	2.466	2.414	2.268
562.5	1.138	2.066	2.378	2.454	2.404	2.260
566.0	1.133	2.052	2.365	2.442	2.394	2.252
569.5	1.128	2.039	2.352	2.430	2.383	2.243
573.0	1.123	2.025	2.339	2.417	2.371	2.234
576.9	1.117	2.011	2.324	2.402	2.359	2.224
580.8	1.112	1.997	2.308	2.387	2.347	2.215
584.7	1.106	1.982	2.291	2.373	2.335	2.206
588.6	1.101	1.968	2.275	2.359	2.323	2.196
592.6	1.096	1.952	2.259	2.344	2.311	2.187
596.5	1.091	1.935	2.244	2.331	2.299	2.178
600.4	1.086	1.919	2.228	2.317	2.288	2.169
604.3	1.081	1.903	2.213	2.303	2.276	2.159
608.2	1.076	1.887	2.198	2.290	2.263	2.149
612.1	1.071	1.871	2.183	2.275	2.251	2.140
616.0	1.066	1.856	2.169	2.261	2.239	2.130
619.9	1.061	1.840	2.153	2.246	2.226	2.121
623.8	1.057	1.825	2.137	2.231	2.214	2.112
627.7	1.052	1.810	2.120	2.217	2.203	2.103
631.6	1.048	1.796	2.104	2.203	2.191	2.094
635.5	1.043	1.781	2.088	2.189	2.179	2.084
638.9	1.039	1.768	2.074	2.177	2.169	2.075
642.4	1.035	1.753	2.060	2.165	2.158	2.067
645.9	1.030	1.739	2.047	2.153	2.147	2.058
649.3	1.026	1.725	2.033	2.140	2.136	2.050
652.8	1.022	1.712	2.020	2.127	2.125	2.042
656.3	1.018	1.698	2.006	2.114	2.114	2.033

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
659.7	1.015	1.684	1.993	2.101	2.103	2.025
663.2	1.011	1.671	1.979	2.088	2.093	2.017
666.7	1.007	1.658	1.964	2.075	2.082	2.008
670.6	1.002	1.643	1.947	2.061	2.071	1.999
674.6	0.998	1.628	1.931	2.047	2.059	1.989
678.5	0.994	1.614	1.915	2.033	2.046	1.979
682.4	0.988	1.599	1.899	2.019	2.033	1.969
686.4	0.983	1.585	1.883	2.005	2.021	1.960
690.3	0.977	1.569	1.868	1.989	2.008	1.951
694.3	0.972	1.554	1.852	1.974	1.996	1.941
698.2	0.966	1.540	1.837	1.960	1.984	1.932
701.7	0.962	1.527	1.824	1.947	1.974	1.923
705.1	0.957	1.514	1.809	1.934	1.963	1.914
708.6	0.952	1.501	1.794	1.921	1.953	1.906
712.1	0.948	1.488	1.780	1.909	1.941	1.897
715.5	0.943	1.476	1.765	1.896	1.930	1.889
719.0	0.939	1.463	1.751	1.884	1.919	1.880
722.5	0.934	1.451	1.736	1.872	1.908	1.872
726.0	0.929	1.439	1.722	1.858	1.897	1.864
729.4	0.923	1.427	1.708	1.845	1.886	1.856
732.9	0.917	1.414	1.694	1.832	1.875	1.847
736.4	0.911	1.401	1.681	1.819	1.865	1.838
739.8	0.906	1.389	1.667	1.806	1.854	1.829
743.3	0.900	1.376	1.653	1.793	1.844	1.821
746.8	0.894	1.364	1.639	1.780	1.832	1.812
750.2	0.889	1.352	1.624	1.768	1.821	1.804

TABLE OF DISPLACEMENT VS KN

Trim = 0.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
302.4	1.890	2.960	3.338	3.355	3.178	2.868
306.3	1.870	2.947	3.326	3.342	3.168	2.859
310.3	1.851	2.935	3.315	3.328	3.158	2.851
314.2	1.833	2.922	3.304	3.315	3.147	2.842
318.1	1.815	2.911	3.292	3.303	3.134	2.834
322.1	1.797	2.899	3.277	3.290	3.122	2.826
326.0	1.780	2.888	3.262	3.278	3.111	2.817
329.9	1.763	2.877	3.248	3.267	3.099	2.807
333.8	1.747	2.866	3.234	3.255	3.088	2.797
337.8	1.731	2.854	3.220	3.242	3.078	2.788
341.3	1.716	2.841	3.208	3.229	3.068	2.780
344.9	1.701	2.829	3.197	3.216	3.059	2.772
348.4	1.686	2.817	3.185	3.203	3.049	2.764
352.0	1.672	2.806	3.174	3.191	3.037	2.756
355.5	1.658	2.794	3.163	3.179	3.026	2.749
359.0	1.644	2.783	3.152	3.167	3.015	2.740
362.6	1.630	2.772	3.138	3.156	3.005	2.732
366.1	1.617	2.761	3.124	3.145	2.994	2.723
369.7	1.604	2.750	3.110	3.134	2.984	2.715
373.2	1.591	2.740	3.097	3.123	2.974	2.706
376.8	1.578	2.730	3.084	3.110	2.964	2.698
380.4	1.566	2.719	3.070	3.097	2.954	2.690
383.9	1.553	2.710	3.058	3.084	2.944	2.682
387.5	1.541	2.698	3.045	3.071	2.933	2.674
391.1	1.530	2.685	3.033	3.058	2.922	2.667
394.6	1.518	2.672	3.021	3.046	2.910	2.658
398.2	1.506	2.659	3.009	3.034	2.900	2.649
401.8	1.495	2.646	2.997	3.022	2.889	2.640
405.3	1.484	2.633	2.983	3.010	2.878	2.632
408.9	1.473	2.621	2.969	2.999	2.868	2.623
412.5	1.463	2.609	2.954	2.987	2.858	2.615
416.1	1.452	2.597	2.940	2.974	2.848	2.607
419.7	1.442	2.585	2.926	2.961	2.838	2.599
423.3	1.431	2.574	2.913	2.948	2.826	2.591
426.8	1.421	2.562	2.899	2.934	2.815	2.582
430.4	1.411	2.551	2.886	2.922	2.804	2.573
434.0	1.402	2.540	2.873	2.909	2.792	2.565
437.6	1.392	2.529	2.860	2.897	2.781	2.556
441.2	1.383	2.515	2.848	2.884	2.771	2.547
444.8	1.374	2.501	2.835	2.872	2.760	2.539
448.4	1.365	2.487	2.822	2.861	2.750	2.530
451.9	1.356	2.473	2.807	2.849	2.739	2.522
455.5	1.347	2.460	2.792	2.836	2.729	2.514
459.1	1.339	2.446	2.778	2.822	2.718	2.506
462.7	1.330	2.433	2.764	2.809	2.707	2.498
466.3	1.322	2.420	2.750	2.796	2.695	2.488
469.9	1.314	2.408	2.736	2.783	2.684	2.480
473.5	1.306	2.395	2.722	2.770	2.673	2.471
477.0	1.298	2.383	2.709	2.757	2.662	2.462
480.6	1.290	2.371	2.696	2.745	2.652	2.454
484.6	1.282	2.357	2.681	2.731	2.640	2.444
488.6	1.273	2.344	2.667	2.718	2.628	2.435

TABLE OF DISPLACEMENT VS KN

Trim = 0.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
492.6	1.265	2.329	2.652	2.705	2.617	2.426
496.6	1.257	2.312	2.635	2.689	2.604	2.417
500.6	1.249	2.296	2.618	2.674	2.592	2.407
504.6	1.242	2.280	2.602	2.659	2.579	2.397
508.6	1.234	2.264	2.586	2.645	2.566	2.387
512.6	1.226	2.249	2.570	2.630	2.554	2.378
516.5	1.219	2.234	2.555	2.616	2.542	2.368
520.2	1.213	2.220	2.541	2.603	2.531	2.360
523.8	1.206	2.207	2.527	2.591	2.521	2.352
527.4	1.200	2.194	2.514	2.579	2.510	2.344
531.0	1.193	2.181	2.501	2.567	2.500	2.335
534.6	1.187	2.168	2.488	2.553	2.488	2.326
538.2	1.181	2.155	2.472	2.539	2.476	2.317
541.8	1.175	2.143	2.457	2.526	2.465	2.308
545.4	1.169	2.127	2.442	2.512	2.454	2.299
549.0	1.163	2.112	2.428	2.499	2.443	2.291
552.6	1.157	2.097	2.413	2.486	2.432	2.282
556.2	1.152	2.082	2.399	2.473	2.421	2.274
559.8	1.146	2.068	2.385	2.461	2.410	2.265
563.4	1.141	2.053	2.371	2.448	2.400	2.257
567.0	1.135	2.039	2.357	2.436	2.389	2.248
570.6	1.130	2.025	2.343	2.424	2.378	2.239
574.2	1.125	2.011	2.330	2.410	2.366	2.230
577.8	1.120	1.997	2.317	2.397	2.355	2.222
581.4	1.114	1.984	2.302	2.383	2.344	2.213
585.0	1.109	1.971	2.287	2.370	2.332	2.204
588.6	1.104	1.957	2.271	2.356	2.321	2.196
592.2	1.099	1.944	2.257	2.343	2.310	2.187
595.8	1.095	1.930	2.242	2.330	2.300	2.179
599.3	1.090	1.915	2.227	2.317	2.289	2.171
602.9	1.085	1.900	2.213	2.305	2.279	2.162
606.5	1.080	1.885	2.199	2.292	2.267	2.153
610.1	1.075	1.870	2.185	2.280	2.256	2.144
613.7	1.070	1.856	2.171	2.267	2.244	2.135
617.3	1.065	1.841	2.157	2.253	2.233	2.126
620.9	1.061	1.827	2.144	2.240	2.222	2.118
624.5	1.056	1.813	2.129	2.226	2.211	2.109
628.5	1.051	1.798	2.112	2.211	2.198	2.100
632.5	1.046	1.783	2.095	2.197	2.186	2.091
636.5	1.041	1.767	2.079	2.182	2.174	2.081
640.5	1.036	1.753	2.062	2.168	2.163	2.071
644.6	1.031	1.738	2.046	2.154	2.150	2.061
648.6	1.026	1.722	2.030	2.140	2.137	2.051
652.6	1.020	1.705	2.014	2.126	2.124	2.041
656.6	1.015	1.689	1.998	2.110	2.111	2.032
660.6	1.009	1.674	1.983	2.095	2.099	2.022
664.2	1.004	1.660	1.969	2.082	2.088	2.014
667.8	1.000	1.646	1.955	2.068	2.077	2.005
671.4	0.995	1.632	1.940	2.055	2.066	1.996
675.0	0.990	1.619	1.925	2.042	2.056	1.987
678.5	0.985	1.605	1.910	2.029	2.045	1.978
682.1	0.981	1.592	1.895	2.016	2.033	1.970

TABLE OF DISPLACEMENT VS KN

Trim = 0.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
685.7	0.976	1.579	1.880	2.003	2.022	1.961
689.3	0.972	1.566	1.865	1.991	2.010	1.952
692.9	0.967	1.553	1.851	1.978	1.999	1.944
696.5	0.962	1.540	1.837	1.964	1.987	1.935
700.1	0.957	1.526	1.822	1.950	1.976	1.927
703.7	0.951	1.512	1.808	1.937	1.965	1.918
707.3	0.945	1.499	1.794	1.923	1.954	1.909
710.9	0.940	1.485	1.780	1.910	1.943	1.900
714.5	0.934	1.472	1.765	1.897	1.933	1.891
718.1	0.929	1.459	1.750	1.884	1.921	1.882
721.7	0.923	1.446	1.734	1.871	1.909	1.873
725.3	0.918	1.433	1.719	1.858	1.898	1.864
728.9	0.913	1.420	1.704	1.845	1.886	1.856
732.5	0.907	1.408	1.690	1.832	1.875	1.847
736.1	0.902	1.395	1.675	1.818	1.864	1.839
739.7	0.897	1.383	1.661	1.804	1.853	1.830
743.3	0.891	1.370	1.646	1.791	1.842	1.821
746.9	0.884	1.357	1.632	1.777	1.831	1.812
750.5	0.878	1.344	1.618	1.764	1.820	1.803

TABLE OF DISPLACEMENT VS KN

Trim = 1.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
302.8	1.807	2.901	3.289	3.321	3.159	2.857
306.2	1.795	2.890	3.276	3.310	3.149	2.850
309.7	1.782	2.879	3.263	3.300	3.138	2.843
313.2	1.770	2.868	3.251	3.290	3.128	2.835
316.7	1.758	2.858	3.239	3.280	3.119	2.826
320.1	1.746	2.848	3.227	3.270	3.109	2.818
323.6	1.734	2.837	3.216	3.258	3.099	2.810
327.1	1.723	2.825	3.204	3.246	3.090	2.802
330.5	1.711	2.812	3.193	3.234	3.081	2.794
334.0	1.699	2.799	3.182	3.221	3.072	2.787
337.5	1.686	2.786	3.172	3.210	3.062	2.779
341.0	1.674	2.773	3.161	3.198	3.051	2.772
344.4	1.663	2.761	3.151	3.187	3.040	2.765
347.9	1.651	2.748	3.140	3.176	3.030	2.756
351.7	1.639	2.735	3.125	3.164	3.019	2.747
355.5	1.627	2.723	3.111	3.152	3.008	2.738
359.2	1.615	2.710	3.097	3.141	2.997	2.729
363.0	1.603	2.698	3.083	3.130	2.987	2.720
366.8	1.592	2.686	3.069	3.116	2.976	2.711
370.6	1.581	2.674	3.056	3.102	2.966	2.703
374.3	1.570	2.663	3.043	3.088	2.956	2.694
378.1	1.559	2.652	3.030	3.075	2.944	2.686
381.9	1.549	2.637	3.017	3.062	2.932	2.678
385.6	1.538	2.622	3.005	3.049	2.920	2.669
389.4	1.527	2.608	2.993	3.036	2.909	2.659
393.2	1.516	2.593	2.981	3.024	2.898	2.650
397.0	1.505	2.580	2.966	3.012	2.887	2.641
400.7	1.495	2.566	2.951	3.000	2.876	2.632
404.5	1.484	2.553	2.936	2.988	2.865	2.624
408.3	1.474	2.540	2.921	2.974	2.855	2.615
412.0	1.464	2.527	2.907	2.960	2.845	2.607
415.8	1.454	2.514	2.893	2.946	2.833	2.599
419.6	1.444	2.502	2.879	2.933	2.820	2.590
423.3	1.435	2.490	2.865	2.919	2.809	2.581
427.1	1.425	2.478	2.852	2.906	2.797	2.571
430.9	1.416	2.466	2.839	2.894	2.786	2.562
434.6	1.407	2.452	2.826	2.881	2.774	2.553
438.4	1.398	2.437	2.813	2.868	2.763	2.544
441.9	1.390	2.423	2.801	2.857	2.753	2.536
445.4	1.381	2.410	2.786	2.846	2.743	2.528
448.9	1.373	2.396	2.772	2.834	2.734	2.520
452.3	1.364	2.383	2.758	2.820	2.724	2.513
455.8	1.356	2.370	2.744	2.807	2.712	2.505
459.3	1.348	2.358	2.731	2.795	2.701	2.496
462.8	1.340	2.345	2.717	2.782	2.690	2.487
466.2	1.332	2.333	2.704	2.770	2.680	2.479
469.7	1.324	2.320	2.691	2.757	2.669	2.470
473.2	1.316	2.308	2.678	2.745	2.658	2.462
476.7	1.309	2.297	2.666	2.733	2.648	2.454
480.2	1.301	2.285	2.653	2.722	2.638	2.446
483.6	1.294	2.273	2.641	2.710	2.628	2.438
487.4	1.286	2.261	2.628	2.698	2.617	2.429
491.2	1.278	2.247	2.613	2.684	2.606	2.421

TABLE OF DISPLACEMENT VS KN

Trim = 1.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
495.0	1.270	2.232	2.597	2.670	2.594	2.411
498.8	1.263	2.217	2.581	2.655	2.582	2.402
502.6	1.255	2.202	2.566	2.641	2.570	2.393
506.4	1.247	2.187	2.551	2.628	2.558	2.383
510.1	1.238	2.173	2.536	2.614	2.547	2.374
513.9	1.231	2.158	2.521	2.601	2.535	2.365
517.7	1.223	2.144	2.507	2.588	2.524	2.357
521.5	1.215	2.130	2.492	2.575	2.513	2.348
525.3	1.207	2.117	2.478	2.562	2.502	2.339
529.1	1.200	2.103	2.465	2.549	2.491	2.331
532.9	1.193	2.090	2.451	2.536	2.479	2.321
536.6	1.185	2.077	2.437	2.522	2.467	2.312
540.4	1.178	2.064	2.421	2.507	2.455	2.302
544.2	1.171	2.052	2.405	2.493	2.443	2.293
548.0	1.164	2.037	2.390	2.479	2.431	2.284
551.7	1.157	2.022	2.374	2.466	2.420	2.275
555.5	1.151	2.007	2.359	2.452	2.409	2.266
559.3	1.144	1.993	2.344	2.439	2.397	2.258
563.1	1.136	1.978	2.329	2.425	2.386	2.249
566.8	1.129	1.964	2.315	2.412	2.375	2.241
570.6	1.122	1.949	2.300	2.400	2.364	2.231
574.4	1.115	1.935	2.286	2.387	2.352	2.222
578.2	1.108	1.922	2.272	2.373	2.340	2.212
582.0	1.101	1.908	2.258	2.358	2.328	2.203
585.7	1.094	1.894	2.243	2.344	2.316	2.194
589.5	1.088	1.881	2.227	2.330	2.304	2.185
593.3	1.081	1.868	2.211	2.316	2.293	2.176
597.1	1.074	1.855	2.196	2.302	2.281	2.167
600.9	1.068	1.842	2.180	2.289	2.270	2.159
604.7	1.062	1.828	2.165	2.275	2.259	2.150
608.4	1.055	1.813	2.150	2.262	2.248	2.140
612.2	1.049	1.798	2.135	2.249	2.236	2.131
616.0	1.043	1.784	2.120	2.236	2.224	2.122
619.8	1.036	1.770	2.106	2.222	2.212	2.112
623.3	1.029	1.757	2.092	2.209	2.201	2.104
626.8	1.023	1.744	2.079	2.196	2.190	2.096
630.3	1.017	1.731	2.066	2.183	2.179	2.087
633.7	1.011	1.718	2.052	2.170	2.169	2.079
637.2	1.005	1.706	2.037	2.157	2.158	2.071
640.7	0.999	1.694	2.023	2.144	2.148	2.063
644.2	0.993	1.681	2.008	2.132	2.138	2.054
647.7	0.987	1.669	1.994	2.119	2.127	2.046
651.2	0.981	1.657	1.980	2.107	2.117	2.037
654.7	0.976	1.646	1.966	2.095	2.105	2.028
658.2	0.970	1.633	1.952	2.083	2.094	2.020
661.7	0.965	1.620	1.938	2.071	2.083	2.012
665.2	0.959	1.606	1.924	2.057	2.072	2.003
668.9	0.953	1.592	1.910	2.043	2.060	1.994
672.7	0.946	1.579	1.895	2.029	2.049	1.986
676.5	0.939	1.565	1.881	2.015	2.037	1.977
680.3	0.933	1.551	1.867	2.001	2.026	1.968
684.1	0.926	1.538	1.851	1.987	2.015	1.958
687.8	0.919	1.524	1.835	1.973	2.004	1.949

TABLE OF DISPLACEMENT VS KN

Trim = 1.5 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
691.6	0.913	1.511	1.819	1.960	1.992	1.939
695.4	0.907	1.498	1.804	1.947	1.979	1.930
699.2	0.900	1.485	1.789	1.933	1.967	1.921
702.9	0.894	1.473	1.774	1.920	1.955	1.912
706.7	0.888	1.460	1.759	1.906	1.943	1.903
710.5	0.882	1.447	1.744	1.892	1.932	1.894
714.3	0.876	1.433	1.729	1.877	1.920	1.885
718.1	0.870	1.419	1.715	1.863	1.909	1.876
721.8	0.863	1.406	1.701	1.849	1.897	1.866
725.6	0.856	1.392	1.686	1.835	1.886	1.857
729.4	0.849	1.379	1.672	1.821	1.874	1.848
733.2	0.842	1.366	1.656	1.808	1.862	1.838
737.0	0.836	1.353	1.641	1.794	1.850	1.829
740.8	0.829	1.340	1.626	1.781	1.838	1.820
744.6	0.822	1.327	1.611	1.768	1.826	1.811
748.3	0.816	1.314	1.596	1.754	1.814	1.802
752.1	0.809	1.302	1.581	1.739	1.802	1.793

TABLE OF DISPLACEMENT VS KN

Trim = 2.0 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
302.4	1.735	2.837	3.239	3.292	3.141	2.849
306.1	1.723	2.825	3.225	3.282	3.130	2.840
309.8	1.712	2.813	3.212	3.271	3.120	2.831
313.6	1.701	2.801	3.200	3.261	3.109	2.822
317.3	1.690	2.789	3.187	3.249	3.100	2.813
321.1	1.679	2.778	3.175	3.236	3.090	2.805
324.8	1.669	2.765	3.163	3.223	3.080	2.796
328.5	1.658	2.750	3.152	3.210	3.071	2.788
332.3	1.646	2.735	3.140	3.198	3.060	2.780
336.0	1.635	2.720	3.129	3.186	3.048	2.772
339.6	1.624	2.707	3.119	3.174	3.037	2.765
343.1	1.614	2.694	3.108	3.163	3.027	2.757
346.7	1.604	2.681	3.094	3.152	3.016	2.748
350.2	1.594	2.669	3.081	3.142	3.006	2.739
353.8	1.584	2.656	3.068	3.131	2.996	2.731
357.3	1.575	2.644	3.055	3.121	2.986	2.723
360.8	1.565	2.633	3.042	3.108	2.977	2.715
364.4	1.556	2.621	3.030	3.095	2.967	2.707
367.9	1.547	2.610	3.018	3.083	2.958	2.699
371.5	1.538	2.599	3.006	3.070	2.948	2.692
375.0	1.529	2.588	2.994	3.058	2.936	2.684
378.6	1.521	2.575	2.983	3.046	2.925	2.677
382.1	1.513	2.560	2.971	3.034	2.914	2.668
385.7	1.504	2.546	2.960	3.023	2.904	2.659
389.5	1.494	2.532	2.949	3.010	2.892	2.650
393.3	1.484	2.517	2.933	2.998	2.881	2.641
397.2	1.474	2.503	2.918	2.987	2.871	2.632
401.0	1.464	2.489	2.903	2.975	2.860	2.623
404.8	1.455	2.475	2.889	2.961	2.849	2.614
408.7	1.446	2.462	2.874	2.946	2.839	2.606
412.5	1.436	2.448	2.860	2.932	2.827	2.598
416.3	1.428	2.436	2.846	2.919	2.815	2.589
420.2	1.419	2.423	2.833	2.905	2.803	2.579
424.0	1.410	2.410	2.820	2.892	2.791	2.570
427.8	1.402	2.398	2.807	2.879	2.780	2.560
431.7	1.394	2.386	2.794	2.867	2.768	2.551
435.5	1.385	2.372	2.781	2.854	2.757	2.542
439.1	1.378	2.357	2.769	2.843	2.747	2.534
442.6	1.370	2.344	2.754	2.831	2.737	2.526
446.2	1.362	2.330	2.740	2.819	2.727	2.518
449.8	1.353	2.316	2.725	2.806	2.717	2.510
453.4	1.345	2.303	2.711	2.792	2.705	2.502
456.9	1.336	2.290	2.698	2.779	2.694	2.493
460.5	1.328	2.277	2.684	2.766	2.683	2.484
464.1	1.320	2.265	2.671	2.754	2.672	2.475
467.6	1.312	2.252	2.657	2.741	2.661	2.467
471.2	1.304	2.240	2.644	2.729	2.650	2.458
474.8	1.296	2.228	2.632	2.717	2.640	2.450
478.3	1.289	2.216	2.619	2.705	2.629	2.442
481.9	1.281	2.205	2.607	2.693	2.619	2.434
485.5	1.274	2.193	2.594	2.681	2.609	2.426
489.1	1.267	2.182	2.581	2.669	2.599	2.418

TABLE OF DISPLACEMENT VS KN

Trim = 2.0 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
492.6	1.259	2.169	2.566	2.656	2.588	2.409
496.2	1.252	2.155	2.552	2.642	2.576	2.400
499.7	1.245	2.141	2.537	2.629	2.565	2.391
503.3	1.238	2.128	2.523	2.616	2.554	2.382
506.9	1.230	2.114	2.509	2.603	2.543	2.374
510.4	1.222	2.101	2.495	2.591	2.532	2.365
514.0	1.214	2.088	2.481	2.578	2.522	2.357
517.6	1.206	2.076	2.468	2.566	2.511	2.349
521.1	1.199	2.063	2.455	2.554	2.501	2.340
524.7	1.191	2.051	2.442	2.542	2.490	2.332
528.3	1.184	2.039	2.429	2.530	2.480	2.324
531.8	1.176	2.027	2.416	2.518	2.469	2.316
535.4	1.169	2.015	2.403	2.505	2.458	2.307
539.2	1.162	2.002	2.388	2.490	2.446	2.297
543.1	1.154	1.990	2.372	2.476	2.434	2.288
546.9	1.146	1.977	2.356	2.462	2.422	2.279
550.7	1.139	1.963	2.341	2.448	2.410	2.270
554.6	1.132	1.949	2.325	2.434	2.398	2.261
558.4	1.125	1.934	2.310	2.420	2.387	2.252
562.3	1.117	1.920	2.295	2.407	2.376	2.243
566.1	1.109	1.906	2.280	2.394	2.365	2.235
569.9	1.101	1.893	2.266	2.381	2.354	2.225
573.8	1.093	1.879	2.251	2.368	2.342	2.215
577.6	1.085	1.866	2.237	2.355	2.329	2.206
581.4	1.078	1.852	2.223	2.340	2.317	2.197
585.3	1.070	1.839	2.209	2.325	2.305	2.187
588.9	1.063	1.827	2.195	2.312	2.294	2.179
592.4	1.056	1.815	2.180	2.299	2.283	2.171
596.0	1.049	1.804	2.165	2.286	2.272	2.162
599.6	1.043	1.792	2.150	2.273	2.262	2.154
603.2	1.036	1.780	2.135	2.260	2.251	2.146
606.8	1.029	1.768	2.121	2.248	2.241	2.137
610.3	1.023	1.755	2.107	2.235	2.231	2.128
613.9	1.016	1.742	2.093	2.223	2.219	2.120
617.5	1.010	1.729	2.079	2.211	2.208	2.111
621.1	1.003	1.716	2.065	2.199	2.196	2.102
624.7	0.996	1.703	2.052	2.185	2.185	2.093
628.2	0.989	1.690	2.038	2.171	2.174	2.085
631.8	0.982	1.678	2.025	2.158	2.163	2.076
635.4	0.975	1.666	2.012	2.144	2.152	2.068
639.2	0.968	1.653	1.996	2.130	2.140	2.059
643.1	0.961	1.640	1.980	2.116	2.129	2.051
646.9	0.954	1.627	1.965	2.103	2.118	2.041
650.8	0.947	1.614	1.949	2.089	2.106	2.031
654.6	0.940	1.602	1.933	2.075	2.094	2.022
658.5	0.933	1.590	1.918	2.062	2.082	2.012
662.3	0.926	1.576	1.903	2.049	2.070	2.003
666.2	0.920	1.563	1.888	2.036	2.058	1.994
670.0	0.913	1.549	1.873	2.021	2.046	1.985
673.9	0.907	1.535	1.859	2.006	2.034	1.976
677.7	0.899	1.522	1.844	1.992	2.022	1.967
681.6	0.892	1.509	1.830	1.977	2.011	1.958

TABLE OF DISPLACEMENT VS KN

Trim = 2.0 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
685.4	0.885	1.495	1.816	1.963	1.999	1.949
688.7	0.879	1.484	1.803	1.951	1.989	1.940
692.0	0.873	1.473	1.790	1.939	1.980	1.932
695.3	0.867	1.462	1.776	1.928	1.970	1.924
698.6	0.861	1.452	1.763	1.916	1.959	1.916
701.9	0.855	1.441	1.750	1.905	1.948	1.908
705.2	0.849	1.430	1.737	1.893	1.938	1.900
708.5	0.844	1.420	1.725	1.882	1.927	1.892
711.8	0.838	1.409	1.712	1.870	1.917	1.884
715.1	0.832	1.398	1.699	1.857	1.907	1.877
718.4	0.827	1.386	1.687	1.845	1.897	1.869
721.7	0.821	1.375	1.675	1.833	1.887	1.861
725.0	0.816	1.363	1.663	1.820	1.877	1.853
728.3	0.810	1.352	1.650	1.808	1.867	1.845
731.6	0.803	1.341	1.638	1.796	1.857	1.836
734.5	0.798	1.331	1.628	1.786	1.849	1.829
737.3	0.793	1.322	1.617	1.776	1.840	1.822
740.2	0.788	1.312	1.606	1.765	1.830	1.815
743.0	0.783	1.303	1.595	1.755	1.821	1.809
745.9	0.777	1.294	1.584	1.745	1.812	1.802
748.7	0.772	1.285	1.573	1.735	1.803	1.795
751.6	0.767	1.275	1.562	1.726	1.794	1.788

Condition # 1: Lightship

Item	Weight	VCG	Vert Mom	LCG	Long Mom	TCG	T Mom	FSM
	Tonnes	M	T-M	M	T-M	M	MT-M	T-M

LIGHTSHIP	338.60	2.47	836.34	3.98	1347.63	0.24	81.26	0.00
------------------	--------	------	--------	------	---------	------	-------	------

DISPLACEMENT	338.60	2.47	836.34	3.98	1347.63	0.24	81.26	-----
---------------------	---------------	-------------	---------------	-------------	----------------	-------------	--------------	--------------

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims		
MCT1Cm	9.82	T-M	MeanDraft	0.95	M
LCF	0.76	M	Draft (Aft)	1.68	M
LCB	4.09	M	Draft (Fwd)	0.22	M
TPCm	3.67	T			
Metacentric Height					
KMt	10.01	M			
KG	2.47	M			
KGo	2.47	M			
GoMt	7.54	M	Trim	1.46	M

List Angle	1.82	Deg
-------------------	-------------	------------

Condition # 1: Lightship

Displacement	338.60 T
VCG	2.47 M
TCG	0.24 M
GM	7.54 M

Righting Arm Curve


		0	10	20	30	40	50
KN	M	0.000	1.674	2.773	3.161	3.198	3.051
KG Sin(q)	M	0.000	0.429	0.845	1.235	1.588	1.892
TCG Cos(q)	M	0.240	0.236	0.226	0.208	0.184	0.154
GZ	M	-0.240	1.009	1.703	1.718	1.426	1.005
Windarm	M	0.036	0.036	0.034	0.031	0.028	0.023

Calculation of Wind heeling

Item	Area M ²	Lever T	Moment M ³
Hull upto Hatch Coaming	65.70	1.43	93.62
Crane	30.05	4.28	128.76
Total	95.75	2.32	222.38

Wind Force	5.28	T
Wind Moment	12.25	T-M
Wind Heeling Lever (lw1)	0.036	M

Condition # 1: Lightship



Max GZ	1.80	M Occurs at	25.00	Deg
Area upto Angle of Max.GZ	0.46	M-RAD	Criteria	
			0.08	M-RAD
Range of Stability	>50	Deg	20.00	Deg
Angle of 1/2 Freeboard immersion (a)	9.73	Deg	a > b	
Static Angle of Heel (b)	0.30	Deg		
List Angle	1.82	Deg		

Condition # 2: Lightship + Crane

Item	Weight	VCG	Vert Mom	LCG	Long Mom	TCG	T Mom	FSM
	Tonnes	M	T-M	M	T-M	M	T-M	T-M
WATER TANKS								
TANK NO. 01	0.00	2.08	0.00	-8.25	0.00	0.00	0.00	0.00
TANK NO. 02	0.00	2.08	0.00	0.75	0.00	0.00	0.00	0.00
TANK NO. 03	0.00	2.08	0.00	9.75	0.00	0.00	0.00	0.00
CRANE								
	56.88	4.75	270.18	14.00	796.32	0.00	0.00	0.00
LIFT WEIGHT								
	0.00	34.18	0.00	14.00	0.00	0.00	0.00	0.00

LIGHTSHIP	338.60	2.47	836.34	3.98	1347.63	0.24	81.26	0.00
------------------	--------	------	--------	------	---------	------	-------	------

DISPLACEMENT	395.48	2.80	1106.52	5.42	2143.95	0.21	81.26	0.00
---------------------	---------------	-------------	----------------	-------------	----------------	-------------	--------------	-------------

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims		
MCT1Cm	9.79	T	MeanDraft	1.10	M
LCF	0.78	M	Draft (Aft)	2.22	M
LCB	4.83	M	Draft (Fwd)	-0.02	M
TPCm	3.66	T/Cm			
Metacentric Height					
KMt	8.75	M			
KG	2.80	M			
KGo	2.80	M			
GoMt	5.96	M	Trim	2.24	M

List Angle	1.98	Deg
-------------------	-------------	------------

Condition # 2: Lightship + Crane

Displacement	395.48 T
VCG	2.80 M
TCG	0.21 M
GM	5.96 M

Righting Arm Curve


		0	10	20	30	40	50
KN	M	0.000	1.474	2.503	2.918	2.987	2.871
KG Sin(q)	M	0.000	0.486	0.957	1.399	1.798	2.143
TCG Cos(q)	M	0.205	0.202	0.193	0.178	0.157	0.132
GZ	M	-0.205	0.786	1.353	1.341	1.031	0.596
Windarm	M	0.030	0.029	0.028	0.026	0.023	0.019

Calculation of Wind heeling

Item	Area M ²	Lever T	Moment M ³
Hull upto Hatch Coaming	60.22	1.43	85.82
Crane	30.05	4.28	128.76
Total	90.27	2.38	214.58

Wind Force	4.97	T
Wind Moment	11.82	T-M
Wind Heeling Lever (lw1)	0.030	M

Condition # 2: Lightship + Crane



Max GZ	1.400	M Occurs at	24.00	Deg
Area upto Angle of Max.GZ	0.34	M-RAD	0.08	M-RAD
Range of Stability	>50	Deg	20.00	Deg
Angle of 1/2 Freeboard immersion (a)	8.93	Deg	a > b	
Static Angle of Heel (b)	0.29	Deg		
List Angle	1.98	Deg		

Condition # 3: Lightship + Crane operating along starboardside(Operating radius - 7.62m)

Item	Weight	VCG	Vert Mom	LCG	Long Mom	TCG	T Mom	FSM
	Tonnes	M	T-M	M	T-M	M	T-M	T-M
WATER TANKS								
TANK NO. 01	177.44	2.08	368.19	-8.25	-1463.88	0.00	0.00	472.11
TANK NO. 02	0.00	2.08	0.00	0.75	0.00	0.00	0.00	0.00
TANK NO. 03	0.00	2.08	0.00	9.75	0.00	0.00	0.00	0.00
CRANE								
	56.88	4.75	270.18	14.00	796.32	0.00	0.00	0.00
LIFT WEIGHT								
	14.52	34.18	496.29	14.00	203.28	7.62	110.64	0.00
LIGHTSHIP								
	338.60	2.47	836.34	3.98	1347.63	0.24	81.26	0.00
DISPLACEMENT	587.44	3.36	1971.00	1.50	883.35	0.33	191.91	472.11

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims		
MCT1Cm	9.94	T	MeanDraft	1.65	M
LCF	0.69	M	Draft (Aft)	2.06	M
LCB	0.96	M	Draft (Fwd)	1.23	M
TPCm	3.68	T/Cm			
Metacentric Height					
KMt	6.28	M			
KG	3.36	M			
KGo	4.16	M			
GoMt	2.12	M	Trim	0.82	M

Angle of Heel due to Weight lifted towards Starboardside 8.74 Deg

Condition # 3: Lightship + Crane operating along starboardside(Operating radius - 7.62m)

Displacement	587.44 T
VCG	3.36 M
TCG	0.33 M
GM	2.12 M

Righting Arm Curve


		0	10	20	30	40	50
KN	M	0.000	1.104	1.957	2.271	2.356	2.321
KG Sin(q)	M	0.000	0.583	1.148	1.678	2.157	2.570
TCG Cos(q)	M	0.327	0.322	0.307	0.283	0.250	0.210
GZ	M	-0.327	0.200	0.502	0.310	-0.051	-0.459
Windarm	M	0.017	0.016	0.016	0.014	0.013	0.011

Calculation of Wind heeling

Item	Area M ²	Lever T	Moment M ³
Hull upto Hatch Coaming	35.40	1.38	48.67
Crane	30.05	4.28	128.76
Total	65.44	2.71	177.43

Wind Force	3.61	T
Wind Moment	9.78	T-M
Wind Heeling Lever (lw1)	0.017	M

Condition # 3: Lightship + Crane operating along starboardside(Operating radius - 7.62m)



Max GZ	0.500	M Occurs at	20.00	Deg
Area upto Angle of Max.GZ	0.08	M-RAD	Criteria	
			0.08	M-RAD
Range of Stability	39	Deg	20.00	Deg
Angle of 1/2 Freeboard immersion (a)	6.01	Deg	a > b	
Static Angle of Heel (b)	0.50	Deg		
Angle of Heel due to Weight lifted towards Starboard Side	8.74	Deg		

Condition # 4: Lightship + Crane operating along Centreline

Item	Weight	VCG	Vert Mom	LCG	Long Mom	TCG	T Mom	FSM
	Tonnes	M	T-M	M	T-M	M	T-M	T-M
WATER TANKS								
TANK NO. 01	177.44	2.08	368.19	-8.25	-1463.88	0.00	0.00	472.11
TANK NO. 02	0.00	2.08	0.00	0.75	0.00	0.00	0.00	0.00
TANK NO. 03	0.00	2.08	0.00	9.75	0.00	0.00	0.00	0.00
CRANE								
	56.88	4.75	270.18	14.00	796.32	0.00	0.00	0.00
LIFT WEIGHT								
	14.52	34.18	496.29	7.43	107.88	0.00	0.00	0.00
LIGHTSHIP								
	338.60	2.47	836.34	3.98	1347.63	0.24	81.26	0.00
DISPLACEMENT	587.44	3.36	1971.00	1.34	787.95	0.14	81.26	472.11

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims		
MCT1Cm	9.94	T	MeanDraft	1.65	M
LCF	0.69	M	Draft (Aft)	2.01	M
LCB	0.96	M	Draft (Fwd)	1.28	M
TPCm	3.68	T/Cm			
Metacentric Height					
KMt	6.28	M			
KG	3.36	M			
KGo	4.16	M			
GoMt	2.12	M	Trim	0.73	M

Angle of Heel due to Weight lifted Along Centreline

3.73 Deg

Condition # 4: Lightship + Crane operating along Centreline

Displacement	587.44 T
VCG	3.36 M
TCG	0.14 M
GM	2.12 M


Righting Arm Curve

		0	10	20	30	40	50
KN	M	0.000	1.104	1.957	2.271	2.356	2.321
KG Sin(q)	M	0.000	0.583	1.148	1.678	2.157	2.570
TCG Cos(q)	M	0.138	0.136	0.130	0.120	0.106	0.089
GZ	M	-0.138	0.385	0.679	0.474	0.093	-0.338
Windarm	M	0.017	0.016	0.016	0.014	0.013	0.011

Calculation of Wind heeling

Item	Area M ²	Lever T	Moment M ³
Hull upto Hatch Coaming	35.40	1.38	48.67
Crane	30.05	4.28	128.76
Total	65.44	2.71	177.43

Wind Force	3.61	T
Wind Moment	9.78	T-M
Wind Heeling Lever (lw1)	0.017	M

Condition # 4: Lightship + Crane operating along Centreline

Max GZ	0.700	M Occurs at	20.00	Deg
Area upto Angle of Max.GZ	0.13	M-RAD	0.08	M-RAD
Range of Stability	41.00	Deg	20.00	Deg
Angle of 1/2 Freeboard immersion (a)	6.01	Deg	a > b	
Static Angle of Heel (b)	0.50	Deg		
Angle of Heel due to Weight lifted Along Centreline	3.73	Deg		

LIGHTSHIP PARTICULARS

Lightship Displacement	=	338.60	T
VCG	=	2.47	m Above Base Line
LCG	=	3.98	m from Midship
TCG	=	0.24	m from Centreline