

TRIM AND STABILITY BOOKLET OF M.V.ZARAH- II

Type of Vessel: Cargo Barge

Rev.	Description	Date	Prepared	Review
Owner : Arcadi Shipping Pvt. Ltd. Vessel : M.V.ZARAH - II				
Doc No: CM - 08-1532-503/02		Rev	Document Title:	
Scale		Size	Sheet	Date
NTS		A4	1 of 86	18 -11 -08
		TRIM & STABILITY BOOKLET		
			Prepared	SM
			Checked	KA
			Review 1	NK
			Review 2	JK
This Booklet contains Total 86 Pages inclusive of Cover Page.				
Prepared By :				
				
511, Hermes Atrium, Sector - 11, CBD Belapur, Navi Mumbai- 400 614 INDIA Tel: +91 22 27564132/33, +91 22 40363999 Fax: +91 22 27564629 E-mail: info@cybermarine.net Website: www.cybermarine.net				

CONTENTS

	Page Nos
General	
1 General Particulars	03
2 Stability Criteria	04
3 Notes to Master	05
4 Worked Out Examples	06
5 Definitions, List of Symbols & Sign Convention	11
6 Metric Conversion Table	12
Ship's Data	
1 Angle of Downflooding	13
2 Capacity Plan & Table	15
3 Deadweight Constants	17
4 Tables of Hydrostatic Particulars	18
5 Definition of KN	43
6 Volume used for KN computation	44
7 Displacement Vs KN Tables	45
8 Deadweight Table	65
9 Table of Maximum Permissible KG	70
Loading Conditions	
1. Cond # 1 - Lightship	71
2. Cond # 2 - Fully Loaded Departure with 100% Consumables	74
3. Cond # 3 - Fully Loaded Arrival with 10% Consumables	77
4. Cond # 4 - Ballast Departure with 100% Consumables	80
5. Cond # 5 - Ballast Arrival with 10% Consumables	83
Appendix	
II Lightship Particulars	86

General Particulars

Name of the Vessel	:	M.V. ZARAH - II
Owners	:	Arcadia Shipping.Pvt.Ltd
Type	:	Cargo Barge.

Principal Particulars

Length Overall	:	60.00	M
L B P	:	57.16	M
Breadth (mld)	:	12.50	M
Depth (mld)	:	4.00	M
Draft (ext)	:	3.012	M
Displacement	:	1958.20	T
Lightship	:	512.40	T
Deadweight	:	1445.80	T

STABILITY CRITERIA

Intact Stability Primary Criterion

- a) The Initial Metacentric Height (GM_0) should not be less than 0.15 meters.
- b) The righting lever (GZ) should be at least 0.20 meters at an angle of heel equal to or greater than 30 Degrees.
- c) The maximum righting lever (GZ) should occur at an angle of heel equal to or greater than 25 Degrees.
- d) The area under the righting lever (GZ) curve should not be less than:
 - i - 0.055 meter-radians upto an angle of 30 Degrees angle of Heel or
 - ii - 0.090 meter-radians upto an angle of heel of 40 Degrees or of flooding θ_f if this angle is less than 40 Degrees. Downflooding Angle
 - The angle of flooding θ_f is the angle at which lower edge of any openings in the hull superstructures or deckhouses, being openings, which cannot be closed, watertight and which are likely to cause progressive flooding are immersed.
 - iii - 0.03 meter-radians between the angle of heel of 30 Degrees and 40 Degrees or between 30 Degrees and θ_f , if θ_f is less than 40 Degrees.

Special Criteria for Ship to Shore Operations during fair weather.

As a special consideration to the nature of operation during fair weather, the vessel should, as a minimum, comply with the following criteria: -

- 1) The Initial Metacentric Height (GM_0) should not be less than 0.30 meters.
- 2) The righting lever (GZ) should be at least 0.20 meters
- 3) The area under the righting lever (GZ) curve should not be less than:
 - 0.090 meter-radians upto an angle of down flooding θ_f or 40 deg. whichever is lesser
 - The angle of flooding θ_f is the angle at which lower edge of any openings in the hull superstructures or deckhouses, being openings, which cannot be closed, watertight and which are likely to cause progressive flooding are immersed.

Notes to the Master

General Precautions Against Capsizing

- 1 Compliance with the Stability Criteria indicated on Page 04 does not ensure immunity against capsizing regardless of the circumstances or absolve the Master from his responsibilities. Master should therefore exercise prudence and good seamanship having regard to the season of the year, Weather forecast and Navigational zones and should take appropriate action as to speed and course warranted by the prevailing circumstances.
- 2 Loading conditions shown in this booklet are typical of those which may be encountered in service and are worked out to be used for guidance only. Further the booklet contains sufficient data to enable the ship's staff to compute the ship's stability in various loading conditions.
- 3 Excessive trim by forward is to be avoided in all cases as this may lead to difficulties of maneuverability and course keeping as also infringe the minimum Bow-height requirements.
- 4 All longitudinal levers, namely LCB, LCG, and LCF are computed with reference to the Midship of Ship.
- 5 In this booklet hydrostatic particulars and cross curves are given at following trims.
-0.50m, 0.0m, 0.50m, 1.00m & 1.50m

These trims are the expected operational trims.

Notes On Use Of Cross Curves Of Stability

The purpose of the Cross-Curves of Stability is to enable Statical Stability curves to be drawn for the ship in any loading condition. Intact stability is then determined on the basis of this Curve. WORKED OUT EXAMPLE demonstrates the use of Cross Curves

Worked Out Examples

1 Loading the Vessel

List out the weights, LCG, VCG & FSM of each tank and work out longitudinal moment and vertical moment for each load and finally sum up the entire loads to get Displacement, LCG, VCG and FSM of the vessel.

For this worked out Example, (Cond # 4: Full Ballast Departure with 100% Consumables)

Displacement.....	634.82	T
LCG	3.792	M Aft of Midship.
VCG.....	3.821	M above Base Line.

2 Free Surface Correction

A tank, which is partially filled, adversely affects the stability of the vessel. This is known as Free Surface Effect and is expressed as 'Loss of GM' or 'Virtual Rise in KG' and is calculated as follows:

$$\text{Free Surface Correction (Meters)} = \frac{\text{Sum of Free Surface Moments of all Tanks}}{\text{Displacement of Vessel}}$$

$$\text{Free Surface moment for a Tank} = \text{Moment of Inertia (M}^4\text{) for all Tanks} \times \text{Density of Liquid in Tank}$$

$$\text{KGo (Fluid)} = \text{KG (Solid)} + \text{Free Surface Correction.}$$

Hydrostatic Particulars

Initially a loading condition is worked out using hydrostatic particulars at trim = 0.00 M, thus a trim for that particular loading condition is arrived at. The new hydrostatic particulars are then computed at the nearest trim to the one obtained above. These hydrostatic particulars are then used to work out the condition. The final trim is then obtained using the following formula.

$$\text{Trim} = (\text{LCG-LCB}) \times \text{displacement} / (\text{MCT} \times 100) + \text{Trim}^*$$

Where,

Trim* = Trim at which hydrostatic particulars have been computed.

Condition # 4: BALLAST DEPARTURE WITH 100% CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	40.2	3.283	131.89	29.71	1193.51	311.06
FORE PEAK TK. (C)	59.9	2.976	178.12	-26.58	-1591.04	85.14
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	10.0	3.044	30.44	27.60	276.04	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	4.9	2.621	12.84	25.49	124.89	1.36
FUEL OIL TANK (S)	4.9	2.621	12.84	25.49	124.89	1.36
3.CARGO HOLD						
CARGO HOLD	0.0	2.200	0.00	0.94	0.00	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	634.82	3.821	2425.61	3.792	2407.55	654.42

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	23.86	T.M	Draft _{KL} (Mean)	1.092 M
LCF	0.35	M	Draft _{KL} (AP)	1.569 M
LCB	0.21	M	Draft _{KL} (FP)	0.615 M
TPCm	6.42	T		
Metacentric Height				
KMt	13.66	M		
KG	3.82	M		
KGo	4.85	M		
GoMt	8.81	M	Trim	0.953 M

The condition shown above is worked out using Even Keel hydrostatic particulars.

As the trim is 0.994 m , the condition is reworked using Hydrostatic Particulars computed at trim nearest to the one obtain above i.e 1.000 m

Condition # 4: BALLAST DEPARTURE WITH 100% CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	40.2	3.283	131.89	29.71	1193.51	311.06
FORE PEAK TK. (C)	59.9	2.976	178.12	-26.58	-1591.04	85.14
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	10.0	3.044	30.44	27.60	276.04	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	4.9	2.621	12.84	25.49	124.89	1.36
FUEL OIL TANK (S)	4.9	2.621	12.84	25.49	124.89	1.36
3.CARGO HOLD						
CARGO HOLD	0.0	2.200	0.00	0.94	0.00	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	634.82	3.821	2425.61	3.792	2407.55	654.42

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	24.46	T.M	Draft _{KL} (Mean)	1.072 M
LCF	1.30	M	Draft _{KL} (AP)	1.533 M
LCB	4.09	M	Draft _{KL} (FP)	0.611 M
TPCm	6.47	T		
Metacentric Height				
KMt	14.13	M		
KG	3.82	M		
KGo	4.85	M		
GoMt	9.28	M	Trim	0.923 M

Trim is calculated as follows:

$$\text{Trim} = (\text{LCG} - \text{LCB}) \times \text{displacement} / (\text{MCT} \times 100) + \text{Trim}^*$$

Where Trim* is trim at which hydrostatics were calculated

Condition # 4: BALLAST DEPARTURE WITH 100% CONSUMABLES**Intact Stability (Primary Criterion)**


	OBTAINED	MIN REQUIRED
Displacement	634.82 T	
KGo	4.85 M	
GoMt	9.28 M	0.30 M

Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	2.210	3.552	4.137	4.327	4.224
KG Sin θ (M)	0.000	0.843	1.659	2.426	3.119	3.717
GZ (M)	0.000	1.367	1.893	1.711	1.208	0.507

	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	1.106 M-RAD	0.090 M-RED
Maximum GZ	1.910 M	0.200 M
Angle of Downflooding θ_f	40.60 Deg.	

Plot GZ values against the angles of heel as above. At 57.3 degree erect an ordinate equal to GM fluid on the same scale as GZ ordinates. Join the point to the origin. This is the Tangent to the GZ Curve at the Origin. Find the Maxima of GZ curve, ordinates under GZ curve upto 30 degrees, 40 degrees/angle of flooding & between 30 degrees to 40 degrees/angle of flooding. If maximum GZ occurs at an angle less than 30 degrees then area upto this angle must be calculated.



Worked Out Example Contd.

Mean Draft (KL)	1.072	M
LCF from Midship.....	1.30	M
LCB from Midship.....	4.09	M
MCT1Cm.....	24.46	T-M
Trim.....	0 .923	M
Draft (KL) (AP).....	1.533	M
Draft (KL) (FP).....	0.611	M
Mean Draft (KL).....	1.072	M
KMt.....	14.13	M
KG.....	3.82	M
KGo.....	4.85	M
GoMt.....	8.56	M

LOADLINE DRAFT : Check that Mean Draft (Midship) does not exceed the Summer Draft (Ext) for the corresponding season, as per the assigned loadline.

Definitions, Symbols and Sign Conventions

AP	at	Frame 4
FP	at	120 mm Fwd of Frame 57
Midship	at	960 mm Fwd of Frame 29
Frame Spacing		600 mm From Fr. 0 to Fr. 20
		2000 mm From Fr. 20 to Fr. 38
		600 mm From Fr.38 to F.E.

List Of Symbols

Symbol	Unit	Description
LOA	M	Length Overall
LBP	M	Length Between Perpendiculars
B(Mld)	M	Moulded Breadth
D(Mld)	M	Moulded Depth
TPCm	T	Tonnes per 1 Cm immersion
MCTCm	T-M	Moment to change Trim by 1 Cm
Draft K_L (AP)	M	Draft at AP w r t Keel Line
Draft K_L (FP)	M	Draft at FP w r t Keel Line
Draft K_L (Mean)	M	Draft wrt Keel Line at Midship
Draft K_L (Mean)	M	[Draft K_L (AP) + Draft K_L (FP)] x 0.5
VCG,KG	M	Vertical Center of Gravity above Base Line before correcting for free surface
KGo	M	Vertical Center of Gravity above Base Line after correcting for free surface
KB	M	Vertical Center of Buoyancy from Base Line
KMt	M	Transverse Metacenter above Base Line
GoMt	M	Transverse Metacenter above KGo
GZ	M	Righting Arm
FSM	T-M	Free Surface Moment
Sp.gr.		Specific Gravity
LCG	M	Longitudinal Centre of Gravity
LCB	M	Longitudinal Centre of Buoyancy
LCF	M	Longitudinal Centre of Floatation

Sign Convention

LCB, LCG, LCF	Fwd of Midship is negative and aft of Midship is positive.
Trim by Aft	Positive
Trim by Fwd	Negative

Metric Conversion Table

<u>MULTIPLY BY</u>	<u>TO CONVERT FROM</u>	<u>TO OBTAIN</u>	
0.03937	millimeters	Inches	25.400
0.39370	Centimeters	Inches	2.5400
3.28080	Meters	Feet	0.3050
2.20460	kilograms	Pounds	0.4540
0.00098	kilogram's	tons(2240 lb.)	1016.1
0.98420	Metric tonnes (i.e. tonnes of 1000 kg.)	tons(2240 lb.)	1.0160
2.49980	Metric tonnes per centimeter of immersion	tons per inch (immersion)	0.4000
8.20140	moment to change trim one centimeter one (tonne meter units)	moment to change trim inch(foot ton units)	0.1220
187.976	Meter Radians	Feet degrees	0.0053
	<u>TO OBTAIN</u>	<u>TO CONVERT FROM</u>	<u>MULTIPLY</u>

Relation between Weight and volume

10 mm cubed	1 Cubic Centimeter
1 Cubic Centimeter of Fresh Water (S.G.1.0)	1 Gram
1000 cubic centimeter of fresh Water (S.G.1.0)	1 Kilogram (1000 Gm.)
1 Cubic Meter of fresh water (S.G.1.0)	1 Tonne (1000 Kg.)
1 Cubic Meter of fresh water (S.G.1.0)	1 tonne
1 Cubic Meter of Salt water (S.G. 1.025)	1.025 Tonnes
1 Tonne of Salt Water (S.G.1.025)	0.975 Cubic Meters

Angle of Downflooding

- (I) The angle of flooding is the angle of immersion of the sill or coaming of the opening on or above the freeboard deck through which progressive downflooding can occur as the vessel heels.
- (II) If this opening has a weathertight closing device which cannot be kept closed and secured at all times while the vessel is underway (e.g. engine room air supply trunk), or has no weathertight closing device, progressive downflooding will occur when the sill of the opening immerses. This angle is to be marked on the GZ curve if it comes within the apparent positive range of the GZ curve, and the GZ curve terminates at this angle: i.e., the actual angle of flooding becomes the range of the GZ curve.

Opening	Position of Lower Sill

Hatch Coaming	5283 mm Above Baseline 4897 mm From CL


- (III) If an opening is fitted with a weathertight closing device which can be kept closed and secured at all times while the vessel is underway, progressive downflooding can only occur through the opening if its closing device is not closed and secured. The angle of immersion of the lower sill off this opening is a 'potential' angle of flooding. If the closing appliance is not closed and secured, downflooding will occur when the lower sill of this opening reaches the water level.

If the lower sill of the opening through which downflooding can occur immerses at 40 degree or smaller angles of heel, its closing appliances must be kept closed and secured at all times when the vessel is underway or at sea.



Where this opening is used for access in the normal working of the vessel, an alternate access should be used in heavy weather. In moderate weather, the opening may be used for access, but the closing appliances must be closed and secured again immediately after use.

GRAPH OF ANGLE OF DOWNFLOODING v/s DISPLACEMENT

Displacement (T)	Angle of Downflooding (Deg.)
500	41.98
750	39.35
1000	36.63
1250	33.69
1500	30.71
1750	27.60
2000	24.32
2250	20.88



CAPACITY PLAN



TANK CAPACITY TABLE**1.WATER BALLAST TANKS**

#	TANK DESCRIPTION	LOCATION	SP. GR.	VOLUME M ³	WEIGHT T	VCG M	LCG M	FSI M ⁴	FSM T-M
WATER BALLAST TANKS									
1	AFT PEAK TK (C)	Fr.0 - Fr.9	1.025	55.99	57.39	3.283	29.710	303.47	311.06
2	FORE PEAK TK. (C)	Fr.51 - Fr.56	1.025	58.39	59.85	2.976	-26.583	83.06	85.14

2. CONSUMABLES

#	TANK DESCRIPTION	LOCATION	SP. GR.	VOLUME M ³	WEIGHT T	VCG M	LCG M	FSI M ⁴	FSM T-M
FRESH WATER TANKS									
1	F W TANK (C)	Fr.4 - Fr.7	1.00	10.00	10.00	3.044	27.604	255.51	255.51

#	TANK DESCRIPTION	LOCATION	SP. GR.	VOLUME M ³	WEIGHT T	VCG M	LCG M	FSI M ⁴	FSM T-M
FUEL OIL TANKS									
1	FUEL OIL TANK (P)	Fr.7 - Fr.11	0.85	5.88	5.00	2.621	25.488	1.60	1.36
2	FUEL OIL TANK (S)	Fr.7 - Fr.11	0.85	5.88	5.00	2.621	25.488	1.60	1.36

3.CARGO HOLD

#	TANK DESCRIPTION	LOCATION	SP. GR.	VOLUME M ³	WEIGHT T	VCG M	LCG M	FSI M ⁴	FSM T-M
CARGO HOLD									
1	CARGO HOLD	Fr.20 - Fr.38		1584.00		2.200	0.940	--	--

TABLE OF DEADWEIGHT CONSTANTS

Item	Weight Tonnes	VCG M	Vert Mom T-M	LCG M	Long Mom T-M	FSM T-M
CREW AND EFFECTS	0.60	3.800	2.28	24.340	14.60	--
PROVISIONS AND STORES	2.00	3.800	7.60	-21.600	-43.20	--
DEADWEIGHT CONSTANTS	2.60	3.800	9.88	-10.998	-28.60	0.00

Hydrostatic Particulars at a Trim of -0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
0.812	459.5	458.1	447.00	-2.30	-0.38	0.43	6.22	21.64	17.25
0.822	465.8	464.4	453.00	-2.28	-0.37	0.44	6.22	21.70	17.05
0.832	472.0	470.6	459.10	-2.26	-0.36	0.44	6.23	21.76	16.85
0.842	478.2	476.8	465.10	-2.24	-0.35	0.45	6.23	21.82	16.66
0.852	484.4	483.0	471.20	-2.22	-0.33	0.45	6.24	21.88	16.47
0.862	490.6	489.2	477.30	-2.20	-0.32	0.46	6.24	21.94	16.29
0.872	496.9	495.4	483.30	-2.18	-0.31	0.46	6.25	22.00	16.11
0.882	503.1	501.6	489.40	-2.16	-0.30	0.47	6.26	22.06	15.94
0.892	509.3	507.8	495.40	-2.14	-0.29	0.47	6.26	22.12	15.76
0.902	515.5	514.0	501.50	-2.12	-0.28	0.48	6.27	22.18	15.60
0.912	521.7	520.2	507.60	-2.10	-0.27	0.48	6.27	22.24	15.44
0.922	528.0	526.5	513.60	-2.08	-0.25	0.49	6.28	22.30	15.29
0.932	534.2	532.7	519.70	-2.05	-0.24	0.49	6.28	22.36	15.13
0.942	540.4	538.9	525.70	-2.03	-0.23	0.50	6.29	22.42	14.98
0.952	546.6	545.1	531.80	-2.01	-0.22	0.51	6.30	22.48	14.84
0.962	552.8	551.3	537.90	-1.99	-0.21	0.51	6.30	22.54	14.69
0.972	559.1	557.5	543.90	-1.97	-0.20	0.52	6.31	22.60	14.56
0.982	565.3	563.7	550.00	-1.95	-0.19	0.52	6.31	22.66	14.42
0.992	571.5	569.9	556.00	-1.93	-0.17	0.53	6.32	22.72	14.29
1.002	577.7	576.1	562.10	-1.91	-0.16	0.53	6.32	22.78	14.16
1.012	583.9	582.3	568.10	-1.89	-0.15	0.54	6.33	22.84	14.03
1.022	590.5	588.9	574.50	-1.87	-0.14	0.54	6.33	22.89	13.90
1.032	597.0	595.4	580.90	-1.85	-0.13	0.55	6.34	22.94	13.77
1.042	603.6	601.9	587.30	-1.83	-0.12	0.55	6.34	23.00	13.64
1.052	610.1	608.5	593.60	-1.81	-0.11	0.56	6.35	23.05	13.52
1.062	616.6	615.0	600.00	-1.78	-0.09	0.56	6.35	23.10	13.39
1.072	623.2	621.5	606.40	-1.76	-0.08	0.57	6.36	23.15	13.28
1.082	629.7	628.1	612.80	-1.74	-0.07	0.57	6.36	23.20	13.16
1.092	636.3	634.6	619.10	-1.72	-0.06	0.58	6.37	23.26	13.05
1.102	642.8	641.1	625.50	-1.70	-0.05	0.58	6.37	23.31	12.93
1.112	649.4	647.7	631.90	-1.68	-0.04	0.59	6.38	23.36	12.83
1.122	655.9	654.2	638.30	-1.66	-0.03	0.59	6.38	23.41	12.71
1.132	662.4	660.7	644.60	-1.64	-0.01	0.60	6.39	23.46	12.61
1.142	669.0	667.3	651.00	-1.61	0.00	0.60	6.39	23.52	12.51
1.152	675.5	673.8	657.40	-1.59	0.01	0.61	6.40	23.57	12.41
1.162	682.1	680.3	663.70	-1.57	0.02	0.62	6.40	23.62	12.32
1.172	688.6	686.9	670.10	-1.55	0.03	0.62	6.41	23.67	12.22
1.182	695.2	693.4	676.50	-1.53	0.04	0.63	6.41	23.72	12.13
1.192	701.7	699.9	682.90	-1.51	0.05	0.63	6.42	23.78	12.03
1.202	708.2	706.5	689.20	-1.49	0.07	0.64	6.42	23.83	11.94
1.212	714.8	713.0	695.60	-1.47	0.08	0.64	6.43	23.88	11.85
1.222	721.3	719.5	702.00	-1.44	0.09	0.65	6.43	23.93	11.77
1.232	727.9	726.1	708.40	-1.42	0.10	0.65	6.44	23.98	11.68
1.242	734.4	732.6	714.70	-1.40	0.11	0.66	6.44	24.04	11.60
1.252	740.9	739.1	721.10	-1.38	0.12	0.66	6.44	24.09	11.51
1.262	747.5	745.7	727.50	-1.36	0.13	0.67	6.45	24.14	11.43
1.272	753.9	752.1	733.70	-1.35	0.14	0.67	6.45	24.18	11.35
1.282	760.3	758.5	740.00	-1.34	0.15	0.68	6.46	24.22	11.27
1.292	766.7	764.8	746.20	-1.33	0.16	0.68	6.46	24.26	11.19
1.302	773.1	771.2	752.40	-1.33	0.17	0.69	6.46	24.31	11.12
1.312	779.5	777.6	758.70	-1.32	0.18	0.69	6.47	24.35	11.04

Hydrostatic Particulars at a Trim of -0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.322	785.9	784.0	764.90	-1.31	0.19	0.70	6.47	24.39	10.97
1.332	792.3	790.4	771.10	-1.30	0.20	0.70	6.48	24.43	10.89
1.342	798.7	796.8	777.40	-1.29	0.21	0.71	6.48	24.47	10.83
1.352	805.1	803.2	783.60	-1.28	0.22	0.71	6.48	24.51	10.75
1.362	811.5	809.6	789.80	-1.27	0.23	0.72	6.49	24.56	10.69
1.372	817.9	816.0	796.10	-1.27	0.24	0.73	6.49	24.60	10.63
1.382	824.3	822.4	802.30	-1.26	0.25	0.73	6.49	24.64	10.55
1.392	830.7	828.8	808.60	-1.25	0.26	0.74	6.50	24.68	10.49
1.402	837.1	835.2	814.80	-1.24	0.27	0.74	6.50	24.72	10.43
1.412	843.5	841.5	821.00	-1.23	0.28	0.75	6.50	24.76	10.37
1.422	849.9	847.9	827.30	-1.22	0.29	0.75	6.51	24.81	10.30
1.432	856.3	854.3	833.50	-1.21	0.30	0.76	6.51	24.85	10.24
1.442	862.7	860.7	839.70	-1.20	0.31	0.76	6.52	24.89	10.18
1.452	869.1	867.1	846.00	-1.20	0.32	0.77	6.52	24.93	10.12
1.462	875.5	873.5	852.20	-1.19	0.33	0.77	6.52	24.97	10.06
1.472	881.9	879.9	858.40	-1.18	0.34	0.78	6.53	25.01	10.01
1.482	888.3	886.3	864.70	-1.17	0.35	0.78	6.53	25.06	9.95
1.492	894.7	892.7	870.90	-1.16	0.36	0.79	6.53	25.10	9.90
1.502	901.1	899.1	877.10	-1.15	0.37	0.79	6.54	25.14	9.84
1.512	907.5	905.5	883.40	-1.14	0.38	0.80	6.54	25.18	9.79
1.522	914.3	912.2	890.00	-1.13	0.39	0.80	6.55	25.22	9.73
1.532	921.0	919.0	896.60	-1.12	0.40	0.81	6.55	25.27	9.68
1.542	927.8	925.7	903.10	-1.10	0.41	0.81	6.55	25.31	9.62
1.552	934.6	932.5	909.70	-1.09	0.42	0.82	6.56	25.35	9.57
1.562	941.3	939.2	916.30	-1.07	0.43	0.82	6.56	25.40	9.51
1.572	948.1	946.0	922.90	-1.06	0.44	0.83	6.56	25.44	9.47
1.582	954.8	952.7	929.50	-1.04	0.45	0.83	6.57	25.49	9.41
1.592	961.6	959.5	936.10	-1.03	0.46	0.84	6.57	25.53	9.37
1.602	968.4	966.3	942.70	-1.02	0.47	0.84	6.58	25.57	9.31
1.612	975.1	973.0	949.30	-1.00	0.48	0.85	6.58	25.62	9.27
1.622	981.9	979.8	955.90	-0.99	0.50	0.86	6.58	25.66	9.22
1.632	988.7	986.5	962.50	-0.97	0.51	0.86	6.59	25.70	9.17
1.642	995.4	993.3	969.00	-0.96	0.52	0.87	6.59	25.75	9.13
1.652	1002.2	1000.0	975.60	-0.94	0.53	0.87	6.59	25.79	9.08
1.662	1009.0	1006.8	982.20	-0.93	0.54	0.88	6.60	25.83	9.04
1.672	1015.7	1013.5	988.80	-0.91	0.55	0.88	6.60	25.88	8.99
1.682	1022.5	1020.3	995.40	-0.90	0.56	0.89	6.61	25.92	8.95
1.692	1029.2	1027.0	1002.00	-0.89	0.57	0.89	6.61	25.96	8.91
1.702	1036.0	1033.8	1008.60	-0.87	0.58	0.90	6.61	26.01	8.87
1.712	1042.8	1040.5	1015.20	-0.86	0.59	0.90	6.62	26.05	8.82
1.722	1049.5	1047.3	1021.80	-0.84	0.60	0.91	6.62	26.10	8.79
1.732	1056.3	1054.1	1028.30	-0.83	0.61	0.91	6.62	26.14	8.74
1.742	1063.1	1060.8	1034.90	-0.81	0.63	0.92	6.63	26.18	8.70
1.752	1069.8	1067.6	1041.50	-0.80	0.64	0.92	6.63	26.23	8.66
1.762	1076.6	1074.3	1048.10	-0.79	0.65	0.93	6.64	26.27	8.63
1.772	1083.1	1080.9	1054.50	-0.78	0.66	0.93	6.64	26.31	8.58
1.782	1089.7	1087.4	1060.90	-0.77	0.67	0.94	6.64	26.36	8.55
1.792	1096.2	1094.0	1067.30	-0.77	0.68	0.94	6.65	26.40	8.51
1.802	1102.8	1100.5	1073.70	-0.76	0.69	0.95	6.65	26.45	8.48
1.812	1109.3	1107.0	1080.00	-0.76	0.70	0.95	6.65	26.49	8.44
1.822	1115.9	1113.6	1086.40	-0.75	0.72	0.96	6.66	26.54	8.41

Hydrostatic Particulars at a Trim of -0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.832	1122.5	1120.1	1092.80	-0.75	0.73	0.96	6.66	26.59	8.37
1.842	1129.0	1126.7	1099.20	-0.74	0.74	0.97	6.67	26.63	8.34
1.852	1135.6	1133.2	1105.60	-0.74	0.75	0.98	6.67	26.68	8.31
1.862	1142.1	1139.8	1112.00	-0.73	0.76	0.98	6.67	26.72	8.27
1.872	1148.7	1146.3	1118.30	-0.72	0.77	0.99	6.68	26.77	8.24
1.882	1155.2	1152.8	1124.70	-0.72	0.78	0.99	6.68	26.81	8.21
1.892	1161.8	1159.4	1131.10	-0.71	0.80	1.00	6.68	26.86	8.18
1.902	1168.3	1165.9	1137.50	-0.71	0.81	1.00	6.69	26.90	8.14
1.912	1174.9	1172.5	1143.90	-0.70	0.82	1.01	6.69	26.95	8.12
1.922	1181.4	1179.0	1150.30	-0.70	0.83	1.01	6.70	26.99	8.08
1.932	1188.0	1185.6	1156.60	-0.69	0.84	1.02	6.70	27.04	8.05
1.942	1194.5	1192.1	1163.00	-0.69	0.85	1.02	6.70	27.08	8.02
1.952	1201.1	1198.6	1169.40	-0.68	0.86	1.03	6.71	27.13	8.00
1.962	1207.6	1205.2	1175.80	-0.67	0.87	1.03	6.71	27.17	7.96
1.972	1214.2	1211.7	1182.20	-0.67	0.89	1.04	6.71	27.22	7.94
1.982	1220.7	1218.3	1188.60	-0.66	0.90	1.04	6.72	27.26	7.90
1.992	1227.3	1224.8	1194.90	-0.66	0.91	1.05	6.72	27.31	7.88
2.002	1233.8	1231.4	1201.30	-0.65	0.92	1.05	6.73	27.35	7.85
2.012	1240.4	1237.9	1207.70	-0.65	0.93	1.06	6.73	27.40	7.82
2.022	1247.1	1244.6	1214.20	-0.64	0.94	1.06	6.73	27.45	7.79
2.032	1253.8	1251.3	1220.80	-0.63	0.96	1.07	6.74	27.50	7.77
2.042	1260.5	1258.0	1227.30	-0.63	0.97	1.07	6.74	27.55	7.74
2.052	1267.2	1264.7	1233.80	-0.62	0.98	1.08	6.75	27.60	7.72
2.062	1273.9	1271.4	1240.40	-0.61	1.00	1.08	6.75	27.66	7.69
2.072	1280.6	1278.1	1246.90	-0.61	1.01	1.09	6.76	27.71	7.66
2.082	1287.3	1284.8	1253.40	-0.60	1.02	1.10	6.76	27.76	7.64
2.092	1294.0	1291.5	1260.00	-0.59	1.04	1.10	6.76	27.81	7.61
2.102	1300.7	1298.2	1266.50	-0.59	1.05	1.11	6.77	27.86	7.59
2.112	1307.4	1304.8	1273.00	-0.58	1.06	1.11	6.77	27.92	7.56
2.122	1314.1	1311.5	1279.60	-0.57	1.08	1.12	6.78	27.97	7.54
2.132	1320.8	1318.2	1286.10	-0.57	1.09	1.12	6.78	28.02	7.52
2.142	1327.5	1324.9	1292.60	-0.56	1.10	1.13	6.78	28.07	7.50
2.152	1334.2	1331.6	1299.10	-0.55	1.12	1.13	6.79	28.12	7.47
2.162	1340.9	1338.3	1305.70	-0.55	1.13	1.14	6.79	28.18	7.45
2.172	1347.6	1345.0	1312.20	-0.54	1.14	1.14	6.80	28.23	7.42
2.182	1354.3	1351.7	1318.70	-0.53	1.16	1.15	6.80	28.28	7.41
2.192	1361.0	1358.4	1325.30	-0.53	1.17	1.15	6.81	28.33	7.38
2.202	1367.7	1365.1	1331.80	-0.52	1.18	1.16	6.81	28.38	7.36
2.212	1374.5	1371.8	1338.30	-0.51	1.20	1.16	6.81	28.44	7.33
2.222	1381.2	1378.5	1344.90	-0.51	1.21	1.17	6.82	28.49	7.32
2.232	1387.9	1385.2	1351.40	-0.50	1.22	1.17	6.82	28.54	7.29
2.242	1394.6	1391.9	1357.90	-0.49	1.24	1.18	6.83	28.59	7.28
2.252	1401.3	1398.6	1364.50	-0.49	1.25	1.18	6.83	28.64	7.25
2.262	1408.0	1405.3	1371.00	-0.48	1.26	1.19	6.84	28.70	7.23
2.272	1415.1	1412.4	1378.00	-0.47	1.29	1.19	6.84	28.82	7.21
2.282	1422.3	1419.5	1384.90	-0.46	1.31	1.20	6.85	28.95	7.20
2.292	1429.4	1426.7	1391.90	-0.46	1.34	1.21	6.86	29.07	7.18
2.302	1436.6	1433.8	1398.90	-0.45	1.36	1.21	6.87	29.20	7.16
2.312	1443.7	1441.0	1405.80	-0.44	1.39	1.22	6.88	29.32	7.15
2.322	1450.9	1448.1	1412.80	-0.43	1.41	1.22	6.89	29.45	7.12
2.332	1458.1	1455.3	1419.80	-0.42	1.44	1.23	6.90	29.57	7.11

Hydrostatic Particulars at a Trim of -0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.342	1465.2	1462.4	1426.70	-0.42	1.46	1.23	6.91	29.70	7.09
2.352	1472.4	1469.6	1433.70	-0.41	1.49	1.24	6.92	29.82	7.07
2.362	1479.5	1476.7	1440.70	-0.40	1.51	1.24	6.93	29.95	7.05
2.372	1486.7	1483.8	1447.70	-0.39	1.54	1.25	6.94	30.07	7.04
2.382	1493.8	1491.0	1454.60	-0.39	1.56	1.25	6.95	30.20	7.02
2.392	1501.0	1498.1	1461.60	-0.38	1.59	1.26	6.96	30.32	7.01
2.402	1508.1	1505.3	1468.60	-0.37	1.61	1.26	6.97	30.45	6.99
2.412	1515.3	1512.4	1475.50	-0.36	1.64	1.27	6.98	30.57	6.98
2.422	1522.5	1519.6	1482.50	-0.35	1.66	1.27	6.99	30.70	6.95
2.432	1529.6	1526.7	1489.50	-0.35	1.69	1.28	6.99	30.82	6.94
2.442	1536.8	1533.9	1496.50	-0.34	1.71	1.28	7.00	30.95	6.92
2.452	1543.9	1541.0	1503.40	-0.33	1.74	1.29	7.01	31.08	6.91
2.462	1551.1	1548.2	1510.40	-0.32	1.76	1.30	7.02	31.20	6.90
2.472	1558.2	1555.3	1517.40	-0.32	1.79	1.30	7.03	31.33	6.88
2.482	1565.4	1562.4	1524.30	-0.31	1.82	1.31	7.04	31.45	6.87
2.492	1572.5	1569.6	1531.30	-0.30	1.84	1.31	7.05	31.58	6.85
2.502	1579.7	1576.7	1538.30	-0.29	1.87	1.32	7.06	31.70	6.84
2.512	1586.9	1583.9	1545.20	-0.29	1.89	1.32	7.07	31.83	6.83
2.522	1593.9	1590.9	1552.10	-0.28	1.91	1.33	7.07	31.89	6.81
2.532	1601.0	1598.0	1559.00	-0.27	1.92	1.33	7.08	31.96	6.79
2.542	1608.0	1605.0	1565.90	-0.26	1.94	1.34	7.08	32.03	6.78
2.552	1615.1	1612.1	1572.80	-0.25	1.95	1.34	7.09	32.10	6.76
2.562	1622.2	1619.1	1579.60	-0.24	1.97	1.35	7.09	32.17	6.75
2.572	1629.2	1626.2	1586.50	-0.24	1.98	1.35	7.10	32.23	6.73
2.582	1636.3	1633.2	1593.40	-0.23	2.00	1.36	7.10	32.30	6.72
2.592	1643.4	1640.3	1600.30	-0.22	2.01	1.36	7.11	32.37	6.70
2.602	1650.4	1647.3	1607.20	-0.21	2.03	1.37	7.11	32.44	6.69
2.612	1657.5	1654.4	1614.00	-0.20	2.04	1.38	7.12	32.51	6.68
2.622	1664.5	1661.5	1620.90	-0.19	2.06	1.38	7.12	32.57	6.66
2.632	1671.6	1668.5	1627.80	-0.19	2.07	1.39	7.13	32.64	6.66
2.642	1678.7	1675.6	1634.70	-0.18	2.09	1.39	7.13	32.71	6.64
2.652	1685.7	1682.6	1641.60	-0.17	2.10	1.40	7.14	32.78	6.63
2.662	1692.8	1689.7	1648.40	-0.16	2.12	1.40	7.14	32.85	6.61
2.672	1699.8	1696.7	1655.30	-0.15	2.13	1.41	7.15	32.91	6.60
2.682	1706.9	1703.8	1662.20	-0.14	2.15	1.41	7.15	32.98	6.58
2.692	1714.0	1710.8	1669.10	-0.14	2.16	1.42	7.16	33.05	6.57
2.702	1721.0	1717.9	1676.00	-0.13	2.18	1.42	7.16	33.12	6.56
2.712	1728.1	1724.9	1682.80	-0.12	2.19	1.43	7.17	33.18	6.55
2.722	1735.2	1732.0	1689.70	-0.11	2.21	1.43	7.17	33.25	6.53
2.732	1742.2	1739.0	1696.60	-0.10	2.22	1.44	7.18	33.32	6.52
2.742	1749.3	1746.1	1703.50	-0.09	2.24	1.45	7.18	33.39	6.52
2.752	1756.3	1753.1	1710.40	-0.09	2.25	1.45	7.19	33.46	6.50
2.762	1763.4	1760.2	1717.20	-0.08	2.27	1.46	7.19	33.52	6.49
2.772	1770.6	1767.4	1724.30	-0.07	2.27	1.46	7.19	33.54	6.47
2.782	1777.8	1774.6	1731.30	-0.06	2.27	1.47	7.19	33.55	6.46
2.792	1785.0	1781.8	1738.30	-0.05	2.27	1.47	7.19	33.56	6.44
2.802	1792.3	1789.0	1745.40	-0.04	2.27	1.48	7.20	33.57	6.43
2.812	1799.5	1796.2	1752.40	-0.03	2.27	1.48	7.20	33.59	6.42
2.822	1806.7	1803.4	1759.40	-0.03	2.27	1.49	7.20	33.60	6.41
2.832	1813.9	1810.6	1766.50	-0.02	2.27	1.49	7.20	33.61	6.39
2.842	1821.1	1817.8	1773.50	-0.01	2.26	1.50	7.20	33.63	6.38

Hydrostatic Particulars at a Trim of -0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.852	1828.3	1825.0	1780.50	0.00	2.26	1.50	7.20	33.64	6.36
2.862	1835.5	1832.2	1787.50	0.01	2.26	1.51	7.20	33.65	6.36
2.872	1842.8	1839.4	1794.60	0.02	2.26	1.51	7.20	33.66	6.34
2.882	1850.0	1846.6	1801.60	0.03	2.26	1.52	7.20	33.68	6.33
2.892	1857.2	1853.8	1808.60	0.04	2.26	1.53	7.20	33.69	6.32
2.902	1864.4	1861.0	1815.70	0.04	2.26	1.53	7.21	33.70	6.30
2.912	1871.6	1868.2	1822.70	0.05	2.26	1.54	7.21	33.71	6.30
2.922	1878.8	1875.5	1829.70	0.06	2.26	1.54	7.21	33.73	6.28
2.932	1886.1	1882.7	1836.70	0.07	2.26	1.55	7.21	33.74	6.27
2.942	1893.3	1889.9	1843.80	0.08	2.26	1.55	7.21	33.75	6.26
2.952	1900.5	1897.1	1850.80	0.09	2.26	1.56	7.21	33.76	6.25
2.962	1907.7	1904.3	1857.80	0.10	2.26	1.56	7.21	33.78	6.23
2.972	1914.9	1911.5	1864.90	0.10	2.26	1.57	7.21	33.79	6.23
2.982	1922.1	1918.7	1871.90	0.11	2.26	1.57	7.21	33.80	6.21
2.992	1929.3	1925.9	1878.90	0.12	2.26	1.58	7.21	33.82	6.20
3.002	1936.6	1933.1	1885.90	0.13	2.26	1.58	7.22	33.83	6.19
3.012	1943.8	1940.3	1893.00	0.14	2.26	1.59	7.22	33.84	6.18
3.022	1951.0	1947.5	1900.00	0.15	2.25	1.59	7.22	33.85	6.17
3.032	1958.2	1954.7	1907.10	0.15	2.25	1.60	7.22	33.86	6.16
3.042	1965.5	1962.0	1914.10	0.16	2.25	1.61	7.22	33.87	6.15
3.052	1972.7	1969.2	1921.20	0.17	2.25	1.61	7.22	33.88	6.14
3.062	1979.9	1976.4	1928.20	0.18	2.25	1.62	7.22	33.89	6.13
3.072	1987.2	1983.7	1935.30	0.18	2.25	1.62	7.22	33.90	6.12
3.082	1994.4	1990.9	1942.30	0.19	2.25	1.63	7.22	33.91	6.11
3.092	2001.7	1998.1	1949.40	0.20	2.24	1.63	7.22	33.92	6.10
3.102	2008.9	2005.3	1956.40	0.20	2.24	1.64	7.22	33.93	6.09
3.112	2016.1	2012.6	1963.50	0.21	2.24	1.64	7.22	33.94	6.08
3.122	2023.4	2019.8	1970.50	0.22	2.24	1.65	7.22	33.95	6.07
3.132	2030.6	2027.0	1977.60	0.23	2.24	1.65	7.23	33.96	6.06
3.142	2037.8	2034.2	1984.60	0.23	2.24	1.66	7.23	33.97	6.05
3.152	2045.1	2041.5	1991.70	0.24	2.24	1.66	7.23	33.98	6.04
3.162	2052.3	2048.7	1998.70	0.25	2.24	1.67	7.23	33.99	6.03
3.172	2059.5	2055.9	2005.80	0.25	2.23	1.67	7.23	34.00	6.02
3.182	2066.8	2063.1	2012.80	0.26	2.23	1.68	7.23	34.01	6.01
3.202	2081.2	2077.6	2026.90	0.28	2.23	1.69	7.23	34.03	5.99
3.212	2088.5	2084.8	2034.00	0.28	2.23	1.70	7.23	34.04	5.99
3.222	2095.7	2092.0	2041.00	0.29	2.23	1.70	7.23	34.05	5.98
3.232	2103.0	2099.3	2048.10	0.30	2.23	1.71	7.23	34.06	5.97
3.242	2110.2	2106.5	2055.10	0.30	2.22	1.71	7.23	34.07	5.96
3.252	2117.4	2113.7	2062.20	0.31	2.22	1.72	7.23	34.08	5.95
3.262	2124.7	2120.9	2069.20	0.32	2.22	1.72	7.24	34.09	5.94
3.272	2131.9	2128.2	2076.30	0.32	2.22	1.73	7.24	34.10	5.94
3.282	2139.2	2135.4	2083.30	0.33	2.22	1.73	7.24	34.11	5.92
3.292	2146.4	2142.7	2090.40	0.34	2.22	1.74	7.24	34.11	5.92
3.302	2153.7	2149.9	2097.50	0.34	2.22	1.74	7.24	34.12	5.91
3.312	2160.9	2157.2	2104.50	0.35	2.21	1.75	7.24	34.13	5.90
3.322	2168.2	2164.4	2111.60	0.35	2.21	1.75	7.24	34.14	5.89

Hydrostatic Particulars at a Trim of 0.0 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
0.812	458.2	456.8	445.70	0.08	0.15	0.42	6.26	22.16	17.42
0.822	464.6	463.2	451.90	0.08	0.15	0.42	6.27	22.23	17.20
0.832	471.1	469.7	458.20	0.09	0.16	0.43	6.28	22.29	17.00
0.842	477.5	476.1	464.50	0.10	0.17	0.43	6.28	22.36	16.79
0.852	484.0	482.6	470.80	0.11	0.18	0.44	6.29	22.42	16.60
0.862	490.4	489.0	477.10	0.11	0.18	0.44	6.29	22.49	16.41
0.872	496.9	495.5	483.40	0.12	0.19	0.45	6.30	22.55	16.23
0.882	503.3	501.9	489.70	0.13	0.20	0.45	6.31	22.62	16.04
0.892	509.8	508.3	495.90	0.13	0.21	0.46	6.31	22.68	15.87
0.902	516.2	514.8	502.20	0.14	0.21	0.47	6.32	22.75	15.70
0.912	522.7	521.2	508.50	0.15	0.22	0.47	6.33	22.81	15.53
0.922	529.2	527.7	514.80	0.16	0.23	0.48	6.33	22.88	15.38
0.932	535.6	534.1	521.10	0.16	0.23	0.48	6.34	22.94	15.21
0.942	542.1	540.5	527.40	0.17	0.24	0.49	6.34	23.01	15.06
0.952	548.5	547.0	533.70	0.18	0.25	0.49	6.35	23.07	14.91
0.962	555.0	553.4	539.90	0.18	0.26	0.50	6.36	23.14	14.76
0.972	561.4	559.9	546.20	0.19	0.26	0.50	6.36	23.20	14.62
0.982	567.9	566.3	552.50	0.20	0.27	0.51	6.37	23.27	14.48
0.992	574.3	572.8	558.80	0.21	0.28	0.51	6.37	23.33	14.34
1.002	580.8	579.2	565.10	0.21	0.29	0.52	6.38	23.39	14.21
1.012	587.2	585.6	571.40	0.22	0.29	0.52	6.39	23.46	14.07
1.022	593.6	592.0	577.60	0.22	0.30	0.53	6.39	23.51	13.95
1.032	599.9	598.4	583.80	0.22	0.31	0.53	6.40	23.56	13.81
1.042	606.3	604.7	590.00	0.22	0.32	0.54	6.40	23.61	13.69
1.052	612.7	611.1	596.20	0.21	0.32	0.54	6.40	23.66	13.57
1.062	619.0	617.4	602.40	0.21	0.33	0.55	6.41	23.71	13.45
1.072	625.4	623.8	608.60	0.21	0.34	0.55	6.41	23.76	13.33
1.082	631.8	630.1	614.80	0.21	0.35	0.56	6.42	23.81	13.22
1.092	638.1	636.5	620.90	0.21	0.35	0.56	6.42	23.86	13.10
1.102	644.5	642.8	627.10	0.21	0.36	0.57	6.43	23.91	13.00
1.112	650.8	649.2	633.30	0.21	0.37	0.57	6.43	23.96	12.88
1.122	657.2	655.5	639.50	0.20	0.38	0.58	6.44	24.01	12.78
1.132	663.6	661.9	645.70	0.20	0.38	0.59	6.44	24.06	12.68
1.142	669.9	668.2	651.90	0.20	0.39	0.59	6.45	24.11	12.58
1.152	676.3	674.6	658.10	0.20	0.40	0.60	6.45	24.16	12.48
1.162	682.7	680.9	664.30	0.20	0.41	0.60	6.45	24.21	12.38
1.172	689.0	687.3	670.50	0.20	0.41	0.61	6.46	24.26	12.29
1.182	695.4	693.7	676.70	0.19	0.42	0.61	6.46	24.31	12.19
1.192	701.7	700.0	682.90	0.19	0.43	0.62	6.47	24.36	12.10
1.202	708.1	706.4	689.10	0.19	0.44	0.62	6.47	24.41	12.01
1.212	714.5	712.7	695.30	0.19	0.44	0.63	6.48	24.46	11.92
1.222	720.8	719.1	701.50	0.19	0.45	0.63	6.48	24.51	11.83
1.232	727.2	725.4	707.70	0.19	0.46	0.64	6.49	24.56	11.75
1.242	733.6	731.8	713.90	0.19	0.47	0.64	6.49	24.61	11.66
1.252	739.9	738.1	720.10	0.18	0.48	0.65	6.49	24.66	11.58
1.262	746.3	744.5	726.30	0.18	0.48	0.65	6.50	24.71	11.50
1.272	753.0	751.2	732.90	0.19	0.49	0.66	6.50	24.75	11.42
1.282	759.7	757.9	739.40	0.20	0.50	0.66	6.51	24.80	11.33
1.292	766.4	764.6	746.00	0.21	0.51	0.67	6.51	24.85	11.26
1.302	773.2	771.3	752.50	0.21	0.52	0.67	6.52	24.90	11.17
1.312	779.9	778.0	759.10	0.22	0.53	0.68	6.52	24.95	11.10

Hydrostatic Particulars at a Trim of 0.0 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.322	786.6	784.8	765.60	0.23	0.54	0.68	6.52	25.00	11.02
1.332	793.3	791.5	772.20	0.24	0.55	0.69	6.53	25.04	10.95
1.342	800.1	798.2	778.70	0.24	0.56	0.69	6.53	25.09	10.87
1.352	806.8	804.9	785.30	0.25	0.57	0.70	6.54	25.14	10.80
1.362	813.5	811.6	791.80	0.26	0.58	0.71	6.54	25.19	10.73
1.372	820.2	818.3	798.40	0.27	0.59	0.71	6.55	25.24	10.66
1.382	826.9	825.0	804.90	0.27	0.60	0.72	6.55	25.29	10.59
1.392	833.7	831.7	811.40	0.28	0.61	0.72	6.55	25.34	10.52
1.402	840.4	838.4	818.00	0.29	0.62	0.73	6.56	25.38	10.46
1.412	847.1	845.2	824.50	0.30	0.63	0.73	6.56	25.43	10.39
1.422	853.8	851.9	831.10	0.30	0.64	0.74	6.57	25.48	10.33
1.432	860.5	858.6	837.60	0.31	0.65	0.74	6.57	25.53	10.26
1.442	867.3	865.3	844.20	0.32	0.66	0.75	6.58	25.58	10.20
1.452	874.0	872.0	850.70	0.33	0.67	0.75	6.58	25.63	10.14
1.462	880.7	878.7	857.30	0.33	0.68	0.76	6.58	25.67	10.08
1.472	887.4	885.4	863.80	0.34	0.69	0.76	6.59	25.72	10.02
1.482	894.1	892.1	870.40	0.35	0.69	0.77	6.59	25.77	9.96
1.492	900.9	898.9	876.90	0.36	0.70	0.77	6.60	25.82	9.90
1.502	907.6	905.6	883.50	0.36	0.71	0.78	6.60	25.87	9.85
1.512	914.3	912.3	890.00	0.37	0.72	0.78	6.60	25.92	9.79
1.522	920.8	918.8	896.40	0.37	0.73	0.79	6.61	25.96	9.74
1.532	927.4	925.3	902.80	0.37	0.75	0.79	6.61	26.01	9.68
1.542	933.9	931.9	909.10	0.37	0.76	0.80	6.62	26.06	9.63
1.552	940.5	938.4	915.50	0.37	0.77	0.80	6.62	26.11	9.58
1.562	947.0	944.9	921.90	0.37	0.78	0.81	6.62	26.15	9.53
1.572	953.5	951.4	928.20	0.37	0.79	0.81	6.63	26.20	9.48
1.582	960.1	958.0	934.60	0.37	0.80	0.82	6.63	26.25	9.43
1.592	966.6	964.5	941.00	0.37	0.81	0.83	6.64	26.29	9.39
1.602	973.1	971.0	947.30	0.37	0.82	0.83	6.64	26.34	9.34
1.612	979.7	977.5	953.70	0.37	0.83	0.84	6.64	26.39	9.29
1.622	986.2	984.1	960.10	0.37	0.84	0.84	6.65	26.44	9.24
1.632	992.7	990.6	966.40	0.37	0.86	0.85	6.65	26.48	9.20
1.642	999.3	997.1	972.80	0.37	0.87	0.85	6.66	26.53	9.15
1.652	1005.8	1003.6	979.20	0.37	0.88	0.86	6.66	26.58	9.11
1.662	1012.3	1010.2	985.50	0.37	0.89	0.86	6.66	26.63	9.06
1.672	1018.9	1016.7	991.90	0.37	0.90	0.87	6.67	26.67	9.02
1.682	1025.4	1023.2	998.30	0.37	0.91	0.87	6.67	26.72	8.98
1.692	1031.9	1029.7	1004.60	0.37	0.92	0.88	6.68	26.77	8.94
1.702	1038.5	1036.3	1011.00	0.37	0.93	0.88	6.68	26.82	8.89
1.712	1045.0	1042.8	1017.40	0.37	0.94	0.89	6.68	26.86	8.86
1.722	1051.5	1049.3	1023.70	0.37	0.96	0.89	6.69	26.91	8.81
1.732	1058.1	1055.8	1030.10	0.37	0.97	0.90	6.69	26.96	8.78
1.742	1064.6	1062.4	1036.50	0.37	0.98	0.90	6.70	27.00	8.73
1.752	1071.1	1068.9	1042.80	0.37	0.99	0.91	6.70	27.05	8.70
1.762	1077.7	1075.4	1049.20	0.37	1.00	0.91	6.70	27.10	8.66
1.772	1084.4	1082.1	1055.70	0.37	1.01	0.92	6.71	27.15	8.62
1.782	1091.0	1088.8	1062.20	0.38	1.03	0.92	6.71	27.21	8.58
1.792	1097.7	1095.4	1068.70	0.38	1.04	0.93	6.72	27.26	8.55
1.802	1104.4	1102.1	1075.20	0.38	1.05	0.93	6.72	27.31	8.51
1.812	1111.1	1108.8	1081.80	0.38	1.07	0.94	6.73	27.37	8.48
1.822	1117.8	1115.5	1088.30	0.39	1.08	0.95	6.73	27.42	8.44

Hydrostatic Particulars at a Trim of 0.0 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.832	1124.5	1122.2	1094.80	0.39	1.09	0.95	6.73	27.47	8.40
1.842	1131.2	1128.8	1101.30	0.39	1.11	0.96	6.74	27.53	8.37
1.852	1137.9	1135.5	1107.80	0.39	1.12	0.96	6.74	27.58	8.34
1.862	1144.5	1142.2	1114.30	0.40	1.13	0.97	6.75	27.63	8.31
1.872	1151.2	1148.9	1120.80	0.40	1.15	0.97	6.75	27.69	8.27
1.882	1157.9	1155.5	1127.40	0.40	1.16	0.98	6.76	27.74	8.24
1.892	1164.6	1162.2	1133.90	0.41	1.17	0.98	6.76	27.79	8.20
1.902	1171.3	1168.9	1140.40	0.41	1.18	0.99	6.76	27.85	8.18
1.912	1178.0	1175.6	1146.90	0.41	1.20	0.99	6.77	27.90	8.14
1.922	1184.7	1182.2	1153.40	0.41	1.21	1.00	6.77	27.95	8.11
1.932	1191.3	1188.9	1159.90	0.42	1.22	1.00	6.78	28.01	8.08
1.942	1198.0	1195.6	1166.40	0.42	1.24	1.01	6.78	28.06	8.05
1.952	1204.7	1202.3	1173.00	0.42	1.25	1.01	6.79	28.11	8.02
1.962	1211.4	1209.0	1179.50	0.42	1.26	1.02	6.79	28.17	7.99
1.972	1218.1	1215.6	1186.00	0.43	1.28	1.02	6.80	28.22	7.96
1.982	1224.8	1222.3	1192.50	0.43	1.29	1.03	6.80	28.27	7.93
1.992	1231.5	1229.0	1199.00	0.43	1.30	1.03	6.80	28.33	7.90
2.002	1238.1	1235.7	1205.50	0.43	1.32	1.04	6.81	28.38	7.88
2.012	1244.8	1242.3	1212.00	0.44	1.33	1.04	6.81	28.43	7.84
2.022	1251.8	1249.3	1218.90	0.44	1.36	1.05	6.82	28.55	7.82
2.032	1258.8	1256.3	1225.70	0.45	1.39	1.06	6.83	28.67	7.80
2.042	1265.8	1263.3	1232.50	0.46	1.43	1.06	6.84	28.78	7.77
2.052	1272.8	1270.3	1239.30	0.47	1.46	1.07	6.85	28.90	7.75
2.062	1279.8	1277.3	1246.10	0.47	1.49	1.07	6.86	29.01	7.72
2.072	1286.8	1284.3	1252.90	0.48	1.52	1.08	6.87	29.13	7.71
2.082	1293.8	1291.2	1259.70	0.49	1.55	1.08	6.87	29.25	7.68
2.092	1300.8	1298.2	1266.60	0.50	1.58	1.09	6.88	29.36	7.66
2.102	1307.8	1305.2	1273.40	0.51	1.62	1.09	6.89	29.48	7.63
2.112	1314.8	1312.2	1280.20	0.51	1.65	1.10	6.90	29.60	7.61
2.122	1321.8	1319.2	1287.00	0.52	1.68	1.10	6.91	29.71	7.59
2.132	1328.8	1326.2	1293.80	0.53	1.71	1.11	6.92	29.83	7.57
2.142	1335.8	1333.2	1300.60	0.54	1.74	1.11	6.93	29.94	7.54
2.152	1342.8	1340.1	1307.50	0.54	1.77	1.12	6.94	30.06	7.53
2.162	1349.8	1347.1	1314.30	0.55	1.81	1.12	6.95	30.18	7.50
2.172	1356.7	1354.1	1321.10	0.56	1.84	1.13	6.95	30.29	7.48
2.182	1363.7	1361.1	1327.90	0.57	1.87	1.13	6.96	30.41	7.46
2.192	1370.7	1368.1	1334.70	0.57	1.90	1.14	6.97	30.52	7.44
2.202	1377.7	1375.1	1341.50	0.58	1.93	1.15	6.98	30.64	7.43
2.212	1384.7	1382.0	1348.30	0.59	1.97	1.15	6.99	30.76	7.40
2.222	1391.7	1389.0	1355.20	0.60	2.00	1.16	7.00	30.87	7.39
2.232	1398.7	1396.0	1362.00	0.60	2.03	1.16	7.01	30.99	7.37
2.242	1405.7	1403.0	1368.80	0.61	2.06	1.17	7.02	31.10	7.35
2.252	1412.7	1410.0	1375.60	0.62	2.09	1.17	7.03	31.22	7.33
2.262	1419.7	1417.0	1382.40	0.63	2.12	1.18	7.03	31.34	7.31
2.272	1426.8	1424.1	1389.40	0.63	2.13	1.18	7.04	31.41	7.29
2.282	1434.0	1431.2	1396.30	0.63	2.14	1.19	7.05	31.48	7.27
2.292	1441.1	1438.4	1403.30	0.64	2.15	1.19	7.05	31.56	7.24
2.302	1448.3	1445.5	1410.20	0.64	2.16	1.20	7.06	31.63	7.23
2.312	1455.4	1452.6	1417.20	0.65	2.17	1.20	7.06	31.71	7.20
2.322	1462.6	1459.8	1424.20	0.65	2.18	1.21	7.07	31.78	7.18
2.332	1469.7	1466.9	1431.10	0.65	2.19	1.21	7.07	31.85	7.16

Hydrostatic Particulars at a Trim of 0.0 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.342	1476.8	1474.0	1438.10	0.66	2.20	1.22	7.08	31.93	7.14
2.352	1484.0	1481.2	1445.00	0.66	2.21	1.22	7.08	32.00	7.12
2.362	1491.1	1488.3	1452.00	0.66	2.22	1.23	7.09	32.08	7.10
2.372	1498.3	1495.4	1459.00	0.67	2.23	1.24	7.09	32.15	7.09
2.382	1505.4	1502.6	1465.90	0.67	2.24	1.24	7.10	32.22	7.06
2.392	1512.6	1509.7	1472.90	0.67	2.25	1.25	7.10	32.30	7.05
2.402	1519.7	1516.8	1479.80	0.68	2.26	1.25	7.11	32.37	7.03
2.412	1526.8	1524.0	1486.80	0.68	2.27	1.26	7.11	32.45	7.01
2.422	1534.0	1531.1	1493.70	0.69	2.28	1.26	7.12	32.52	6.99
2.432	1541.1	1538.2	1500.70	0.69	2.29	1.27	7.12	32.59	6.98
2.442	1548.3	1545.4	1507.70	0.69	2.30	1.27	7.13	32.67	6.95
2.452	1555.4	1552.5	1514.60	0.70	2.31	1.28	7.13	32.74	6.94
2.462	1562.6	1559.6	1521.60	0.70	2.32	1.28	7.14	32.82	6.92
2.472	1569.7	1566.8	1528.50	0.70	2.33	1.29	7.15	32.89	6.90
2.482	1576.8	1573.9	1535.50	0.71	2.34	1.29	7.15	32.96	6.88
2.492	1584.0	1581.0	1542.50	0.71	2.35	1.30	7.16	33.04	6.87
2.502	1591.1	1588.1	1549.40	0.72	2.36	1.30	7.16	33.11	6.85
2.512	1598.3	1595.3	1556.40	0.72	2.37	1.31	7.17	33.19	6.84
2.522	1605.5	1602.5	1563.40	0.73	2.37	1.32	7.17	33.20	6.82
2.532	1612.7	1609.6	1570.40	0.73	2.37	1.32	7.17	33.21	6.80
2.542	1619.8	1616.8	1577.40	0.74	2.37	1.33	7.17	33.22	6.79
2.552	1627.0	1624.0	1584.40	0.75	2.37	1.33	7.17	33.24	6.76
2.562	1634.2	1631.2	1591.40	0.75	2.37	1.34	7.17	33.25	6.75
2.572	1641.4	1638.4	1598.40	0.76	2.37	1.34	7.17	33.26	6.73
2.582	1648.6	1645.5	1605.40	0.77	2.37	1.35	7.17	33.28	6.72
2.592	1655.8	1652.7	1612.40	0.77	2.37	1.35	7.17	33.29	6.69
2.602	1663.0	1659.9	1619.40	0.78	2.37	1.36	7.18	33.30	6.68
2.612	1670.2	1667.1	1626.40	0.79	2.36	1.36	7.18	33.31	6.66
2.622	1677.4	1674.3	1633.40	0.79	2.36	1.37	7.18	33.33	6.65
2.632	1684.5	1681.4	1640.40	0.80	2.36	1.37	7.18	33.34	6.63
2.642	1691.7	1688.6	1647.40	0.81	2.36	1.38	7.18	33.35	6.62
2.652	1698.9	1695.8	1654.40	0.81	2.36	1.38	7.18	33.36	6.60
2.662	1706.1	1703.0	1661.40	0.82	2.36	1.39	7.18	33.38	6.59
2.672	1713.3	1710.1	1668.40	0.83	2.36	1.40	7.18	33.39	6.57
2.682	1720.5	1717.3	1675.40	0.83	2.36	1.40	7.18	33.40	6.55
2.692	1727.7	1724.5	1682.40	0.84	2.36	1.41	7.18	33.41	6.54
2.702	1734.9	1731.7	1689.40	0.85	2.36	1.41	7.18	33.43	6.52
2.712	1742.1	1738.9	1696.50	0.85	2.36	1.42	7.19	33.44	6.51
2.722	1749.2	1746.0	1703.50	0.86	2.36	1.42	7.19	33.45	6.49
2.732	1756.4	1753.2	1710.50	0.87	2.36	1.43	7.19	33.46	6.49
2.742	1763.6	1760.4	1717.50	0.87	2.36	1.43	7.19	33.48	6.47
2.752	1770.8	1767.6	1724.50	0.88	2.36	1.44	7.19	33.49	6.46
2.762	1778.0	1774.8	1731.50	0.89	2.36	1.44	7.19	33.50	6.44
2.772	1785.2	1782.0	1738.50	0.89	2.35	1.45	7.19	33.51	6.43
2.782	1792.4	1789.2	1745.50	0.90	2.35	1.45	7.19	33.52	6.41
2.792	1799.6	1796.4	1752.50	0.90	2.35	1.46	7.19	33.53	6.40
2.802	1806.8	1803.6	1759.60	0.91	2.35	1.46	7.19	33.54	6.38
2.812	1814.0	1810.8	1766.60	0.91	2.35	1.47	7.19	33.55	6.37
2.822	1821.3	1818.0	1773.60	0.92	2.35	1.47	7.19	33.56	6.35
2.832	1828.5	1825.2	1780.60	0.92	2.35	1.48	7.20	33.57	6.35
2.842	1835.7	1832.4	1787.70	0.93	2.35	1.49	7.20	33.58	6.34

Hydrostatic Particulars at a Trim of 0.0 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.852	1842.9	1839.6	1794.70	0.93	2.34	1.49	7.20	33.59	6.32
2.862	1850.1	1846.8	1801.70	0.94	2.34	1.50	7.20	33.60	6.31
2.872	1857.3	1854.0	1808.70	0.94	2.34	1.50	7.20	33.61	6.29
2.882	1864.5	1861.2	1815.80	0.95	2.34	1.51	7.20	33.62	6.28
2.892	1871.7	1868.4	1822.80	0.96	2.34	1.51	7.20	33.63	6.27
2.902	1878.9	1875.6	1829.80	0.96	2.34	1.52	7.20	33.64	6.26
2.912	1886.1	1882.8	1836.80	0.97	2.34	1.52	7.20	33.65	6.24
2.922	1893.4	1890.0	1843.90	0.97	2.33	1.53	7.20	33.66	6.24
2.932	1900.6	1897.2	1850.90	0.98	2.33	1.53	7.20	33.67	6.22
2.942	1907.8	1904.4	1857.90	0.98	2.33	1.54	7.20	33.68	6.21
2.952	1915.0	1911.6	1864.90	0.99	2.33	1.54	7.20	33.69	6.19
2.962	1922.2	1918.8	1872.00	0.99	2.33	1.55	7.21	33.69	6.19
2.972	1929.4	1926.0	1879.00	1.00	2.33	1.55	7.21	33.70	6.17
2.982	1936.6	1933.2	1886.00	1.00	2.33	1.56	7.21	33.71	6.16
2.992	1943.8	1940.4	1893.00	1.01	2.32	1.56	7.21	33.72	6.15
3.002	1951.0	1947.6	1900.10	1.01	2.32	1.57	7.21	33.73	6.14
3.012	1958.2	1954.8	1907.10	1.02	2.32	1.58	7.21	33.74	6.14
3.022	1965.5	1962.0	1914.10	1.02	2.32	1.58	7.21	33.75	6.12
3.032	1972.7	1969.2	1921.20	1.03	2.32	1.59	7.21	33.76	6.11
3.042	1979.9	1976.4	1928.20	1.03	2.32	1.59	7.21	33.77	6.10
3.052	1987.2	1983.6	1935.30	1.04	2.31	1.60	7.21	33.78	6.09
3.062	1994.4	1990.9	1942.30	1.04	2.31	1.60	7.21	33.79	6.08
3.072	2001.6	1998.1	1949.30	1.05	2.31	1.61	7.21	33.79	6.07
3.082	2008.8	2005.3	1956.40	1.05	2.31	1.61	7.21	33.80	6.06
3.092	2016.1	2012.5	1963.40	1.05	2.31	1.62	7.21	33.81	6.05
3.102	2023.3	2019.7	1970.50	1.06	2.31	1.62	7.21	33.82	6.04
3.112	2030.5	2026.9	1977.50	1.06	2.30	1.63	7.22	33.83	6.03
3.122	2037.7	2034.2	1984.50	1.07	2.30	1.63	7.22	33.84	6.02
3.132	2045.0	2041.4	1991.60	1.07	2.30	1.64	7.22	33.84	6.01
3.142	2052.2	2048.6	1998.60	1.08	2.30	1.64	7.22	33.85	6.00
3.152	2059.4	2055.8	2005.70	1.08	2.30	1.65	7.22	33.86	5.99
3.162	2066.7	2063.0	2012.70	1.08	2.29	1.65	7.22	33.87	5.98
3.172	2073.9	2070.2	2019.70	1.09	2.29	1.66	7.22	33.88	5.97
3.182	2081.1	2077.5	2026.80	1.09	2.29	1.66	7.22	33.89	5.96
3.202	2095.6	2091.9	2040.90	1.10	2.29	1.67	7.22	33.90	5.94
3.212	2102.8	2099.1	2047.90	1.11	2.29	1.68	7.22	33.91	5.94
3.222	2110.0	2106.3	2054.90	1.11	2.28	1.69	7.22	33.92	5.93
3.232	2117.2	2113.5	2062.00	1.11	2.28	1.69	7.22	33.93	5.92
3.242	2124.5	2120.8	2069.00	1.12	2.28	1.70	7.22	33.94	5.91
3.252	2131.7	2128.0	2076.10	1.12	2.28	1.70	7.22	33.95	5.90
3.262	2138.9	2135.2	2083.10	1.13	2.28	1.71	7.23	33.95	5.90
3.272	2146.2	2142.4	2090.20	1.13	2.28	1.71	7.23	33.96	5.88
3.282	2153.4	2149.7	2097.20	1.13	2.27	1.72	7.23	33.97	5.88
3.292	2160.6	2156.9	2104.30	1.14	2.27	1.72	7.23	33.98	5.87
3.302	2167.9	2164.1	2111.30	1.14	2.27	1.73	7.23	33.99	5.86
3.312	2175.1	2171.4	2118.40	1.15	2.27	1.73	7.23	34.00	5.85
3.322	2182.4	2178.6	2125.50	1.15	2.27	1.74	7.23	34.01	5.85

Hydrostatic Particulars at a Trim of 0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
0.812	462.1	460.7	449.50	2.63	0.70	0.49	6.29	22.47	17.44
0.822	468.4	467.0	455.60	2.60	0.70	0.49	6.30	22.54	17.23
0.832	474.6	473.3	461.70	2.58	0.71	0.50	6.30	22.60	17.03
0.842	480.9	479.5	467.80	2.55	0.71	0.50	6.31	22.67	16.83
0.852	487.2	485.8	473.90	2.53	0.71	0.51	6.32	22.74	16.65
0.862	493.4	492.1	480.10	2.51	0.71	0.51	6.32	22.80	16.46
0.872	499.7	498.3	486.20	2.48	0.71	0.52	6.33	22.87	16.28
0.882	506.0	504.6	492.30	2.46	0.72	0.53	6.34	22.94	16.11
0.892	512.3	510.8	498.40	2.43	0.72	0.53	6.34	23.00	15.94
0.902	518.5	517.1	504.50	2.41	0.72	0.54	6.35	23.07	15.78
0.912	524.8	523.4	510.60	2.38	0.72	0.54	6.35	23.14	15.61
0.922	531.1	529.6	516.70	2.36	0.72	0.55	6.36	23.20	15.46
0.932	537.4	535.9	522.80	2.33	0.73	0.55	6.37	23.27	15.30
0.942	543.6	542.1	528.90	2.31	0.73	0.56	6.37	23.34	15.15
0.952	549.9	548.4	535.00	2.28	0.73	0.56	6.38	23.40	15.00
0.962	556.2	554.7	541.10	2.26	0.73	0.57	6.39	23.47	14.86
0.972	562.4	560.9	547.20	2.23	0.73	0.57	6.39	23.54	14.72
0.982	568.7	567.2	553.40	2.21	0.73	0.58	6.40	23.60	14.59
0.992	575.0	573.5	559.50	2.18	0.74	0.58	6.41	23.67	14.45
1.002	581.3	579.7	565.60	2.16	0.74	0.59	6.41	23.74	14.32
1.012	587.5	586.0	571.70	2.13	0.74	0.59	6.42	23.81	14.19
1.022	594.2	592.6	578.20	2.13	0.75	0.60	6.42	23.87	14.06
1.032	600.8	599.2	584.60	2.12	0.75	0.60	6.43	23.93	13.92
1.042	607.5	605.9	591.10	2.11	0.76	0.61	6.43	23.98	13.80
1.052	614.1	612.5	597.60	2.11	0.76	0.61	6.44	24.04	13.66
1.062	620.8	619.2	604.10	2.10	0.77	0.62	6.44	24.10	13.55
1.072	627.4	625.8	610.50	2.09	0.78	0.62	6.45	24.16	13.42
1.082	634.0	632.4	617.00	2.09	0.78	0.63	6.46	24.22	13.31
1.092	640.7	639.1	623.50	2.08	0.79	0.63	6.46	24.28	13.19
1.102	647.3	645.7	630.00	2.07	0.79	0.64	6.47	24.34	13.08
1.112	654.0	652.3	636.40	2.07	0.80	0.64	6.47	24.40	12.96
1.122	660.6	659.0	642.90	2.06	0.80	0.65	6.48	24.46	12.86
1.132	667.3	665.6	649.40	2.05	0.81	0.66	6.48	24.52	12.76
1.142	673.9	672.3	655.90	2.05	0.82	0.66	6.49	24.58	12.65
1.152	680.6	678.9	662.30	2.04	0.82	0.67	6.49	24.64	12.55
1.162	687.2	685.5	668.80	2.03	0.83	0.67	6.50	24.70	12.45
1.172	693.9	692.2	675.30	2.03	0.83	0.68	6.50	24.76	12.36
1.182	700.5	698.8	681.80	2.02	0.84	0.68	6.51	24.82	12.25
1.192	707.2	705.4	688.20	2.01	0.85	0.69	6.51	24.88	12.17
1.202	713.8	712.1	694.70	2.01	0.85	0.69	6.52	24.94	12.07
1.212	720.5	718.7	701.20	2.00	0.86	0.70	6.52	25.00	11.98
1.222	727.1	725.3	707.70	1.99	0.86	0.70	6.53	25.06	11.89
1.232	733.7	732.0	714.10	1.99	0.87	0.71	6.54	25.12	11.81
1.242	740.4	738.6	720.60	1.98	0.87	0.71	6.54	25.18	11.72
1.252	747.0	745.3	727.10	1.97	0.88	0.72	6.55	25.24	11.64
1.262	753.7	751.9	733.60	1.97	0.89	0.72	6.55	25.30	11.55
1.272	760.2	758.4	739.90	1.96	0.89	0.73	6.56	25.36	11.48
1.282	766.7	764.9	746.20	1.95	0.90	0.73	6.56	25.41	11.39
1.292	773.2	771.4	752.50	1.94	0.91	0.74	6.57	25.47	11.32
1.302	779.7	777.8	758.90	1.93	0.92	0.74	6.57	25.52	11.24
1.312	786.2	784.3	765.20	1.92	0.93	0.75	6.57	25.57	11.17

Hydrostatic Particulars at a Trim of 0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.322	792.7	790.8	771.50	1.91	0.94	0.75	6.58	25.63	11.09
1.332	799.2	797.3	777.90	1.90	0.95	0.76	6.58	25.68	11.02
1.342	805.7	803.8	784.20	1.89	0.96	0.76	6.59	25.74	10.95
1.352	812.2	810.3	790.50	1.88	0.97	0.77	6.59	25.79	10.88
1.362	818.7	816.8	796.90	1.87	0.98	0.77	6.60	25.85	10.81
1.372	825.2	823.3	803.20	1.86	0.99	0.78	6.60	25.90	10.74
1.382	831.7	829.8	809.50	1.85	0.99	0.79	6.61	25.96	10.68
1.392	838.2	836.3	815.90	1.84	1.00	0.79	6.61	26.01	10.61
1.402	844.7	842.7	822.20	1.83	1.01	0.80	6.62	26.06	10.55
1.412	851.2	849.2	828.50	1.82	1.02	0.80	6.62	26.12	10.48
1.422	857.7	855.7	834.90	1.81	1.03	0.81	6.63	26.17	10.43
1.432	864.2	862.2	841.20	1.80	1.04	0.81	6.63	26.23	10.36
1.442	870.7	868.7	847.50	1.79	1.05	0.82	6.63	26.28	10.31
1.452	877.2	875.2	853.80	1.78	1.06	0.82	6.64	26.34	10.24
1.462	883.7	881.7	860.20	1.77	1.07	0.83	6.64	26.39	10.19
1.472	890.2	888.2	866.50	1.76	1.08	0.83	6.65	26.44	10.13
1.482	896.7	894.7	872.80	1.75	1.08	0.84	6.65	26.50	10.07
1.492	903.2	901.2	879.20	1.74	1.09	0.84	6.66	26.55	10.01
1.502	909.7	907.6	885.50	1.73	1.10	0.85	6.66	26.61	9.96
1.512	916.2	914.1	891.80	1.72	1.11	0.85	6.67	26.66	9.90
1.522	922.8	920.8	898.30	1.71	1.12	0.86	6.67	26.72	9.86
1.532	929.5	927.4	904.80	1.71	1.14	0.86	6.68	26.78	9.80
1.542	936.1	934.1	911.30	1.70	1.15	0.87	6.68	26.84	9.75
1.552	942.8	940.7	917.80	1.70	1.16	0.87	6.69	26.89	9.69
1.562	949.5	947.4	924.30	1.69	1.17	0.88	6.69	26.95	9.64
1.572	956.1	954.1	930.80	1.69	1.18	0.88	6.70	27.01	9.59
1.582	962.8	960.7	937.30	1.69	1.20	0.89	6.70	27.07	9.54
1.592	969.5	967.4	943.80	1.68	1.21	0.89	6.71	27.13	9.49
1.602	976.1	974.0	950.30	1.68	1.22	0.90	6.71	27.18	9.45
1.612	982.8	980.7	956.70	1.67	1.23	0.90	6.71	27.24	9.39
1.622	989.4	987.3	963.20	1.67	1.25	0.91	6.72	27.30	9.35
1.632	996.1	994.0	969.70	1.66	1.26	0.92	6.72	27.36	9.31
1.642	1002.8	1000.6	976.20	1.66	1.27	0.92	6.73	27.42	9.26
1.652	1009.4	1007.3	982.70	1.65	1.28	0.93	6.73	27.48	9.22
1.662	1016.1	1013.9	989.20	1.65	1.30	0.93	6.74	27.53	9.17
1.672	1022.8	1020.6	995.70	1.64	1.31	0.94	6.74	27.59	9.13
1.682	1029.4	1027.2	1002.20	1.64	1.32	0.94	6.75	27.65	9.08
1.692	1036.1	1033.9	1008.70	1.64	1.33	0.95	6.75	27.71	9.05
1.702	1042.7	1040.5	1015.20	1.63	1.34	0.95	6.76	27.77	9.00
1.712	1049.4	1047.2	1021.60	1.63	1.36	0.96	6.76	27.82	8.96
1.722	1056.1	1053.8	1028.10	1.62	1.37	0.96	6.77	27.88	8.92
1.732	1062.7	1060.5	1034.60	1.62	1.38	0.97	6.77	27.94	8.88
1.742	1069.4	1067.1	1041.10	1.61	1.39	0.97	6.78	28.00	8.84
1.752	1076.0	1073.8	1047.60	1.61	1.41	0.98	6.78	28.06	8.81
1.762	1082.7	1080.5	1054.10	1.60	1.42	0.98	6.79	28.11	8.76
1.772	1089.7	1087.4	1060.90	1.61	1.45	0.99	6.80	28.24	8.73
1.782	1096.7	1094.4	1067.70	1.61	1.49	0.99	6.81	28.36	8.69
1.792	1103.7	1101.4	1074.50	1.61	1.52	1.00	6.81	28.49	8.66
1.802	1110.6	1108.4	1081.30	1.62	1.55	1.00	6.82	28.62	8.62
1.812	1117.6	1115.3	1088.10	1.62	1.59	1.01	6.83	28.74	8.60
1.822	1124.6	1122.3	1094.90	1.62	1.62	1.01	6.84	28.87	8.56

Hydrostatic Particulars at a Trim of 0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.832	1131.6	1129.3	1101.70	1.62	1.65	1.02	6.85	28.99	8.53
1.842	1138.6	1136.3	1108.50	1.63	1.69	1.02	6.86	29.12	8.49
1.852	1145.6	1143.2	1115.30	1.63	1.72	1.03	6.87	29.24	8.47
1.862	1152.6	1150.2	1122.20	1.63	1.75	1.04	6.88	29.37	8.44
1.872	1159.5	1157.2	1129.00	1.64	1.79	1.04	6.89	29.49	8.40
1.882	1166.5	1164.2	1135.80	1.64	1.82	1.05	6.90	29.62	8.38
1.892	1173.5	1171.1	1142.60	1.64	1.86	1.05	6.91	29.75	8.34
1.902	1180.5	1178.1	1149.40	1.64	1.89	1.06	6.92	29.87	8.32
1.912	1187.5	1185.1	1156.20	1.65	1.92	1.06	6.93	30.00	8.29
1.922	1194.5	1192.1	1163.00	1.65	1.96	1.07	6.94	30.12	8.26
1.932	1201.5	1199.0	1169.80	1.65	1.99	1.07	6.95	30.25	8.23
1.942	1208.4	1206.0	1176.60	1.66	2.02	1.08	6.96	30.37	8.21
1.952	1215.4	1213.0	1183.40	1.66	2.06	1.08	6.97	30.50	8.17
1.962	1222.4	1220.0	1190.20	1.66	2.09	1.09	6.98	30.63	8.15
1.972	1229.4	1226.9	1197.00	1.66	2.13	1.09	6.99	30.75	8.12
1.982	1236.4	1233.9	1203.80	1.67	2.16	1.10	7.00	30.88	8.10
1.992	1243.4	1240.9	1210.60	1.67	2.19	1.10	7.01	31.00	8.07
2.002	1250.4	1247.9	1217.40	1.67	2.23	1.11	7.02	31.13	8.05
2.012	1257.3	1254.8	1224.20	1.68	2.26	1.11	7.03	31.25	8.02
2.022	1264.3	1261.8	1231.00	1.68	2.27	1.12	7.03	31.31	7.99
2.032	1271.3	1268.8	1237.90	1.68	2.28	1.13	7.03	31.36	7.97
2.042	1278.3	1275.8	1244.70	1.68	2.29	1.13	7.04	31.41	7.93
2.052	1285.3	1282.8	1251.50	1.68	2.31	1.14	7.04	31.46	7.91
2.062	1292.3	1289.8	1258.30	1.68	2.32	1.14	7.05	31.51	7.88
2.072	1299.3	1296.7	1265.10	1.69	2.33	1.15	7.05	31.57	7.85
2.082	1306.3	1303.7	1271.90	1.69	2.34	1.15	7.05	31.62	7.82
2.092	1313.3	1310.7	1278.70	1.69	2.35	1.16	7.06	31.67	7.80
2.102	1320.3	1317.7	1285.50	1.69	2.36	1.16	7.06	31.72	7.77
2.112	1327.3	1324.7	1292.40	1.69	2.37	1.17	7.07	31.78	7.75
2.122	1334.3	1331.7	1299.20	1.70	2.39	1.17	7.07	31.83	7.72
2.132	1341.3	1338.6	1306.00	1.70	2.40	1.18	7.07	31.88	7.69
2.142	1348.2	1345.6	1312.80	1.70	2.41	1.18	7.08	31.93	7.66
2.152	1355.2	1352.6	1319.60	1.70	2.42	1.19	7.08	31.99	7.64
2.162	1362.2	1359.6	1326.40	1.70	2.43	1.19	7.08	32.04	7.61
2.172	1369.2	1366.6	1333.20	1.70	2.44	1.20	7.09	32.09	7.59
2.182	1376.2	1373.6	1340.10	1.71	2.46	1.20	7.09	32.14	7.56
2.192	1383.2	1380.5	1346.90	1.71	2.47	1.21	7.10	32.20	7.55
2.202	1390.2	1387.5	1353.70	1.71	2.48	1.22	7.10	32.25	7.53
2.212	1397.2	1394.5	1360.50	1.71	2.49	1.22	7.10	32.30	7.50
2.222	1404.2	1401.5	1367.30	1.71	2.50	1.23	7.11	32.35	7.48
2.232	1411.2	1408.5	1374.10	1.72	2.51	1.23	7.11	32.41	7.45
2.242	1418.2	1415.5	1380.90	1.72	2.52	1.24	7.12	32.46	7.44
2.252	1425.2	1422.4	1387.70	1.72	2.54	1.24	7.12	32.51	7.41
2.262	1432.2	1429.4	1394.60	1.72	2.55	1.25	7.12	32.56	7.39
2.272	1439.3	1436.6	1401.50	1.73	2.55	1.25	7.12	32.57	7.36
2.282	1446.4	1443.7	1408.50	1.73	2.55	1.26	7.12	32.58	7.34
2.292	1453.6	1450.8	1415.40	1.73	2.55	1.26	7.13	32.60	7.31
2.302	1460.7	1458.0	1422.40	1.74	2.55	1.27	7.13	32.61	7.30
2.312	1467.9	1465.1	1429.40	1.74	2.55	1.27	7.13	32.62	7.27
2.322	1475.0	1472.2	1436.30	1.74	2.55	1.28	7.13	32.63	7.25
2.332	1482.2	1479.4	1443.30	1.75	2.55	1.28	7.13	32.64	7.22

Hydrostatic Particulars at a Trim of 0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.342	1489.3	1486.5	1450.20	1.75	2.55	1.29	7.13	32.65	7.21
2.352	1496.5	1493.6	1457.20	1.75	2.55	1.29	7.13	32.66	7.18
2.362	1503.6	1500.8	1464.20	1.76	2.55	1.30	7.13	32.67	7.16
2.372	1510.7	1507.9	1471.10	1.76	2.55	1.31	7.13	32.68	7.15
2.382	1517.9	1515.0	1478.10	1.77	2.55	1.31	7.13	32.69	7.12
2.392	1525.0	1522.2	1485.00	1.77	2.55	1.32	7.13	32.70	7.10
2.402	1532.2	1529.3	1492.00	1.77	2.55	1.32	7.14	32.71	7.08
2.412	1539.3	1536.4	1499.00	1.78	2.55	1.33	7.14	32.73	7.06
2.422	1546.5	1543.6	1505.90	1.78	2.55	1.33	7.14	32.74	7.04
2.432	1553.6	1550.7	1512.90	1.78	2.55	1.34	7.14	32.75	7.02
2.442	1560.8	1557.8	1519.80	1.79	2.55	1.34	7.14	32.76	7.00
2.452	1567.9	1565.0	1526.80	1.79	2.54	1.35	7.14	32.77	6.98
2.462	1575.0	1572.1	1533.80	1.79	2.54	1.35	7.14	32.78	6.96
2.472	1582.2	1579.2	1540.70	1.80	2.54	1.36	7.14	32.79	6.95
2.482	1589.3	1586.4	1547.70	1.80	2.54	1.36	7.14	32.80	6.92
2.492	1596.5	1593.5	1554.60	1.81	2.54	1.37	7.14	32.81	6.91
2.502	1603.6	1600.6	1561.60	1.81	2.54	1.37	7.14	32.82	6.88
2.512	1610.8	1607.8	1568.60	1.81	2.54	1.38	7.14	32.83	6.87
2.522	1618.1	1615.1	1575.70	1.81	2.54	1.38	7.15	32.86	6.85
2.532	1625.3	1622.3	1582.80	1.81	2.53	1.39	7.15	32.88	6.83
2.542	1632.6	1629.6	1589.90	1.82	2.53	1.39	7.15	32.90	6.81
2.552	1639.9	1636.9	1597.00	1.82	2.52	1.40	7.15	32.92	6.80
2.562	1647.2	1644.2	1604.10	1.82	2.52	1.41	7.15	32.95	6.78
2.572	1654.5	1651.5	1611.20	1.82	2.51	1.41	7.15	32.97	6.76
2.582	1661.8	1658.7	1618.30	1.82	2.51	1.42	7.16	32.99	6.75
2.592	1669.1	1666.0	1625.40	1.82	2.50	1.42	7.16	33.01	6.73
2.602	1676.4	1673.3	1632.50	1.82	2.50	1.43	7.16	33.04	6.71
2.612	1683.7	1680.6	1639.60	1.82	2.49	1.43	7.16	33.06	6.69
2.622	1691.0	1687.9	1646.70	1.82	2.49	1.44	7.16	33.08	6.68
2.632	1698.3	1695.2	1653.80	1.82	2.48	1.44	7.16	33.10	6.66
2.642	1705.6	1702.4	1660.90	1.82	2.48	1.45	7.16	33.13	6.65
2.652	1712.8	1709.7	1668.00	1.82	2.47	1.45	7.17	33.15	6.63
2.662	1720.1	1717.0	1675.10	1.82	2.47	1.46	7.17	33.17	6.61
2.672	1727.4	1724.3	1682.20	1.83	2.46	1.46	7.17	33.20	6.59
2.682	1734.7	1731.6	1689.30	1.83	2.46	1.47	7.17	33.22	6.58
2.692	1742.0	1738.8	1696.40	1.83	2.45	1.47	7.17	33.24	6.56
2.702	1749.3	1746.1	1703.50	1.83	2.45	1.48	7.17	33.26	6.55
2.712	1756.6	1753.4	1710.60	1.83	2.44	1.48	7.18	33.29	6.53
2.722	1763.9	1760.7	1717.70	1.83	2.44	1.49	7.18	33.31	6.52
2.732	1771.2	1768.0	1724.80	1.83	2.44	1.49	7.18	33.33	6.50
2.742	1778.5	1775.2	1731.90	1.83	2.43	1.50	7.18	33.35	6.49
2.752	1785.8	1782.5	1739.00	1.83	2.43	1.50	7.18	33.38	6.47
2.762	1793.1	1789.8	1746.20	1.83	2.42	1.51	7.18	33.40	6.46
2.772	1800.3	1797.0	1753.20	1.83	2.42	1.52	7.18	33.41	6.45
2.782	1807.5	1804.2	1760.20	1.84	2.42	1.52	7.18	33.41	6.44
2.792	1814.7	1811.4	1767.20	1.84	2.41	1.53	7.19	33.42	6.43
2.802	1821.9	1818.6	1774.20	1.84	2.41	1.53	7.19	33.43	6.41
2.812	1829.1	1825.8	1781.20	1.84	2.41	1.54	7.19	33.44	6.40
2.822	1836.3	1833.0	1788.20	1.84	2.41	1.54	7.19	33.45	6.38
2.832	1843.5	1840.1	1795.30	1.85	2.41	1.55	7.19	33.46	6.37
2.842	1850.7	1847.3	1802.30	1.85	2.41	1.55	7.19	33.47	6.35

Hydrostatic Particulars at a Trim of 0.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.852	1857.9	1854.5	1809.30	1.85	2.40	1.56	7.19	33.47	6.35
2.862	1865.1	1861.7	1816.30	1.85	2.40	1.56	7.19	33.48	6.33
2.872	1872.3	1868.9	1823.30	1.86	2.40	1.57	7.19	33.49	6.32
2.882	1879.5	1876.1	1830.30	1.86	2.40	1.57	7.19	33.50	6.30
2.892	1886.7	1883.3	1837.40	1.86	2.40	1.58	7.19	33.51	6.30
2.902	1893.9	1890.5	1844.40	1.86	2.40	1.58	7.19	33.52	6.28
2.912	1901.1	1897.7	1851.40	1.86	2.39	1.59	7.19	33.52	6.27
2.922	1908.3	1904.9	1858.40	1.87	2.39	1.59	7.19	33.53	6.25
2.932	1915.5	1912.1	1865.40	1.87	2.39	1.60	7.19	33.54	6.25
2.942	1922.7	1919.2	1872.40	1.87	2.39	1.60	7.19	33.55	6.23
2.952	1929.9	1926.4	1879.40	1.87	2.39	1.61	7.20	33.56	6.22
2.962	1937.1	1933.6	1886.50	1.87	2.38	1.61	7.20	33.57	6.21
2.972	1944.3	1940.8	1893.50	1.88	2.38	1.62	7.20	33.58	6.20
2.982	1951.5	1948.0	1900.50	1.88	2.38	1.62	7.20	33.58	6.18
2.992	1958.7	1955.2	1907.50	1.88	2.38	1.63	7.20	33.59	6.18
3.002	1965.9	1962.4	1914.50	1.88	2.38	1.63	7.20	33.60	6.16
3.012	1973.1	1969.6	1921.50	1.88	2.38	1.64	7.20	33.61	6.16
3.022	1980.3	1976.8	1928.60	1.89	2.37	1.65	7.20	33.62	6.15
3.032	1987.5	1984.0	1935.60	1.89	2.37	1.65	7.20	33.63	6.13
3.042	1994.7	1991.2	1942.60	1.89	2.37	1.66	7.20	33.63	6.13
3.052	2001.9	1998.4	1949.70	1.89	2.37	1.66	7.20	33.64	6.11
3.062	2009.2	2005.6	1956.70	1.89	2.37	1.67	7.20	33.65	6.11
3.072	2016.4	2012.8	1963.70	1.89	2.37	1.67	7.20	33.66	6.09
3.082	2023.6	2020.0	1970.80	1.90	2.36	1.68	7.20	33.67	6.09
3.092	2030.8	2027.2	1977.80	1.90	2.36	1.68	7.20	33.68	6.07
3.102	2038.0	2034.4	1984.80	1.90	2.36	1.69	7.21	33.68	6.07
3.112	2045.2	2041.7	1991.90	1.90	2.36	1.69	7.21	33.69	6.05
3.122	2052.5	2048.9	1998.90	1.90	2.36	1.70	7.21	33.70	6.05
3.132	2059.7	2056.1	2005.90	1.90	2.36	1.70	7.21	33.71	6.03
3.142	2066.9	2063.3	2013.00	1.90	2.35	1.71	7.21	33.72	6.03
3.152	2074.1	2070.5	2020.00	1.91	2.35	1.71	7.21	33.73	6.01
3.162	2081.3	2077.7	2027.00	1.91	2.35	1.72	7.21	33.74	6.01
3.172	2088.5	2084.9	2034.00	1.91	2.35	1.72	7.21	33.74	6.00
3.182	2095.8	2092.1	2041.10	1.91	2.35	1.73	7.21	33.75	5.99
3.192	2103.0	2099.3	2048.10	1.91	2.34	1.73	7.21	33.76	5.98
3.202	2110.2	2106.5	2055.10	1.91	2.34	1.74	7.21	33.77	5.97
3.212	2117.4	2113.7	2062.20	1.92	2.34	1.74	7.21	33.78	5.96
3.222	2124.6	2120.9	2069.20	1.92	2.34	1.75	7.21	33.79	5.96
3.232	2131.8	2128.1	2076.20	1.92	2.34	1.75	7.21	33.79	5.94
3.242	2139.1	2135.3	2083.30	1.92	2.34	1.76	7.21	33.80	5.94
3.252	2146.3	2142.6	2090.30	1.92	2.33	1.76	7.21	33.81	5.93
3.262	2153.5	2149.8	2097.30	1.92	2.33	1.77	7.22	33.82	5.92
3.272	2160.7	2157.0	2104.40	1.92	2.33	1.77	7.22	33.83	5.91
3.282	2168.0	2164.2	2111.40	1.93	2.33	1.78	7.22	33.84	5.91
3.292	2175.2	2171.4	2118.50	1.93	2.33	1.79	7.22	33.84	5.90
3.302	2182.4	2178.7	2125.50	1.93	2.33	1.79	7.22	33.85	5.89
3.322	2196.9	2193.1	2139.60	1.93	2.32	1.80	7.22	33.87	5.87

Hydrostatic Particulars at a Trim of 1.00 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
0.812	466.6	465.3	454.00	4.98	1.37	0.58	6.27	22.32	17.22
0.822	473.1	471.8	460.30	4.95	1.37	0.59	6.28	22.40	17.03
0.832	479.6	478.3	466.60	4.91	1.36	0.59	6.28	22.49	16.83
0.842	486.1	484.8	472.90	4.88	1.36	0.60	6.29	22.57	16.65
0.852	492.6	491.2	479.30	4.84	1.35	0.60	6.30	22.66	16.46
0.862	499.1	497.7	485.60	4.80	1.35	0.61	6.31	22.75	16.29
0.872	505.6	504.2	491.90	4.77	1.34	0.61	6.32	22.83	16.11
0.882	512.1	510.7	498.20	4.73	1.34	0.62	6.33	22.92	15.95
0.892	518.6	517.2	504.60	4.70	1.33	0.63	6.34	23.00	15.79
0.902	525.1	523.7	510.90	4.66	1.33	0.63	6.34	23.09	15.63
0.912	531.6	530.2	517.20	4.62	1.32	0.64	6.35	23.18	15.48
0.922	538.1	536.6	523.60	4.59	1.32	0.64	6.36	23.26	15.33
0.932	544.6	543.1	529.90	4.55	1.32	0.65	6.37	23.35	15.18
0.942	551.0	549.6	536.20	4.52	1.31	0.65	6.38	23.44	15.03
0.952	557.5	556.1	542.50	4.48	1.31	0.66	6.39	23.52	14.90
0.962	564.0	562.6	548.90	4.44	1.30	0.66	6.39	23.61	14.76
0.972	570.5	569.1	555.20	4.41	1.30	0.67	6.40	23.69	14.63
0.982	577.0	575.6	561.50	4.37	1.29	0.67	6.41	23.78	14.49
0.992	583.5	582.0	567.80	4.34	1.29	0.68	6.42	23.87	14.37
1.002	590.0	588.5	574.20	4.30	1.28	0.68	6.43	23.95	14.24
1.012	596.5	595.0	580.50	4.26	1.28	0.69	6.44	24.04	14.13
1.022	602.9	601.4	586.70	4.24	1.28	0.69	6.44	24.11	13.99
1.032	609.4	607.8	593.00	4.21	1.29	0.70	6.45	24.18	13.88
1.042	615.8	614.2	599.20	4.18	1.29	0.70	6.46	24.25	13.75
1.052	622.2	620.6	605.50	4.15	1.29	0.71	6.46	24.32	13.64
1.062	628.6	627.0	611.70	4.12	1.30	0.71	6.47	24.39	13.52
1.072	635.0	633.4	618.00	4.09	1.30	0.72	6.47	24.46	13.41
1.082	641.4	639.9	624.20	4.06	1.30	0.73	6.48	24.53	13.30
1.092	647.9	646.3	630.50	4.04	1.31	0.73	6.49	24.60	13.19
1.102	654.3	652.7	636.70	4.01	1.31	0.74	6.49	24.67	13.09
1.112	660.7	659.1	643.00	3.98	1.31	0.74	6.50	24.74	12.98
1.122	667.1	665.5	649.20	3.95	1.32	0.75	6.51	24.81	12.88
1.132	673.5	671.9	655.50	3.92	1.32	0.75	6.51	24.88	12.78
1.142	679.9	678.3	661.70	3.89	1.32	0.76	6.52	24.95	12.69
1.152	686.4	684.7	668.00	3.87	1.33	0.76	6.52	25.02	12.59
1.162	692.8	691.1	674.20	3.84	1.33	0.77	6.53	25.09	12.50
1.172	699.2	697.5	680.50	3.81	1.34	0.77	6.54	25.16	12.40
1.182	705.6	703.9	686.70	3.78	1.34	0.78	6.54	25.23	12.31
1.192	712.0	710.3	693.00	3.75	1.34	0.78	6.55	25.30	12.22
1.202	718.4	716.7	699.20	3.72	1.35	0.79	6.56	25.37	12.14
1.212	724.9	723.1	705.50	3.69	1.35	0.79	6.56	25.44	12.05
1.222	731.3	729.5	711.70	3.67	1.35	0.80	6.57	25.51	11.97
1.232	737.7	735.9	718.00	3.64	1.36	0.80	6.57	25.58	11.88
1.242	744.1	742.4	724.20	3.61	1.36	0.81	6.58	25.65	11.81
1.252	750.5	748.8	730.50	3.58	1.36	0.81	6.59	25.72	11.72
1.262	756.9	755.2	736.70	3.55	1.37	0.82	6.59	25.79	11.65
1.272	763.5	761.8	743.20	3.54	1.38	0.82	6.60	25.86	11.56
1.282	770.2	768.4	749.60	3.52	1.38	0.83	6.60	25.93	11.49
1.292	776.8	775.0	756.10	3.50	1.39	0.83	6.61	26.00	11.41
1.302	783.4	781.6	762.50	3.49	1.40	0.84	6.62	26.07	11.34
1.312	790.0	788.2	768.90	3.47	1.41	0.85	6.62	26.14	11.27

Hydrostatic Particulars at a Trim of 1.00 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.322	796.6	794.8	775.40	3.45	1.42	0.85	6.63	26.21	11.19
1.332	803.2	801.4	781.80	3.44	1.43	0.86	6.63	26.28	11.12
1.342	809.8	808.0	788.20	3.42	1.44	0.86	6.64	26.35	11.05
1.352	816.4	814.6	794.70	3.40	1.45	0.87	6.65	26.42	10.98
1.362	823.0	821.2	801.10	3.38	1.45	0.87	6.65	26.49	10.91
1.372	829.6	827.8	807.60	3.37	1.46	0.88	6.66	26.56	10.85
1.382	836.2	834.3	814.00	3.35	1.47	0.88	6.66	26.63	10.78
1.392	842.8	840.9	820.40	3.33	1.48	0.89	6.67	26.70	10.72
1.402	849.5	847.5	826.90	3.32	1.49	0.89	6.67	26.77	10.65
1.412	856.1	854.1	833.30	3.30	1.50	0.90	6.68	26.84	10.59
1.422	862.7	860.7	839.70	3.28	1.51	0.90	6.69	26.91	10.52
1.432	869.3	867.3	846.20	3.27	1.52	0.91	6.69	26.98	10.47
1.442	875.9	873.9	852.60	3.25	1.52	0.91	6.70	27.05	10.40
1.452	882.5	880.5	859.10	3.23	1.53	0.92	6.70	27.12	10.35
1.462	889.1	887.1	865.50	3.22	1.54	0.92	6.71	27.19	10.29
1.472	895.7	893.7	871.90	3.20	1.55	0.93	6.72	27.26	10.24
1.482	902.3	900.3	878.40	3.18	1.56	0.93	6.72	27.33	10.17
1.492	908.9	906.9	884.80	3.17	1.57	0.94	6.73	27.40	10.12
1.502	915.5	913.5	891.30	3.15	1.58	0.94	6.73	27.47	10.06
1.512	922.1	920.1	897.70	3.13	1.58	0.95	6.74	27.54	10.02
1.522	929.1	927.1	904.50	3.13	1.62	0.95	6.75	27.68	9.96
1.532	936.1	934.0	911.30	3.12	1.65	0.96	6.76	27.82	9.92
1.542	943.0	941.0	918.00	3.12	1.69	0.97	6.77	27.96	9.87
1.552	950.0	947.9	924.80	3.11	1.72	0.97	6.78	28.11	9.82
1.562	957.0	954.9	931.60	3.11	1.76	0.98	6.79	28.25	9.78
1.572	963.9	961.8	938.40	3.10	1.79	0.98	6.80	28.39	9.73
1.582	970.9	968.8	945.20	3.10	1.83	0.99	6.81	28.53	9.69
1.592	977.8	975.7	951.90	3.09	1.86	0.99	6.83	28.67	9.64
1.602	984.8	982.7	958.70	3.09	1.89	1.00	6.84	28.81	9.60
1.612	991.8	989.6	965.50	3.08	1.93	1.00	6.85	28.95	9.55
1.622	998.7	996.6	972.30	3.08	1.96	1.01	6.86	29.09	9.51
1.632	1005.7	1003.6	979.10	3.07	2.00	1.01	6.87	29.23	9.46
1.642	1012.7	1010.5	985.90	3.07	2.03	1.02	6.88	29.38	9.43
1.652	1019.6	1017.5	992.60	3.06	2.07	1.02	6.89	29.52	9.38
1.662	1026.6	1024.4	999.40	3.06	2.10	1.03	6.90	29.66	9.35
1.672	1033.5	1031.4	1006.20	3.05	2.14	1.03	6.91	29.80	9.30
1.682	1040.5	1038.3	1013.00	3.05	2.17	1.04	6.92	29.94	9.27
1.692	1047.5	1045.3	1019.80	3.04	2.20	1.04	6.94	30.08	9.22
1.702	1054.4	1052.2	1026.60	3.04	2.24	1.05	6.95	30.22	9.19
1.712	1061.4	1059.2	1033.30	3.03	2.27	1.05	6.96	30.36	9.15
1.722	1068.4	1066.1	1040.10	3.03	2.31	1.06	6.97	30.50	9.12
1.732	1075.3	1073.1	1046.90	3.02	2.34	1.07	6.98	30.64	9.09
1.742	1082.3	1080.0	1053.70	3.02	2.38	1.07	6.99	30.79	9.05
1.752	1089.2	1087.0	1060.50	3.01	2.41	1.08	7.00	30.93	9.02
1.762	1096.2	1093.9	1067.20	3.01	2.45	1.08	7.01	31.07	8.98
1.772	1103.2	1100.9	1074.00	3.00	2.45	1.09	7.02	31.12	8.94
1.782	1110.1	1107.8	1080.80	3.00	2.46	1.09	7.02	31.16	8.89
1.792	1117.1	1114.8	1087.60	2.99	2.47	1.10	7.02	31.21	8.86
1.802	1124.1	1121.7	1094.40	2.99	2.48	1.10	7.03	31.26	8.81
1.812	1131.0	1128.7	1101.20	2.98	2.49	1.11	7.03	31.31	8.78
1.822	1138.0	1135.6	1107.90	2.98	2.49	1.11	7.03	31.35	8.74

Hydrostatic Particulars at a Trim of 1.00 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.832	1144.9	1142.6	1114.70	2.97	2.50	1.12	7.04	31.40	8.70
1.842	1151.9	1149.6	1121.50	2.97	2.51	1.12	7.04	31.45	8.66
1.852	1158.9	1156.5	1128.30	2.96	2.52	1.13	7.04	31.50	8.63
1.862	1165.8	1163.5	1135.10	2.96	2.52	1.13	7.05	31.54	8.59
1.872	1172.8	1170.4	1141.90	2.95	2.53	1.14	7.05	31.59	8.56
1.882	1179.8	1177.4	1148.60	2.95	2.54	1.14	7.05	31.64	8.52
1.892	1186.7	1184.3	1155.40	2.94	2.55	1.15	7.06	31.69	8.49
1.902	1193.7	1191.3	1162.20	2.94	2.56	1.16	7.06	31.73	8.46
1.912	1200.6	1198.2	1169.00	2.94	2.56	1.16	7.06	31.78	8.42
1.922	1207.6	1205.2	1175.80	2.93	2.57	1.17	7.07	31.83	8.39
1.932	1214.6	1212.1	1182.60	2.93	2.58	1.17	7.07	31.87	8.35
1.942	1221.5	1219.1	1189.30	2.92	2.59	1.18	7.07	31.92	8.33
1.952	1228.5	1226.0	1196.10	2.92	2.59	1.18	7.08	31.97	8.29
1.962	1235.5	1233.0	1202.90	2.91	2.60	1.19	7.08	32.02	8.26
1.972	1242.4	1239.9	1209.70	2.91	2.61	1.19	7.09	32.06	8.23
1.982	1249.4	1246.9	1216.50	2.90	2.62	1.20	7.09	32.11	8.20
1.992	1256.3	1253.8	1223.30	2.90	2.63	1.20	7.09	32.16	8.16
2.002	1263.3	1260.8	1230.00	2.89	2.63	1.21	7.10	32.21	8.14
2.012	1270.3	1267.8	1236.80	2.89	2.64	1.21	7.10	32.25	8.10
2.022	1277.4	1274.9	1243.80	2.89	2.64	1.22	7.10	32.27	8.08
2.032	1284.5	1282.0	1250.70	2.89	2.64	1.22	7.10	32.28	8.04
2.042	1291.6	1289.1	1257.60	2.88	2.64	1.23	7.10	32.29	8.01
2.052	1298.8	1296.2	1264.60	2.88	2.64	1.23	7.10	32.30	7.98
2.062	1305.9	1303.3	1271.50	2.88	2.64	1.24	7.10	32.32	7.95
2.072	1313.0	1310.4	1278.50	2.88	2.64	1.24	7.11	32.33	7.92
2.082	1320.1	1317.5	1285.40	2.88	2.64	1.25	7.11	32.34	7.89
2.092	1327.2	1324.7	1292.30	2.88	2.64	1.26	7.11	32.35	7.87
2.102	1334.4	1331.8	1299.30	2.88	2.64	1.26	7.11	32.37	7.84
2.112	1341.5	1338.9	1306.20	2.88	2.64	1.27	7.11	32.38	7.81
2.122	1348.6	1346.0	1313.20	2.87	2.64	1.27	7.11	32.39	7.78
2.132	1355.7	1353.1	1320.10	2.87	2.63	1.28	7.11	32.40	7.76
2.142	1362.9	1360.2	1327.00	2.87	2.63	1.28	7.11	32.42	7.73
2.152	1370.0	1367.3	1334.00	2.87	2.63	1.29	7.11	32.43	7.70
2.162	1377.1	1374.4	1340.90	2.87	2.63	1.29	7.11	32.44	7.67
2.172	1384.2	1381.6	1347.90	2.87	2.63	1.30	7.11	32.45	7.65
2.182	1391.3	1388.7	1354.80	2.87	2.63	1.30	7.12	32.47	7.62
2.192	1398.5	1395.8	1361.70	2.87	2.63	1.31	7.12	32.48	7.60
2.202	1405.6	1402.9	1368.70	2.86	2.63	1.31	7.12	32.49	7.57
2.212	1412.7	1410.0	1375.60	2.86	2.63	1.32	7.12	32.50	7.55
2.222	1419.8	1417.1	1382.50	2.86	2.63	1.32	7.12	32.51	7.52
2.232	1427.0	1424.2	1389.50	2.86	2.63	1.33	7.12	32.53	7.50
2.242	1434.1	1431.3	1396.40	2.86	2.63	1.33	7.12	32.54	7.47
2.252	1441.2	1438.4	1403.40	2.86	2.63	1.34	7.12	32.55	7.45
2.262	1448.3	1445.6	1410.30	2.86	2.63	1.34	7.12	32.56	7.42
2.272	1455.5	1452.7	1417.30	2.86	2.63	1.35	7.12	32.57	7.40
2.282	1462.6	1459.8	1424.20	2.86	2.62	1.35	7.12	32.58	7.38
2.292	1469.7	1467.0	1431.20	2.85	2.62	1.36	7.13	32.59	7.36
2.302	1476.9	1474.1	1438.10	2.85	2.62	1.36	7.13	32.60	7.33
2.312	1484.0	1481.2	1445.10	2.85	2.62	1.37	7.13	32.60	7.31
2.322	1491.2	1488.4	1452.10	2.85	2.62	1.38	7.13	32.61	7.29
2.332	1498.3	1495.5	1459.00	2.85	2.62	1.38	7.13	32.62	7.27

Hydrostatic Particulars at a Trim of 1.00 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.342	1505.5	1502.6	1466.00	2.85	2.62	1.39	7.13	32.63	7.25
2.352	1512.6	1509.7	1472.90	2.85	2.62	1.39	7.13	32.64	7.22
2.362	1519.7	1516.9	1479.90	2.85	2.61	1.40	7.13	32.64	7.21
2.372	1526.9	1524.0	1486.80	2.85	2.61	1.40	7.13	32.65	7.18
2.382	1534.0	1531.1	1493.80	2.84	2.61	1.41	7.13	32.66	7.16
2.392	1541.2	1538.3	1500.80	2.84	2.61	1.41	7.13	32.67	7.14
2.402	1548.3	1545.4	1507.70	2.84	2.61	1.42	7.13	32.68	7.12
2.412	1555.4	1552.5	1514.70	2.84	2.61	1.42	7.13	32.68	7.10
2.422	1562.6	1559.7	1521.60	2.84	2.61	1.43	7.13	32.69	7.08
2.432	1569.7	1566.8	1528.60	2.84	2.61	1.43	7.13	32.70	7.06
2.442	1576.9	1573.9	1535.50	2.84	2.60	1.44	7.13	32.71	7.04
2.452	1584.0	1581.1	1542.50	2.84	2.60	1.44	7.14	32.72	7.02
2.462	1591.2	1588.2	1549.50	2.84	2.60	1.45	7.14	32.72	7.00
2.472	1598.3	1595.3	1556.40	2.83	2.60	1.45	7.14	32.73	6.98
2.482	1605.4	1602.5	1563.40	2.83	2.60	1.46	7.14	32.74	6.97
2.492	1612.6	1609.6	1570.30	2.83	2.60	1.46	7.14	32.75	6.94
2.502	1619.7	1616.7	1577.30	2.83	2.60	1.47	7.14	32.76	6.93
2.512	1626.9	1623.9	1584.30	2.83	2.60	1.47	7.14	32.76	6.91
2.522	1634.0	1631.0	1591.20	2.83	2.59	1.48	7.14	32.77	6.89
2.532	1641.2	1638.2	1598.20	2.83	2.59	1.48	7.14	32.78	6.87
2.542	1648.3	1645.3	1605.20	2.83	2.59	1.49	7.14	32.78	6.86
2.552	1655.5	1652.4	1612.10	2.83	2.59	1.49	7.14	32.79	6.83
2.562	1662.6	1659.6	1619.10	2.83	2.59	1.50	7.14	32.80	6.82
2.572	1669.8	1666.7	1626.10	2.82	2.59	1.50	7.14	32.80	6.80
2.582	1676.9	1673.9	1633.10	2.82	2.59	1.51	7.14	32.81	6.79
2.592	1684.1	1681.0	1640.00	2.82	2.58	1.52	7.14	32.82	6.78
2.602	1691.3	1688.2	1647.00	2.82	2.58	1.52	7.14	32.83	6.75
2.612	1698.4	1695.3	1654.00	2.82	2.58	1.53	7.14	32.83	6.74
2.622	1705.6	1702.5	1660.90	2.82	2.58	1.53	7.15	32.84	6.72
2.632	1712.7	1709.6	1667.90	2.82	2.58	1.54	7.15	32.85	6.71
2.642	1719.9	1716.8	1674.90	2.82	2.58	1.54	7.15	32.85	6.69
2.652	1727.0	1723.9	1681.90	2.82	2.58	1.55	7.15	32.86	6.68
2.662	1734.2	1731.0	1688.80	2.82	2.58	1.55	7.15	32.87	6.66
2.672	1741.3	1738.2	1695.80	2.81	2.57	1.56	7.15	32.87	6.65
2.682	1748.5	1745.3	1702.80	2.81	2.57	1.56	7.15	32.88	6.63
2.692	1755.7	1752.5	1709.70	2.81	2.57	1.57	7.15	32.89	6.62
2.702	1762.8	1759.6	1716.70	2.81	2.57	1.57	7.15	32.89	6.60
2.712	1770.0	1766.8	1723.70	2.81	2.57	1.58	7.15	32.90	6.59
2.722	1777.1	1773.9	1730.70	2.81	2.57	1.58	7.15	32.91	6.57
2.732	1784.3	1781.1	1737.60	2.81	2.57	1.59	7.15	32.91	6.56
2.742	1791.4	1788.2	1744.60	2.81	2.57	1.59	7.15	32.92	6.54
2.752	1798.6	1795.4	1751.60	2.81	2.56	1.60	7.15	32.93	6.53
2.762	1805.7	1802.5	1758.50	2.81	2.56	1.60	7.15	32.93	6.51
2.772	1813.0	1809.8	1765.70	2.80	2.56	1.61	7.15	32.95	6.50
2.782	1820.3	1817.1	1772.80	2.80	2.55	1.61	7.16	32.98	6.48
2.792	1827.6	1824.4	1779.90	2.80	2.55	1.62	7.16	33.00	6.48
2.802	1834.9	1831.7	1787.00	2.79	2.54	1.62	7.16	33.02	6.46
2.812	1842.2	1839.0	1794.10	2.79	2.54	1.63	7.16	33.04	6.45
2.822	1849.5	1846.2	1801.20	2.79	2.53	1.63	7.16	33.06	6.43
2.832	1856.8	1853.5	1808.30	2.79	2.53	1.64	7.16	33.08	6.42
2.842	1864.1	1860.8	1815.40	2.78	2.52	1.64	7.16	33.11	6.40

Hydrostatic Particulars at a Trim of 1.00 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.852	1871.4	1868.1	1822.50	2.78	2.52	1.65	7.17	33.13	6.40
2.862	1878.7	1875.4	1829.70	2.78	2.51	1.65	7.17	33.15	6.38
2.872	1886.0	1882.7	1836.80	2.77	2.50	1.66	7.17	33.17	6.37
2.882	1893.3	1890.0	1843.90	2.77	2.50	1.66	7.17	33.19	6.35
2.892	1900.6	1897.3	1851.00	2.77	2.49	1.67	7.17	33.21	6.35
2.902	1907.9	1904.5	1858.10	2.76	2.49	1.67	7.17	33.24	6.33
2.912	1915.2	1911.8	1865.20	2.76	2.48	1.68	7.17	33.26	6.32
2.922	1922.5	1919.1	1872.30	2.76	2.48	1.69	7.18	33.28	6.31
2.932	1929.8	1926.4	1879.40	2.76	2.47	1.69	7.18	33.30	6.30
2.942	1937.1	1933.7	1886.50	2.75	2.47	1.70	7.18	33.32	6.29
2.952	1944.4	1941.0	1893.60	2.75	2.46	1.70	7.18	33.34	6.27
2.962	1951.7	1948.3	1900.80	2.75	2.46	1.71	7.18	33.37	6.27
2.972	1959.0	1955.6	1907.90	2.74	2.45	1.71	7.18	33.39	6.25
2.982	1966.3	1962.9	1915.00	2.74	2.45	1.72	7.19	33.41	6.24
2.992	1973.6	1970.1	1922.10	2.74	2.44	1.72	7.19	33.43	6.23
3.002	1980.9	1977.4	1929.20	2.74	2.44	1.73	7.19	33.45	6.22
3.012	1988.2	1984.7	1936.30	2.73	2.43	1.73	7.19	33.47	6.21
3.022	1995.4	1991.9	1943.30	2.73	2.43	1.74	7.19	33.48	6.20
3.032	2002.6	1999.1	1950.40	2.73	2.43	1.74	7.19	33.49	6.19
3.042	2009.8	2006.3	1957.40	2.73	2.43	1.75	7.19	33.50	6.18
3.052	2017.1	2013.5	1964.40	2.73	2.42	1.75	7.19	33.51	6.17
3.062	2024.3	2020.7	1971.40	2.73	2.42	1.76	7.19	33.52	6.16
3.072	2031.5	2027.9	1978.40	2.73	2.42	1.76	7.19	33.52	6.14
3.082	2038.7	2035.1	1985.50	2.73	2.42	1.77	7.19	33.53	6.14
3.092	2045.9	2042.3	1992.50	2.72	2.42	1.77	7.19	33.54	6.13
3.102	2053.1	2049.5	1999.50	2.72	2.42	1.78	7.20	33.55	6.12
3.112	2060.3	2056.7	2006.50	2.72	2.41	1.78	7.20	33.56	6.11
3.122	2067.5	2063.9	2013.60	2.72	2.41	1.79	7.20	33.57	6.10
3.132	2074.7	2071.1	2020.60	2.72	2.41	1.79	7.20	33.58	6.09
3.142	2081.9	2078.3	2027.60	2.72	2.41	1.80	7.20	33.58	6.08
3.152	2089.1	2085.5	2034.60	2.72	2.41	1.80	7.20	33.59	6.07
3.162	2096.3	2092.7	2041.60	2.72	2.40	1.81	7.20	33.60	6.06
3.172	2103.5	2099.9	2048.70	2.72	2.40	1.81	7.20	33.61	6.05
3.182	2110.7	2107.1	2055.70	2.71	2.40	1.82	7.20	33.62	6.05
3.192	2118.0	2114.3	2062.70	2.71	2.40	1.82	7.20	33.63	6.03
3.202	2125.2	2121.5	2069.70	2.71	2.40	1.83	7.20	33.63	6.03
3.212	2132.4	2128.7	2076.80	2.71	2.40	1.83	7.20	33.64	6.02
3.222	2139.6	2135.9	2083.80	2.71	2.39	1.84	7.20	33.65	6.01
3.232	2146.8	2143.1	2090.80	2.71	2.39	1.84	7.20	33.66	6.00
3.242	2154.0	2150.3	2097.80	2.71	2.39	1.85	7.20	33.67	6.00
3.252	2161.2	2157.5	2104.80	2.71	2.39	1.85	7.20	33.68	5.98
3.262	2168.4	2164.7	2111.90	2.71	2.39	1.86	7.21	33.68	5.98
3.272	2175.6	2171.9	2118.90	2.70	2.39	1.86	7.21	33.69	5.97
3.282	2182.9	2179.1	2125.90	2.70	2.38	1.87	7.21	33.70	5.96
3.292	2190.1	2186.3	2133.00	2.70	2.38	1.88	7.21	33.71	5.96
3.302	2197.3	2193.5	2140.00	2.70	2.38	1.88	7.21	33.72	5.95
3.312	2204.5	2200.7	2147.00	2.70	2.38	1.89	7.21	33.73	5.94
3.322	2211.7	2207.9	2154.10	2.70	2.38	1.89	7.21	33.74	5.93

Hydrostatic Particulars at a Trim of 1.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
0.812	478.7	477.5	465.90	7.32	2.44	0.58	6.14	21.20	16.39
0.822	484.9	483.7	471.90	7.26	2.42	0.59	6.16	21.34	16.24
0.832	491.1	489.9	477.90	7.20	2.39	0.60	6.17	21.48	16.10
0.842	497.3	496.0	484.00	7.14	2.37	0.60	6.18	21.62	15.95
0.852	503.4	502.2	490.00	7.08	2.34	0.61	6.20	21.77	15.81
0.862	509.6	508.4	496.00	7.02	2.32	0.61	6.21	21.91	15.67
0.872	515.8	514.6	502.00	6.96	2.29	0.62	6.23	22.05	15.54
0.882	522.0	520.8	508.10	6.90	2.27	0.62	6.24	22.19	15.40
0.892	528.2	526.9	514.10	6.84	2.24	0.63	6.26	22.33	15.28
0.902	534.4	533.1	520.10	6.78	2.22	0.63	6.27	22.47	15.15
0.912	540.6	539.3	526.10	6.72	2.19	0.64	6.29	22.61	15.03
0.922	546.8	545.5	532.20	6.66	2.17	0.64	6.30	22.75	14.91
0.932	553.0	551.6	538.20	6.60	2.15	0.65	6.32	22.89	14.80
0.942	559.2	557.8	544.20	6.54	2.12	0.65	6.33	23.03	14.68
0.952	565.4	564.0	550.20	6.48	2.10	0.66	6.35	23.17	14.57
0.962	571.6	570.2	556.30	6.42	2.07	0.67	6.36	23.31	14.47
0.972	577.8	576.4	562.30	6.36	2.05	0.67	6.38	23.45	14.36
0.982	583.9	582.5	568.30	6.30	2.02	0.68	6.39	23.60	14.26
0.992	590.1	588.7	574.30	6.24	2.00	0.68	6.40	23.74	14.15
1.002	596.3	594.9	580.40	6.18	1.97	0.69	6.42	23.88	14.06
1.012	602.5	601.1	586.40	6.12	1.95	0.69	6.43	24.02	13.96
1.022	609.0	607.5	592.70	6.08	1.95	0.70	6.44	24.11	13.84
1.032	615.5	614.0	599.00	6.05	1.95	0.70	6.45	24.20	13.72
1.042	622.0	620.5	605.40	6.01	1.95	0.71	6.46	24.29	13.61
1.052	628.5	627.0	611.70	5.97	1.95	0.71	6.47	24.39	13.49
1.062	635.0	633.5	618.00	5.93	1.95	0.72	6.47	24.48	13.38
1.072	641.5	639.9	624.30	5.90	1.95	0.72	6.48	24.57	13.27
1.082	648.0	646.4	630.70	5.86	1.95	0.73	6.49	24.66	13.17
1.092	654.4	652.9	637.00	5.82	1.95	0.74	6.50	24.76	13.07
1.102	660.9	659.4	643.30	5.78	1.95	0.74	6.51	24.85	12.96
1.112	667.4	665.9	649.60	5.75	1.95	0.75	6.51	24.94	12.87
1.122	673.9	672.3	655.90	5.71	1.95	0.75	6.52	25.03	12.76
1.132	680.4	678.8	662.30	5.67	1.96	0.76	6.53	25.12	12.67
1.142	686.9	685.3	668.60	5.63	1.96	0.76	6.54	25.22	12.57
1.152	693.4	691.8	674.90	5.60	1.96	0.77	6.55	25.31	12.49
1.162	699.9	698.3	681.20	5.56	1.96	0.77	6.55	25.40	12.39
1.172	706.4	704.7	687.50	5.52	1.96	0.78	6.56	25.49	12.31
1.182	712.9	711.2	693.90	5.48	1.96	0.78	6.57	25.59	12.21
1.192	719.4	717.7	700.20	5.45	1.96	0.79	6.58	25.68	12.13
1.202	725.8	724.2	706.50	5.41	1.96	0.79	6.59	25.77	12.05
1.212	732.3	730.6	712.80	5.37	1.96	0.80	6.60	25.86	11.97
1.222	738.8	737.1	719.10	5.33	1.96	0.80	6.60	25.96	11.88
1.232	745.3	743.6	725.50	5.30	1.96	0.81	6.61	26.05	11.81
1.242	751.8	750.1	731.80	5.26	1.96	0.81	6.62	26.14	11.73
1.252	758.3	756.6	738.10	5.22	1.96	0.82	6.63	26.23	11.66
1.262	764.8	763.0	744.40	5.18	1.97	0.83	6.64	26.32	11.59
1.272	771.7	769.9	751.20	5.17	2.00	0.83	6.65	26.49	11.51
1.282	778.6	776.8	757.90	5.15	2.03	0.84	6.66	26.66	11.44
1.292	785.5	783.7	764.60	5.13	2.06	0.84	6.67	26.82	11.37
1.302	792.4	790.6	771.30	5.11	2.10	0.85	6.69	26.99	11.30
1.312	799.3	797.5	778.00	5.09	2.13	0.85	6.70	27.15	11.23

Hydrostatic Particulars at a Trim of 1.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.322	806.2	804.4	784.80	5.07	2.16	0.86	6.71	27.32	11.17
1.332	813.1	811.3	791.50	5.06	2.19	0.86	6.73	27.48	11.10
1.342	820.0	818.1	798.20	5.04	2.23	0.87	6.74	27.65	11.04
1.352	826.9	825.0	804.90	5.02	2.26	0.87	6.75	27.81	10.98
1.362	833.8	831.9	811.60	5.00	2.29	0.88	6.77	27.98	10.92
1.372	840.7	838.8	818.40	4.98	2.33	0.88	6.78	28.15	10.85
1.382	847.6	845.7	825.10	4.97	2.36	0.89	6.79	28.31	10.80
1.392	854.5	852.6	831.80	4.95	2.39	0.89	6.81	28.48	10.74
1.402	861.4	859.5	838.50	4.93	2.42	0.90	6.82	28.64	10.68
1.412	868.3	866.4	845.20	4.91	2.46	0.91	6.83	28.81	10.63
1.422	875.2	873.3	852.00	4.89	2.49	0.91	6.85	28.97	10.57
1.432	882.1	880.1	858.70	4.87	2.52	0.92	6.86	29.14	10.52
1.442	889.0	887.0	865.40	4.86	2.55	0.92	6.87	29.31	10.47
1.452	895.9	893.9	872.10	4.84	2.59	0.93	6.89	29.47	10.42
1.462	902.8	900.8	878.80	4.82	2.62	0.93	6.90	29.64	10.36
1.472	909.7	907.7	885.60	4.80	2.65	0.94	6.91	29.80	10.32
1.482	916.6	914.6	892.30	4.78	2.69	0.94	6.92	29.97	10.26
1.492	923.5	921.5	899.00	4.77	2.72	0.95	6.94	30.13	10.22
1.502	930.4	928.4	905.70	4.75	2.75	0.95	6.95	30.30	10.16
1.512	937.3	935.2	912.40	4.73	2.78	0.96	6.96	30.47	10.12
1.522	944.2	942.1	919.20	4.71	2.78	0.96	6.97	30.51	10.06
1.532	951.1	949.0	925.90	4.70	2.79	0.97	6.97	30.56	10.01
1.542	958.0	955.9	932.60	4.68	2.79	0.97	6.98	30.61	9.95
1.552	964.9	962.8	939.30	4.67	2.79	0.98	6.98	30.66	9.90
1.562	971.8	969.7	946.10	4.65	2.79	0.99	6.98	30.71	9.85
1.572	978.7	976.6	952.80	4.64	2.79	0.99	6.99	30.76	9.79
1.582	985.6	983.5	959.50	4.62	2.79	1.00	6.99	30.81	9.74
1.592	992.5	990.4	966.20	4.61	2.79	1.00	6.99	30.85	9.69
1.602	999.4	997.3	973.00	4.60	2.79	1.01	7.00	30.90	9.64
1.612	1006.3	1004.2	979.70	4.58	2.79	1.01	7.00	30.95	9.59
1.622	1013.2	1011.1	986.40	4.57	2.80	1.02	7.00	31.00	9.54
1.632	1020.1	1018.0	993.10	4.55	2.80	1.02	7.01	31.05	9.49
1.642	1027.0	1024.9	999.90	4.54	2.80	1.03	7.01	31.10	9.45
1.652	1033.9	1031.8	1006.60	4.52	2.80	1.03	7.02	31.15	9.40
1.662	1040.8	1038.7	1013.30	4.51	2.80	1.04	7.02	31.20	9.35
1.672	1047.7	1045.5	1020.00	4.49	2.80	1.04	7.02	31.24	9.30
1.682	1054.6	1052.4	1026.80	4.48	2.80	1.05	7.03	31.29	9.26
1.692	1061.5	1059.3	1033.50	4.46	2.80	1.05	7.03	31.34	9.21
1.702	1068.4	1066.2	1040.20	4.45	2.81	1.06	7.03	31.39	9.18
1.712	1075.3	1073.1	1047.00	4.43	2.81	1.06	7.04	31.44	9.13
1.722	1082.3	1080.0	1053.70	4.42	2.81	1.07	7.04	31.49	9.09
1.732	1089.2	1086.9	1060.40	4.40	2.81	1.08	7.05	31.54	9.05
1.742	1096.1	1093.8	1067.10	4.39	2.81	1.08	7.05	31.58	9.01
1.752	1103.0	1100.7	1073.90	4.37	2.81	1.09	7.05	31.63	8.97
1.762	1109.9	1107.6	1080.60	4.36	2.81	1.09	7.06	31.68	8.93
1.772	1117.0	1114.7	1087.50	4.35	2.81	1.10	7.06	31.70	8.89
1.782	1124.0	1121.7	1094.40	4.34	2.81	1.10	7.06	31.72	8.84
1.792	1131.1	1128.8	1101.30	4.33	2.80	1.11	7.06	31.74	8.81
1.802	1138.2	1135.9	1108.20	4.32	2.80	1.11	7.06	31.76	8.76
1.812	1145.3	1143.0	1115.10	4.31	2.80	1.12	7.06	31.78	8.73
1.822	1152.4	1150.0	1122.00	4.30	2.80	1.12	7.07	31.80	8.68

Hydrostatic Particulars at a Trim of 1.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
1.832	1159.5	1157.1	1128.90	4.30	2.79	1.13	7.07	31.82	8.65
1.842	1166.6	1164.2	1135.80	4.29	2.79	1.13	7.07	31.84	8.60
1.852	1173.6	1171.3	1142.70	4.28	2.79	1.14	7.07	31.86	8.57
1.862	1180.7	1178.4	1149.60	4.27	2.79	1.14	7.07	31.88	8.53
1.872	1187.8	1185.4	1156.50	4.26	2.78	1.15	7.07	31.90	8.50
1.882	1194.9	1192.5	1163.40	4.25	2.78	1.15	7.07	31.92	8.46
1.892	1202.0	1199.6	1170.30	4.24	2.78	1.16	7.08	31.94	8.43
1.902	1209.1	1206.7	1177.20	4.24	2.78	1.17	7.08	31.95	8.40
1.912	1216.2	1213.7	1184.10	4.23	2.77	1.17	7.08	31.97	8.36
1.922	1223.2	1220.8	1191.00	4.22	2.77	1.18	7.08	31.99	8.33
1.932	1230.3	1227.9	1197.90	4.21	2.77	1.18	7.08	32.01	8.29
1.942	1237.4	1235.0	1204.80	4.20	2.76	1.19	7.08	32.03	8.26
1.952	1244.5	1242.0	1211.70	4.19	2.76	1.19	7.08	32.05	8.22
1.962	1251.6	1249.1	1218.60	4.18	2.76	1.20	7.09	32.07	8.19
1.972	1258.7	1256.2	1225.60	4.17	2.76	1.20	7.09	32.09	8.16
1.982	1265.8	1263.3	1232.50	4.17	2.75	1.21	7.09	32.11	8.13
1.992	1272.8	1270.3	1239.40	4.16	2.75	1.21	7.09	32.13	8.09
2.002	1279.9	1277.4	1246.30	4.15	2.75	1.22	7.09	32.15	8.07
2.012	1287.0	1284.5	1253.20	4.14	2.75	1.22	7.09	32.17	8.03
2.022	1294.1	1291.6	1260.10	4.13	2.74	1.23	7.09	32.18	8.01
2.032	1301.3	1298.7	1267.00	4.13	2.74	1.23	7.10	32.19	7.97
2.042	1308.4	1305.8	1274.00	4.12	2.74	1.24	7.10	32.20	7.94
2.052	1315.5	1312.9	1280.90	4.11	2.74	1.24	7.10	32.22	7.91
2.062	1322.6	1320.0	1287.80	4.11	2.73	1.25	7.10	32.23	7.88
2.072	1329.7	1327.1	1294.80	4.10	2.73	1.25	7.10	32.24	7.85
2.082	1336.8	1334.2	1301.70	4.09	2.73	1.26	7.10	32.25	7.83
2.092	1343.9	1341.3	1308.60	4.08	2.73	1.26	7.10	32.26	7.79
2.102	1351.1	1348.4	1315.60	4.08	2.72	1.27	7.10	32.27	7.77
2.112	1358.2	1355.5	1322.50	4.07	2.72	1.27	7.10	32.28	7.74
2.122	1365.3	1362.7	1329.40	4.06	2.72	1.28	7.10	32.30	7.71
2.132	1372.4	1369.8	1336.30	4.06	2.72	1.29	7.10	32.31	7.69
2.142	1379.5	1376.9	1343.30	4.05	2.71	1.29	7.11	32.32	7.66
2.152	1386.6	1384.0	1350.20	4.04	2.71	1.30	7.11	32.33	7.64
2.162	1393.7	1391.1	1357.10	4.04	2.71	1.30	7.11	32.34	7.61
2.172	1400.9	1398.2	1364.10	4.03	2.71	1.31	7.11	32.35	7.58
2.182	1408.0	1405.3	1371.00	4.02	2.70	1.31	7.11	32.37	7.55
2.192	1415.1	1412.4	1377.90	4.02	2.70	1.32	7.11	32.38	7.53
2.202	1422.2	1419.5	1384.90	4.01	2.70	1.32	7.11	32.39	7.50
2.212	1429.3	1426.6	1391.80	4.00	2.70	1.33	7.11	32.40	7.48
2.222	1436.4	1433.7	1398.70	3.99	2.70	1.33	7.11	32.41	7.45
2.232	1443.6	1440.8	1405.70	3.99	2.69	1.34	7.11	32.42	7.44
2.242	1450.7	1447.9	1412.60	3.98	2.69	1.34	7.11	32.43	7.41
2.252	1457.8	1455.0	1419.50	3.97	2.69	1.35	7.11	32.45	7.39
2.262	1464.9	1462.1	1426.50	3.97	2.69	1.35	7.12	32.46	7.36
2.272	1472.0	1469.2	1433.40	3.96	2.68	1.36	7.12	32.47	7.34
2.282	1479.2	1476.4	1440.40	3.96	2.68	1.36	7.12	32.47	7.31
2.292	1486.3	1483.5	1447.30	3.95	2.68	1.37	7.12	32.48	7.30
2.302	1493.4	1490.6	1454.30	3.94	2.68	1.37	7.12	32.49	7.27
2.312	1500.6	1497.7	1461.20	3.94	2.68	1.38	7.12	32.50	7.25
2.322	1507.7	1504.9	1468.20	3.93	2.68	1.38	7.12	32.51	7.22
2.332	1514.8	1512.0	1475.10	3.93	2.67	1.39	7.12	32.51	7.21


Hydrostatic Particulars at a Trim of 1.50 M

Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.342	1522.0	1519.1	1482.10	3.92	2.67	1.39	7.12	32.52	7.18
2.352	1529.1	1526.2	1489.00	3.92	2.67	1.40	7.12	32.53	7.16
2.362	1536.2	1533.4	1496.00	3.91	2.67	1.40	7.12	32.54	7.14
2.372	1543.4	1540.5	1502.90	3.90	2.67	1.41	7.12	32.55	7.12
2.382	1550.5	1547.6	1509.90	3.90	2.66	1.41	7.12	32.55	7.10
2.392	1557.6	1554.7	1516.80	3.89	2.66	1.42	7.12	32.56	7.08
2.402	1564.8	1561.9	1523.80	3.89	2.66	1.43	7.12	32.57	7.07
2.412	1571.9	1569.0	1530.70	3.88	2.66	1.43	7.13	32.58	7.04
2.422	1579.0	1576.1	1537.70	3.88	2.66	1.44	7.13	32.59	7.03
2.432	1586.2	1583.2	1544.60	3.87	2.66	1.44	7.13	32.59	7.00
2.442	1593.3	1590.3	1551.60	3.86	2.65	1.45	7.13	32.60	6.99
2.452	1600.4	1597.5	1558.50	3.86	2.65	1.45	7.13	32.61	6.96
2.462	1607.6	1604.6	1565.50	3.85	2.65	1.46	7.13	32.62	6.95
2.472	1614.7	1611.7	1572.40	3.85	2.65	1.46	7.13	32.63	6.93
2.482	1621.8	1618.8	1579.40	3.84	2.65	1.47	7.13	32.63	6.91
2.492	1629.0	1626.0	1586.30	3.84	2.65	1.47	7.13	32.64	6.89
2.502	1636.1	1633.1	1593.30	3.83	2.64	1.48	7.13	32.65	6.88
2.512	1643.2	1640.2	1600.20	3.83	2.64	1.48	7.13	32.66	6.86
2.522	1650.4	1647.4	1607.20	3.82	2.64	1.49	7.13	32.67	6.84
2.532	1657.5	1654.5	1614.10	3.82	2.64	1.49	7.13	32.67	6.82
2.542	1664.7	1661.6	1621.10	3.81	2.64	1.50	7.13	32.68	6.81
2.552	1671.8	1668.8	1628.10	3.81	2.64	1.50	7.13	32.69	6.79
2.562	1679.0	1675.9	1635.00	3.80	2.64	1.51	7.13	32.69	6.77
2.572	1686.1	1683.0	1642.00	3.80	2.63	1.51	7.13	32.70	6.75
2.582	1693.3	1690.2	1649.00	3.79	2.63	1.52	7.14	32.71	6.74
2.592	1700.4	1697.3	1655.90	3.79	2.63	1.52	7.14	32.72	6.72
2.602	1707.6	1704.5	1662.90	3.78	2.63	1.53	7.14	32.72	6.71
2.612	1714.7	1711.6	1669.90	3.78	2.63	1.53	7.14	32.73	6.69
2.622	1721.9	1718.7	1676.80	3.77	2.63	1.54	7.14	32.74	6.68
2.632	1729.0	1725.9	1683.80	3.77	2.63	1.54	7.14	32.75	6.66
2.642	1736.2	1733.0	1690.70	3.76	2.62	1.55	7.14	32.75	6.65
2.652	1743.3	1740.2	1697.70	3.76	2.62	1.55	7.14	32.76	6.63
2.662	1750.4	1747.3	1704.70	3.75	2.62	1.56	7.14	32.77	6.62
2.672	1757.6	1754.4	1711.60	3.75	2.62	1.56	7.14	32.77	6.60
2.682	1764.7	1761.6	1718.60	3.75	2.62	1.57	7.14	32.78	6.59
2.692	1771.9	1768.7	1725.60	3.74	2.62	1.57	7.14	32.79	6.57
2.702	1779.0	1775.8	1732.50	3.74	2.62	1.58	7.14	32.80	6.56
2.712	1786.2	1783.0	1739.50	3.73	2.61	1.58	7.14	32.80	6.54
2.722	1793.3	1790.1	1746.50	3.73	2.61	1.59	7.14	32.81	6.53
2.732	1800.5	1797.3	1753.40	3.72	2.61	1.59	7.14	32.82	6.51
2.742	1807.6	1804.4	1760.40	3.72	2.61	1.60	7.14	32.82	6.50
2.752	1814.8	1811.5	1767.40	3.71	2.61	1.61	7.14	32.83	6.49
2.762	1821.9	1818.7	1774.30	3.71	2.61	1.61	7.15	32.84	6.47
2.772	1829.1	1825.8	1781.30	3.70	2.61	1.62	7.15	32.85	6.47
2.782	1836.3	1833.0	1788.30	3.70	2.60	1.62	7.15	32.85	6.45
2.792	1843.4	1840.1	1795.30	3.70	2.60	1.63	7.15	32.86	6.44
2.802	1850.6	1847.3	1802.20	3.69	2.60	1.63	7.15	32.87	6.42
2.812	1857.7	1854.4	1809.20	3.69	2.60	1.64	7.15	32.87	6.41
2.822	1864.9	1861.6	1816.20	3.68	2.60	1.64	7.15	32.88	6.40
2.832	1872.1	1868.7	1823.20	3.68	2.60	1.65	7.15	32.89	6.39
2.842	1879.2	1875.9	1830.10	3.68	2.60	1.65	7.15	32.89	6.37

Hydrostatic Particulars at a Trim of 1.50 M


Draft (Ext) M	Ext Disp T	Mld Disp T	Mld Vol CuM	LCB M	LCF M	VCB M	TP1CM T	MCT1CM T-M	KMt M
2.852	1886.4	1883.0	1837.10	3.67	2.59	1.66	7.15	32.90	6.36
2.862	1893.5	1890.2	1844.10	3.67	2.59	1.66	7.15	32.91	6.35
2.872	1900.7	1897.4	1851.10	3.66	2.59	1.67	7.15	32.91	6.34
2.882	1907.9	1904.5	1858.10	3.66	2.59	1.67	7.15	32.92	6.32
2.892	1915.0	1911.7	1865.00	3.66	2.59	1.68	7.15	32.93	6.31
2.902	1922.2	1918.8	1872.00	3.65	2.59	1.68	7.15	32.93	6.30
2.912	1929.4	1926.0	1879.00	3.65	2.59	1.69	7.15	32.94	6.29
2.922	1936.5	1933.1	1886.00	3.64	2.59	1.69	7.15	32.95	6.28
2.932	1943.7	1940.3	1892.90	3.64	2.58	1.70	7.15	32.95	6.27
2.942	1950.8	1947.4	1899.90	3.64	2.58	1.70	7.16	32.96	6.25
2.952	1958.0	1954.6	1906.90	3.63	2.58	1.71	7.16	32.97	6.25
2.962	1965.2	1961.7	1913.90	3.63	2.58	1.71	7.16	32.97	6.23
2.972	1972.3	1968.9	1920.90	3.62	2.58	1.72	7.16	32.98	6.22
2.982	1979.5	1976.0	1927.80	3.62	2.58	1.72	7.16	32.99	6.21
2.992	1986.6	1983.2	1934.80	3.62	2.58	1.73	7.16	32.99	6.20
3.002	1993.8	1990.3	1941.80	3.61	2.57	1.73	7.16	33.00	6.19
3.012	2001.0	1997.5	1948.80	3.61	2.57	1.74	7.16	33.01	6.18
3.022	2008.3	2004.8	1955.90	3.60	2.57	1.74	7.16	33.03	6.17
3.032	2015.6	2012.1	1963.00	3.60	2.56	1.75	7.16	33.05	6.16
3.042	2022.9	2019.4	1970.10	3.59	2.56	1.75	7.16	33.07	6.15
3.052	2030.2	2026.7	1977.20	3.59	2.55	1.76	7.16	33.09	6.14
3.062	2037.5	2034.0	1984.40	3.58	2.55	1.76	7.17	33.12	6.13
3.072	2044.8	2041.3	1991.50	3.58	2.54	1.77	7.17	33.14	6.12
3.082	2052.1	2048.6	1998.60	3.57	2.54	1.77	7.17	33.16	6.11
3.092	2059.4	2055.8	2005.70	3.56	2.53	1.78	7.17	33.18	6.10
3.102	2066.7	2063.1	2012.80	3.56	2.53	1.78	7.17	33.20	6.09
3.112	2074.0	2070.4	2019.90	3.55	2.52	1.79	7.17	33.22	6.08
3.122	2081.3	2077.7	2027.10	3.55	2.52	1.79	7.18	33.25	6.07
3.132	2088.7	2085.0	2034.20	3.54	2.51	1.80	7.18	33.27	6.06
3.142	2096.0	2092.3	2041.30	3.54	2.51	1.80	7.18	33.29	6.05
3.152	2103.3	2099.6	2048.40	3.53	2.50	1.81	7.18	33.31	6.04
3.162	2110.6	2106.9	2055.50	3.53	2.49	1.81	7.18	33.33	6.03
3.172	2117.9	2114.2	2062.70	3.52	2.49	1.82	7.18	33.35	6.03
3.182	2125.2	2121.5	2069.80	3.52	2.48	1.82	7.18	33.38	6.01
3.192	2132.5	2128.8	2076.90	3.51	2.48	1.83	7.19	33.40	6.01
3.202	2139.8	2136.1	2084.00	3.51	2.47	1.84	7.19	33.42	6.01
3.212	2147.1	2143.4	2091.10	3.50	2.47	1.84	7.19	33.44	5.99
3.222	2154.4	2150.7	2098.20	3.50	2.46	1.85	7.19	33.46	5.99
3.232	2161.7	2158.0	2105.40	3.49	2.46	1.85	7.19	33.48	5.97
3.242	2169.0	2165.3	2112.50	3.49	2.45	1.86	7.19	33.51	5.97
3.252	2176.3	2172.6	2119.60	3.48	2.45	1.86	7.19	33.53	5.96
3.262	2183.6	2179.9	2126.70	3.47	2.44	1.87	7.20	33.55	5.96
3.272	2190.9	2187.1	2133.70	3.47	2.44	1.87	7.20	33.56	5.94
3.282	2198.1	2194.3	2140.80	3.47	2.44	1.88	7.20	33.57	5.94
3.292	2205.3	2201.5	2147.80	3.46	2.44	1.88	7.20	33.58	5.93
3.302	2212.5	2208.7	2154.80	3.46	2.43	1.89	7.20	33.58	5.92
3.312	2219.7	2215.9	2161.90	3.46	2.43	1.89	7.20	33.59	5.91
3.322	2226.9	2223.1	2168.90	3.46	2.43	1.90	7.20	33.60	5.91

KN CONCEPT



$GZ = KN - KG \sin \theta$

VOLUME USED FOR KN COMPUTATION



PROFILE

TABLE OF DISPLACEMENT VS KN

Trim = -0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
300.0	3.250	4.172	4.471	4.492	4.335	4.015
310.0	3.212	4.143	4.459	4.487	4.339	4.021
320.0	3.176	4.116	4.445	4.483	4.342	4.026
330.0	3.142	4.091	4.430	4.479	4.346	4.026
340.0	3.108	4.067	4.415	4.475	4.349	4.026
350.0	3.066	4.045	4.401	4.471	4.349	4.027
360.0	3.027	4.024	4.388	4.468	4.348	4.027
370.0	2.990	4.004	4.375	4.464	4.348	4.027
380.0	2.955	3.979	4.364	4.459	4.347	4.027
390.0	2.922	3.955	4.352	4.455	4.346	4.028
400.0	2.891	3.932	4.341	4.451	4.346	4.028
410.0	2.861	3.910	4.327	4.447	4.346	4.028
420.0	2.829	3.889	4.314	4.443	4.345	4.024
430.0	2.792	3.869	4.301	4.439	4.345	4.020
440.0	2.757	3.851	4.289	4.436	4.343	4.016
450.0	2.724	3.832	4.277	4.432	4.337	4.012
460.0	2.692	3.813	4.266	4.429	4.332	4.008
470.0	2.662	3.791	4.256	4.423	4.326	4.005
480.0	2.632	3.770	4.245	4.416	4.321	4.002
490.0	2.604	3.751	4.236	4.410	4.316	3.998
500.0	2.577	3.732	4.224	4.404	4.312	3.995
510.0	2.548	3.713	4.212	4.398	4.307	3.990
520.0	2.516	3.696	4.201	4.392	4.303	3.983
530.0	2.485	3.679	4.190	4.387	4.299	3.976
540.0	2.456	3.662	4.179	4.382	4.293	3.970
550.0	2.427	3.646	4.169	4.376	4.284	3.964
560.0	2.400	3.627	4.159	4.372	4.276	3.958
570.0	2.374	3.608	4.150	4.366	4.268	3.952
580.0	2.348	3.590	4.141	4.356	4.260	3.947
590.0	2.324	3.573	4.132	4.346	4.252	3.941
600.0	2.300	3.556	4.123	4.337	4.244	3.936
610.0	2.273	3.540	4.112	4.328	4.237	3.928
620.0	2.246	3.525	4.101	4.319	4.230	3.919
630.0	2.221	3.509	4.091	4.311	4.224	3.911
640.0	2.196	3.495	4.081	4.303	4.216	3.904
650.0	2.172	3.481	4.071	4.295	4.206	3.896
660.0	2.149	3.463	4.062	4.287	4.195	3.889
670.0	2.127	3.447	4.053	4.279	4.185	3.882
680.0	2.105	3.431	4.044	4.271	4.175	3.875
690.0	2.084	3.415	4.035	4.259	4.165	3.869
700.0	2.063	3.400	4.027	4.247	4.156	3.861
710.0	2.042	3.385	4.019	4.236	4.147	3.852
720.0	2.021	3.370	4.008	4.225	4.138	3.843
730.0	2.001	3.356	3.997	4.214	4.130	3.834
740.0	1.981	3.343	3.986	4.203	4.121	3.825
750.0	1.962	3.329	3.975	4.193	4.110	3.817
760.0	1.943	3.316	3.964	4.183	4.098	3.809
770.0	1.925	3.301	3.954	4.174	4.087	3.801
780.0	1.907	3.286	3.944	4.164	4.076	3.793
790.0	1.889	3.271	3.934	4.155	4.065	3.786
800.0	1.873	3.257	3.925	4.141	4.054	3.777
810.0	1.856	3.243	3.916	4.128	4.044	3.767
820.0	1.839	3.229	3.907	4.115	4.034	3.757
830.0	1.823	3.216	3.898	4.102	4.024	3.748

TABLE OF DISPLACEMENT VS KN

Trim = -0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
840.0	1.807	3.203	3.886	4.090	4.014	3.739
850.0	1.791	3.190	3.873	4.078	4.004	3.730
860.0	1.776	3.177	3.860	4.067	3.991	3.722
870.0	1.761	3.165	3.848	4.055	3.979	3.713
880.0	1.746	3.153	3.836	4.044	3.967	3.705
890.0	1.732	3.139	3.824	4.033	3.955	3.697
900.0	1.718	3.125	3.813	4.022	3.944	3.687
910.0	1.704	3.112	3.802	4.009	3.932	3.677
920.0	1.691	3.099	3.791	3.995	3.922	3.667
930.0	1.677	3.086	3.780	3.981	3.911	3.657
940.0	1.664	3.073	3.770	3.968	3.900	3.648
950.0	1.652	3.060	3.759	3.955	3.890	3.639
960.0	1.639	3.048	3.747	3.942	3.877	3.630
970.0	1.627	3.036	3.733	3.929	3.865	3.621
980.0	1.615	3.025	3.719	3.917	3.852	3.612
990.0	1.603	3.013	3.706	3.905	3.840	3.604
1000.0	1.592	3.002	3.692	3.893	3.828	3.594
1010.0	1.581	2.991	3.679	3.882	3.816	3.583
1020.0	1.570	2.977	3.667	3.868	3.805	3.573
1030.0	1.559	2.964	3.654	3.854	3.794	3.563
1040.0	1.548	2.951	3.642	3.839	3.783	3.554
1050.0	1.538	2.939	3.630	3.825	3.772	3.544
1060.0	1.528	2.926	3.618	3.811	3.760	3.535
1070.0	1.518	2.914	3.606	3.798	3.747	3.526
1080.0	1.508	2.902	3.595	3.785	3.734	3.517
1090.0	1.498	2.890	3.579	3.771	3.722	3.508
1100.0	1.489	2.879	3.565	3.759	3.710	3.498
1110.0	1.480	2.868	3.550	3.746	3.697	3.488
1120.0	1.471	2.856	3.536	3.734	3.686	3.477
1130.0	1.462	2.846	3.521	3.721	3.674	3.468
1140.0	1.453	2.835	3.508	3.706	3.662	3.458
1150.0	1.444	2.823	3.494	3.691	3.651	3.448
1160.0	1.436	2.810	3.480	3.677	3.640	3.439
1170.0	1.428	2.796	3.467	3.662	3.627	3.429
1180.0	1.420	2.783	3.454	3.648	3.614	3.420
1190.0	1.412	2.771	3.442	3.635	3.602	3.411
1200.0	1.404	2.758	3.429	3.621	3.589	3.401
1210.0	1.396	2.745	3.415	3.608	3.577	3.391
1220.0	1.389	2.733	3.399	3.595	3.564	3.380
1230.0	1.381	2.721	3.383	3.582	3.552	3.370
1240.0	1.374	2.709	3.368	3.569	3.540	3.360
1250.0	1.367	2.698	3.353	3.554	3.529	3.351
1260.0	1.360	2.686	3.338	3.539	3.517	3.341
1270.0	1.354	2.675	3.324	3.524	3.506	3.332
1280.0	1.347	2.664	3.309	3.510	3.493	3.322
1290.0	1.340	2.652	3.295	3.495	3.479	3.313
1300.0	1.334	2.638	3.282	3.481	3.467	3.303
1310.0	1.328	2.625	3.268	3.467	3.454	3.292
1320.0	1.322	2.611	3.254	3.453	3.441	3.282
1330.0	1.316	2.598	3.241	3.440	3.429	3.272
1340.0	1.310	2.584	3.224	3.426	3.417	3.262
1350.0	1.304	2.571	3.208	3.413	3.405	3.252
1360.0	1.298	2.559	3.192	3.399	3.393	3.242
1370.0	1.292	2.546	3.177	3.384	3.382	3.233

TABLE OF DISPLACEMENT VS KN

Trim = -0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1380.0	1.287	2.534	3.161	3.368	3.369	3.223
1390.0	1.281	2.521	3.146	3.353	3.356	3.214
1400.0	1.276	2.509	3.131	3.339	3.343	3.204
1410.0	1.271	2.497	3.116	3.324	3.330	3.193
1420.0	1.265	2.485	3.102	3.310	3.317	3.183
1430.0	1.260	2.474	3.087	3.296	3.304	3.173
1440.0	1.255	2.460	3.073	3.282	3.292	3.163
1450.0	1.250	2.446	3.059	3.268	3.280	3.153
1460.0	1.245	2.433	3.043	3.254	3.268	3.144
1470.0	1.241	2.420	3.027	3.241	3.256	3.134
1480.0	1.236	2.406	3.010	3.225	3.244	3.125
1490.0	1.231	2.393	2.994	3.210	3.231	3.115
1500.0	1.227	2.381	2.978	3.194	3.218	3.105
1510.0	1.222	2.368	2.962	3.179	3.204	3.095
1520.0	1.218	2.355	2.947	3.165	3.192	3.084
1530.0	1.213	2.343	2.931	3.150	3.179	3.074
1540.0	1.209	2.331	2.916	3.136	3.166	3.064
1550.0	1.205	2.319	2.901	3.121	3.154	3.054
1560.0	1.200	2.307	2.887	3.107	3.142	3.045
1570.0	1.196	2.295	2.872	3.093	3.129	3.035
1580.0	1.192	2.282	2.857	3.080	3.118	3.026
1590.0	1.188	2.268	2.840	3.064	3.105	3.016
1600.0	1.184	2.255	2.823	3.048	3.091	3.006
1610.0	1.180	2.242	2.806	3.033	3.078	2.995
1620.0	1.177	2.228	2.790	3.018	3.065	2.985
1630.0	1.173	2.216	2.774	3.003	3.052	2.975
1640.0	1.169	2.203	2.758	2.988	3.040	2.965
1650.0	1.165	2.190	2.742	2.973	3.027	2.955
1660.0	1.162	2.178	2.726	2.959	3.015	2.945
1670.0	1.158	2.166	2.711	2.944	3.003	2.935
1680.0	1.155	2.153	2.695	2.930	2.990	2.926
1690.0	1.151	2.141	2.680	2.916	2.978	2.916
1700.0	1.148	2.130	2.665	2.901	2.965	2.906
1710.0	1.145	2.117	2.648	2.885	2.952	2.895
1720.0	1.141	2.103	2.631	2.869	2.938	2.885
1730.0	1.138	2.090	2.614	2.854	2.925	2.875
1740.0	1.135	2.077	2.597	2.839	2.912	2.865
1750.0	1.131	2.064	2.581	2.824	2.900	2.855
1760.0	1.128	2.051	2.564	2.809	2.887	2.845
1770.0	1.125	2.038	2.548	2.794	2.875	2.835
1780.0	1.122	2.026	2.532	2.780	2.862	2.826
1790.0	1.119	2.013	2.516	2.765	2.850	2.816
1800.0	1.116	2.001	2.500	2.751	2.837	2.805
1810.0	1.113	1.989	2.485	2.736	2.824	2.795
1820.0	1.110	1.977	2.470	2.720	2.810	2.784
1830.0	1.107	1.965	2.453	2.704	2.797	2.774
1840.0	1.103	1.952	2.436	2.689	2.784	2.764
1850.0	1.100	1.939	2.419	2.673	2.771	2.754
1860.0	1.096	1.926	2.403	2.658	2.758	2.744
1870.0	1.093	1.913	2.386	2.643	2.746	2.734
1880.0	1.090	1.900	2.370	2.628	2.733	2.724
1890.0	1.086	1.888	2.354	2.613	2.721	2.714
1900.0	1.083	1.875	2.338	2.599	2.708	2.704
1910.0	1.080	1.863	2.322	2.584	2.694	2.693

TABLE OF DISPLACEMENT VS KN

Trim = -0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1920.0	1.076	1.850	2.306	2.569	2.681	2.683
1930.0	1.073	1.838	2.291	2.553	2.668	2.672
1940.0	1.070	1.826	2.275	2.537	2.654	2.662
1950.0	1.067	1.814	2.259	2.522	2.641	2.652
1960.0	1.062	1.802	2.243	2.506	2.628	2.642
1970.0	1.058	1.789	2.226	2.491	2.615	2.632
1980.0	1.054	1.776	2.210	2.475	2.603	2.622
1990.0	1.050	1.763	2.194	2.460	2.590	2.612
2000.0	1.046	1.750	2.178	2.445	2.578	2.601
2010.0	1.042	1.737	2.162	2.430	2.564	2.591
2020.0	1.038	1.725	2.147	2.416	2.550	2.580
2030.0	1.034	1.713	2.131	2.401	2.537	2.570
2040.0	1.031	1.700	2.116	2.385	2.524	2.560
2050.0	1.027	1.688	2.101	2.369	2.510	2.549
2060.0	1.023	1.676	2.086	2.353	2.497	2.539
2070.0	1.018	1.664	2.070	2.337	2.484	2.530
2080.0	1.012	1.651	2.054	2.322	2.471	2.519
2090.0	1.007	1.638	2.038	2.306	2.459	2.509
2100.0	1.002	1.625	2.022	2.291	2.446	2.498
2110.0	0.997	1.613	2.007	2.276	2.432	2.487
2120.0	0.992	1.600	1.991	2.261	2.419	2.477
2130.0	0.986	1.588	1.976	2.247	2.405	2.467
2140.0	0.981	1.575	1.961	2.231	2.392	2.456
2150.0	0.976	1.563	1.946	2.216	2.378	2.446
2160.0	0.972	1.551	1.931	2.200	2.365	2.436
2170.0	0.966	1.539	1.917	2.185	2.352	2.426
2180.0	0.960	1.526	1.901	2.169	2.339	2.416
2190.0	0.953	1.513	1.886	2.154	2.326	2.405
2200.0	0.947	1.500	1.870	2.139	2.313	2.394
2210.0	0.940	1.488	1.855	2.124	2.300	2.384
2220.0	0.934	1.475	1.840	2.109	2.286	2.373
2230.0	0.928	1.462	1.825	2.095	2.273	2.363
2240.0	0.922	1.450	1.811	2.080	2.259	2.352
2250.0	0.916	1.437	1.796	2.065	2.246	2.342
2260.0	0.909	1.425	1.782	2.050	2.232	2.332
2270.0	0.903	1.413	1.767	2.035	2.219	2.322
2280.0	0.895	1.400	1.752	2.020	2.206	2.311
2290.0	0.888	1.387	1.737	2.005	2.193	2.300

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
300.0	3.317	4.206	4.490	4.505	4.346	4.027
310.0	3.275	4.183	4.475	4.501	4.350	4.030
320.0	3.235	4.161	4.462	4.498	4.353	4.034
330.0	3.198	4.137	4.449	4.494	4.356	4.037
340.0	3.163	4.109	4.438	4.490	4.358	4.040
350.0	3.129	4.083	4.427	4.486	4.361	4.042
360.0	3.092	4.059	4.415	4.482	4.363	4.045
370.0	3.050	4.036	4.400	4.478	4.366	4.044
380.0	3.011	4.014	4.387	4.475	4.368	4.042
390.0	2.973	3.993	4.374	4.471	4.370	4.039
400.0	2.938	3.973	4.362	4.468	4.368	4.037
410.0	2.904	3.954	4.350	4.465	4.364	4.034
420.0	2.872	3.930	4.339	4.462	4.360	4.032
430.0	2.841	3.907	4.328	4.457	4.356	4.030
440.0	2.812	3.886	4.318	4.452	4.353	4.028
450.0	2.779	3.865	4.308	4.448	4.349	4.026
460.0	2.743	3.845	4.296	4.443	4.346	4.024
470.0	2.708	3.825	4.283	4.439	4.343	4.017
480.0	2.675	3.807	4.271	4.435	4.340	4.011
490.0	2.643	3.789	4.260	4.431	4.338	4.006
500.0	2.612	3.773	4.249	4.428	4.331	4.000
510.0	2.583	3.754	4.239	4.424	4.323	3.995
520.0	2.554	3.733	4.229	4.421	4.316	3.990
530.0	2.527	3.714	4.219	4.414	4.308	3.985
540.0	2.501	3.695	4.210	4.406	4.301	3.980
550.0	2.471	3.677	4.201	4.397	4.295	3.976
560.0	2.440	3.659	4.190	4.389	4.288	3.969
570.0	2.409	3.642	4.179	4.381	4.282	3.961
580.0	2.379	3.626	4.168	4.373	4.276	3.954
590.0	2.351	3.610	4.158	4.366	4.270	3.946
600.0	2.323	3.594	4.148	4.359	4.262	3.939
610.0	2.296	3.580	4.138	4.352	4.252	3.932
620.0	2.270	3.561	4.129	4.345	4.242	3.925
630.0	2.245	3.544	4.120	4.339	4.232	3.919
640.0	2.221	3.526	4.111	4.330	4.223	3.913
650.0	2.197	3.510	4.102	4.319	4.213	3.906
660.0	2.173	3.494	4.094	4.307	4.205	3.898
670.0	2.149	3.478	4.086	4.296	4.196	3.889
680.0	2.126	3.463	4.075	4.285	4.188	3.880
690.0	2.103	3.448	4.064	4.275	4.180	3.872
700.0	2.081	3.434	4.053	4.265	4.172	3.864
710.0	2.060	3.420	4.043	4.255	4.160	3.856
720.0	2.039	3.406	4.032	4.245	4.149	3.848
730.0	2.019	3.392	4.022	4.236	4.138	3.841
740.0	1.999	3.375	4.013	4.227	4.127	3.833
750.0	1.980	3.360	4.003	4.218	4.116	3.826
760.0	1.961	3.344	3.994	4.205	4.106	3.817
770.0	1.943	3.329	3.985	4.192	4.096	3.807
780.0	1.924	3.315	3.977	4.179	4.086	3.798
790.0	1.906	3.301	3.968	4.166	4.077	3.789
800.0	1.889	3.287	3.959	4.154	4.067	3.780

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
810.0	1.872	3.273	3.945	4.142	4.057	3.771
820.0	1.855	3.260	3.933	4.131	4.045	3.763
830.0	1.839	3.247	3.920	4.119	4.032	3.755
840.0	1.823	3.235	3.908	4.108	4.021	3.747
850.0	1.807	3.222	3.896	4.097	4.009	3.739
860.0	1.792	3.208	3.884	4.087	3.998	3.729
870.0	1.777	3.194	3.873	4.075	3.987	3.719
880.0	1.763	3.179	3.862	4.060	3.976	3.709
890.0	1.748	3.166	3.851	4.046	3.965	3.699
900.0	1.734	3.152	3.841	4.033	3.955	3.690
910.0	1.720	3.139	3.830	4.019	3.945	3.681
920.0	1.706	3.126	3.820	4.006	3.933	3.672
930.0	1.693	3.113	3.808	3.993	3.920	3.663
940.0	1.680	3.101	3.794	3.981	3.907	3.655
950.0	1.667	3.088	3.779	3.969	3.895	3.646
960.0	1.654	3.076	3.765	3.957	3.883	3.636
970.0	1.642	3.065	3.752	3.945	3.871	3.626
980.0	1.630	3.053	3.739	3.933	3.859	3.616
990.0	1.618	3.042	3.726	3.919	3.848	3.606
1000.0	1.606	3.028	3.713	3.904	3.837	3.596
1010.0	1.595	3.015	3.700	3.890	3.826	3.587
1020.0	1.584	3.002	3.688	3.876	3.815	3.578
1030.0	1.573	2.989	3.676	3.862	3.802	3.569
1040.0	1.562	2.977	3.664	3.848	3.789	3.560
1050.0	1.552	2.964	3.653	3.835	3.776	3.551
1060.0	1.542	2.952	3.639	3.821	3.764	3.541
1070.0	1.531	2.940	3.624	3.809	3.751	3.530
1080.0	1.522	2.929	3.609	3.796	3.739	3.520
1090.0	1.512	2.918	3.594	3.783	3.727	3.510
1100.0	1.502	2.906	3.579	3.771	3.716	3.500
1110.0	1.493	2.895	3.565	3.756	3.704	3.491
1120.0	1.484	2.885	3.551	3.741	3.693	3.481
1130.0	1.475	2.874	3.537	3.726	3.682	3.472
1140.0	1.466	2.861	3.524	3.712	3.669	3.463
1150.0	1.457	2.848	3.510	3.698	3.655	3.454
1160.0	1.449	2.834	3.497	3.684	3.643	3.444
1170.0	1.441	2.821	3.484	3.670	3.630	3.433
1180.0	1.433	2.808	3.472	3.657	3.618	3.423
1190.0	1.425	2.795	3.457	3.643	3.605	3.413
1200.0	1.417	2.783	3.441	3.630	3.593	3.403
1210.0	1.409	2.770	3.425	3.618	3.582	3.393
1220.0	1.402	2.758	3.410	3.604	3.570	3.383
1230.0	1.394	2.746	3.395	3.589	3.558	3.374
1240.0	1.387	2.734	3.379	3.574	3.547	3.364
1250.0	1.380	2.723	3.365	3.559	3.534	3.355
1260.0	1.373	2.712	3.350	3.544	3.520	3.345
1270.0	1.366	2.700	3.336	3.529	3.508	3.335
1280.0	1.359	2.689	3.321	3.515	3.495	3.324
1290.0	1.352	2.677	3.308	3.501	3.482	3.314
1300.0	1.346	2.662	3.294	3.487	3.470	3.304
1310.0	1.339	2.648	3.280	3.474	3.458	3.294

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1320.0	1.333	2.634	3.266	3.460	3.446	3.284
1330.0	1.327	2.620	3.249	3.447	3.434	3.275
1340.0	1.321	2.606	3.233	3.433	3.422	3.265
1350.0	1.315	2.592	3.217	3.417	3.410	3.256
1360.0	1.309	2.579	3.201	3.402	3.397	3.246
1370.0	1.303	2.566	3.185	3.387	3.384	3.236
1380.0	1.297	2.553	3.170	3.372	3.371	3.225
1390.0	1.291	2.540	3.154	3.357	3.358	3.215
1400.0	1.286	2.528	3.140	3.343	3.345	3.205
1410.0	1.280	2.516	3.125	3.329	3.333	3.195
1420.0	1.275	2.503	3.110	3.315	3.320	3.185
1430.0	1.270	2.491	3.096	3.301	3.308	3.175
1440.0	1.265	2.479	3.082	3.287	3.296	3.166
1450.0	1.259	2.464	3.067	3.274	3.284	3.156
1460.0	1.254	2.450	3.050	3.258	3.272	3.147
1470.0	1.249	2.436	3.033	3.243	3.258	3.136
1480.0	1.244	2.422	3.017	3.228	3.245	3.126
1490.0	1.240	2.409	3.000	3.212	3.232	3.115
1500.0	1.235	2.395	2.984	3.197	3.219	3.105
1510.0	1.230	2.382	2.968	3.183	3.206	3.095
1520.0	1.226	2.369	2.953	3.168	3.194	3.085
1530.0	1.221	2.356	2.937	3.154	3.181	3.076
1540.0	1.217	2.343	2.922	3.140	3.169	3.066
1550.0	1.212	2.331	2.907	3.126	3.157	3.057
1560.0	1.208	2.318	2.892	3.112	3.145	3.047
1570.0	1.204	2.306	2.878	3.098	3.132	3.037
1580.0	1.199	2.294	2.862	3.082	3.118	3.026
1590.0	1.195	2.281	2.845	3.066	3.105	3.016
1600.0	1.191	2.267	2.828	3.051	3.092	3.006
1610.0	1.187	2.253	2.811	3.035	3.079	2.996
1620.0	1.183	2.239	2.794	3.020	3.066	2.986
1630.0	1.179	2.226	2.778	3.005	3.054	2.976
1640.0	1.175	2.212	2.762	2.990	3.041	2.966
1650.0	1.171	2.199	2.746	2.976	3.029	2.957
1660.0	1.167	2.186	2.730	2.961	3.017	2.947
1670.0	1.164	2.173	2.714	2.947	3.005	2.937
1680.0	1.160	2.160	2.699	2.933	2.992	2.927
1690.0	1.156	2.148	2.684	2.918	2.978	2.916
1700.0	1.153	2.135	2.668	2.902	2.965	2.906
1710.0	1.149	2.123	2.653	2.886	2.952	2.896
1720.0	1.146	2.111	2.635	2.871	2.939	2.886
1730.0	1.142	2.098	2.618	2.856	2.926	2.876
1740.0	1.139	2.084	2.601	2.840	2.913	2.866
1750.0	1.136	2.071	2.584	2.825	2.901	2.856
1760.0	1.132	2.057	2.567	2.810	2.889	2.847
1770.0	1.129	2.044	2.551	2.796	2.876	2.836
1780.0	1.126	2.030	2.534	2.781	2.864	2.826
1790.0	1.123	2.017	2.518	2.767	2.851	2.815
1800.0	1.120	2.004	2.502	2.753	2.837	2.805
1810.0	1.116	1.992	2.486	2.737	2.824	2.795
1820.0	1.113	1.979	2.471	2.721	2.811	2.785

TABLE OF DISPLACEMENT VS KN

Trim = 0.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1830.0	1.110	1.967	2.455	2.705	2.798	2.775
1840.0	1.107	1.954	2.439	2.690	2.785	2.765
1850.0	1.104	1.942	2.422	2.674	2.772	2.755
1860.0	1.101	1.930	2.405	2.659	2.759	2.745
1870.0	1.099	1.917	2.388	2.644	2.747	2.735
1880.0	1.096	1.903	2.371	2.629	2.735	2.724
1890.0	1.093	1.890	2.355	2.614	2.722	2.714
1900.0	1.089	1.877	2.339	2.600	2.708	2.704
1910.0	1.086	1.864	2.322	2.585	2.695	2.693
1920.0	1.082	1.851	2.306	2.571	2.681	2.683
1930.0	1.078	1.838	2.291	2.554	2.668	2.673
1940.0	1.075	1.826	2.275	2.538	2.655	2.663
1950.0	1.071	1.813	2.259	2.523	2.642	2.653
1960.0	1.068	1.801	2.244	2.507	2.629	2.643
1970.0	1.064	1.788	2.228	2.491	2.616	2.633
1980.0	1.061	1.776	2.211	2.476	2.604	2.622
1990.0	1.057	1.764	2.195	2.461	2.591	2.612
2000.0	1.054	1.751	2.179	2.446	2.578	2.601
2010.0	1.050	1.738	2.163	2.431	2.564	2.591
2020.0	1.047	1.725	2.147	2.416	2.551	2.581
2030.0	1.042	1.712	2.131	2.401	2.537	2.571
2040.0	1.037	1.699	2.115	2.386	2.524	2.560
2050.0	1.032	1.687	2.100	2.369	2.511	2.551
2060.0	1.027	1.674	2.084	2.354	2.498	2.541
2070.0	1.022	1.662	2.069	2.338	2.485	2.530
2080.0	1.017	1.649	2.054	2.322	2.472	2.519
2090.0	1.012	1.637	2.039	2.306	2.460	2.509
2100.0	1.007	1.625	2.023	2.291	2.447	2.498
2110.0	1.002	1.613	2.007	2.276	2.433	2.488
2120.0	0.997	1.600	1.991	2.261	2.419	2.478
2130.0	0.993	1.587	1.975	2.246	2.406	2.467
2140.0	0.988	1.574	1.960	2.231	2.392	2.457
2150.0	0.981	1.561	1.945	2.216	2.379	2.447
2160.0	0.975	1.548	1.929	2.200	2.366	2.437
2170.0	0.969	1.536	1.914	2.185	2.353	2.426
2180.0	0.962	1.523	1.899	2.169	2.340	2.416
2190.0	0.956	1.511	1.885	2.154	2.327	2.405
2200.0	0.950	1.499	1.870	2.139	2.314	2.394
2210.0	0.944	1.487	1.854	2.124	2.300	2.384
2220.0	0.937	1.474	1.839	2.109	2.287	2.374
2230.0	0.931	1.461	1.824	2.094	2.273	2.363
2240.0	0.925	1.448	1.809	2.079	2.259	2.353
2250.0	0.919	1.435	1.794	2.065	2.246	2.343
2260.0	0.911	1.422	1.779	2.050	2.233	2.333
2270.0	0.904	1.409	1.765	2.035	2.219	2.322
2280.0	0.896	1.396	1.750	2.020	2.206	2.311
2290.0	0.888	1.384	1.736	2.005	2.193	2.301

TABLE OF DISPLACEMENT VS KN

Trim = 0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
300.0	3.328	4.220	4.500	4.518	4.359	4.038
310.0	3.285	4.192	4.489	4.513	4.363	4.044
320.0	3.239	4.167	4.478	4.509	4.367	4.049
330.0	3.196	4.143	4.464	4.506	4.370	4.049
340.0	3.155	4.120	4.450	4.502	4.374	4.049
350.0	3.117	4.099	4.436	4.499	4.377	4.048
360.0	3.081	4.079	4.424	4.496	4.376	4.047
370.0	3.047	4.060	4.412	4.493	4.374	4.047
380.0	3.015	4.036	4.400	4.490	4.372	4.046
390.0	2.984	4.011	4.389	4.485	4.371	4.046
400.0	2.947	3.988	4.379	4.481	4.369	4.045
410.0	2.907	3.966	4.369	4.477	4.368	4.045
420.0	2.869	3.944	4.358	4.473	4.367	4.042
430.0	2.833	3.924	4.345	4.469	4.365	4.037
440.0	2.799	3.905	4.333	4.465	4.364	4.032
450.0	2.766	3.887	4.321	4.462	4.363	4.027
460.0	2.734	3.869	4.310	4.459	4.357	4.023
470.0	2.704	3.851	4.299	4.455	4.351	4.018
480.0	2.675	3.829	4.289	4.452	4.344	4.014
490.0	2.647	3.808	4.279	4.447	4.338	4.010
500.0	2.618	3.788	4.270	4.439	4.332	4.006
510.0	2.584	3.769	4.261	4.432	4.326	4.002
520.0	2.551	3.750	4.252	4.425	4.320	3.996
530.0	2.520	3.732	4.240	4.418	4.315	3.988
540.0	2.489	3.715	4.229	4.411	4.310	3.981
550.0	2.460	3.699	4.218	4.405	4.305	3.975
560.0	2.432	3.683	4.207	4.398	4.298	3.968
570.0	2.404	3.667	4.197	4.392	4.288	3.962
580.0	2.378	3.650	4.187	4.387	4.279	3.956
590.0	2.353	3.631	4.178	4.381	4.270	3.950
600.0	2.328	3.613	4.169	4.375	4.261	3.944
610.0	2.304	3.595	4.160	4.363	4.252	3.938
620.0	2.278	3.578	4.151	4.352	4.244	3.929
630.0	2.252	3.561	4.143	4.342	4.236	3.921
640.0	2.227	3.545	4.134	4.332	4.228	3.913
650.0	2.203	3.529	4.122	4.322	4.221	3.905
660.0	2.179	3.514	4.111	4.312	4.214	3.897
670.0	2.156	3.500	4.100	4.303	4.203	3.889
680.0	2.134	3.485	4.089	4.294	4.191	3.882
690.0	2.113	3.471	4.079	4.285	4.181	3.875
700.0	2.092	3.456	4.069	4.276	4.170	3.868
710.0	2.071	3.439	4.060	4.268	4.160	3.861
720.0	2.052	3.423	4.050	4.257	4.150	3.851
730.0	2.032	3.407	4.041	4.244	4.140	3.842
740.0	2.013	3.391	4.032	4.231	4.131	3.833
750.0	1.993	3.376	4.023	4.218	4.121	3.824
760.0	1.974	3.362	4.015	4.206	4.112	3.815
770.0	1.955	3.347	4.004	4.195	4.103	3.807
780.0	1.937	3.333	3.991	4.183	4.090	3.799
790.0	1.919	3.320	3.978	4.172	4.078	3.791
800.0	1.902	3.306	3.966	4.161	4.067	3.783

TABLE OF DISPLACEMENT VS KN

Trim = 0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
810.0	1.885	3.293	3.953	4.150	4.055	3.775
820.0	1.869	3.281	3.942	4.140	4.044	3.765
830.0	1.853	3.267	3.930	4.130	4.033	3.755
840.0	1.837	3.252	3.919	4.116	4.022	3.746
850.0	1.822	3.237	3.908	4.102	4.012	3.736
860.0	1.807	3.223	3.897	4.088	4.002	3.727
870.0	1.791	3.208	3.886	4.074	3.992	3.718
880.0	1.777	3.195	3.876	4.061	3.981	3.710
890.0	1.762	3.181	3.866	4.048	3.968	3.701
900.0	1.748	3.168	3.855	4.036	3.955	3.693
910.0	1.734	3.155	3.840	4.023	3.943	3.684
920.0	1.721	3.142	3.825	4.011	3.931	3.674
930.0	1.707	3.129	3.811	3.999	3.919	3.664
940.0	1.694	3.117	3.797	3.988	3.908	3.654
950.0	1.682	3.105	3.784	3.976	3.896	3.644
960.0	1.669	3.094	3.770	3.961	3.885	3.635
970.0	1.657	3.082	3.757	3.947	3.874	3.625
980.0	1.645	3.068	3.745	3.932	3.864	3.616
990.0	1.634	3.054	3.732	3.918	3.852	3.607
1000.0	1.622	3.041	3.720	3.904	3.839	3.599
1010.0	1.611	3.027	3.708	3.890	3.826	3.590
1020.0	1.599	3.014	3.696	3.877	3.813	3.580
1030.0	1.589	3.002	3.685	3.864	3.801	3.569
1040.0	1.578	2.989	3.670	3.851	3.788	3.559
1050.0	1.567	2.977	3.654	3.838	3.776	3.549
1060.0	1.557	2.965	3.639	3.826	3.765	3.539
1070.0	1.547	2.953	3.624	3.813	3.753	3.530
1080.0	1.537	2.941	3.609	3.799	3.742	3.520
1090.0	1.527	2.930	3.595	3.783	3.731	3.511
1100.0	1.518	2.919	3.581	3.769	3.719	3.502
1110.0	1.508	2.908	3.567	3.754	3.706	3.493
1120.0	1.499	2.897	3.553	3.740	3.692	3.483
1130.0	1.490	2.884	3.539	3.725	3.679	3.473
1140.0	1.481	2.870	3.526	3.712	3.667	3.462
1150.0	1.472	2.856	3.513	3.698	3.654	3.452
1160.0	1.464	2.842	3.501	3.685	3.642	3.442
1170.0	1.455	2.828	3.487	3.671	3.630	3.432
1180.0	1.447	2.815	3.471	3.658	3.618	3.423
1190.0	1.439	2.802	3.454	3.646	3.607	3.413
1200.0	1.431	2.789	3.439	3.631	3.595	3.404
1210.0	1.423	2.777	3.423	3.616	3.584	3.395
1220.0	1.415	2.764	3.408	3.600	3.570	3.385
1230.0	1.408	2.752	3.393	3.586	3.557	3.375
1240.0	1.400	2.740	3.378	3.571	3.544	3.364
1250.0	1.393	2.728	3.363	3.556	3.531	3.354
1260.0	1.385	2.717	3.349	3.542	3.519	3.344
1270.0	1.378	2.705	3.335	3.528	3.506	3.334
1280.0	1.371	2.694	3.321	3.514	3.494	3.324
1290.0	1.365	2.680	3.307	3.501	3.482	3.314
1300.0	1.358	2.665	3.294	3.487	3.470	3.305
1310.0	1.351	2.651	3.278	3.474	3.459	3.295

TABLE OF DISPLACEMENT VS KN

Trim = 0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1320.0	1.345	2.636	3.261	3.460	3.447	3.286
1330.0	1.338	2.622	3.245	3.444	3.434	3.276
1340.0	1.332	2.608	3.229	3.429	3.420	3.265
1350.0	1.326	2.594	3.213	3.414	3.407	3.255
1360.0	1.320	2.581	3.197	3.399	3.394	3.245
1370.0	1.314	2.567	3.181	3.384	3.382	3.234
1380.0	1.308	2.554	3.166	3.369	3.369	3.224
1390.0	1.302	2.541	3.151	3.355	3.357	3.215
1400.0	1.296	2.529	3.136	3.341	3.344	3.205
1410.0	1.290	2.516	3.122	3.327	3.332	3.195
1420.0	1.285	2.503	3.107	3.313	3.320	3.186
1430.0	1.279	2.491	3.093	3.300	3.309	3.176
1440.0	1.274	2.479	3.079	3.286	3.296	3.166
1450.0	1.269	2.465	3.062	3.270	3.282	3.155
1460.0	1.263	2.451	3.045	3.254	3.269	3.145
1470.0	1.258	2.436	3.028	3.239	3.256	3.135
1480.0	1.253	2.422	3.011	3.224	3.243	3.124
1490.0	1.248	2.408	2.995	3.209	3.230	3.115
1500.0	1.243	2.394	2.979	3.194	3.217	3.105
1510.0	1.238	2.380	2.963	3.180	3.205	3.095
1520.0	1.233	2.367	2.948	3.165	3.193	3.085
1530.0	1.229	2.353	2.932	3.151	3.181	3.076
1540.0	1.224	2.340	2.917	3.137	3.169	3.066
1550.0	1.219	2.327	2.902	3.123	3.156	3.055
1560.0	1.215	2.314	2.887	3.109	3.142	3.045
1570.0	1.210	2.302	2.872	3.093	3.129	3.035
1580.0	1.206	2.289	2.857	3.077	3.116	3.024
1590.0	1.202	2.277	2.839	3.062	3.103	3.014
1600.0	1.197	2.265	2.822	3.047	3.090	3.005
1610.0	1.193	2.250	2.805	3.031	3.077	2.995
1620.0	1.189	2.236	2.788	3.017	3.065	2.985
1630.0	1.185	2.222	2.772	3.002	3.052	2.976
1640.0	1.181	2.208	2.756	2.987	3.040	2.966
1650.0	1.177	2.194	2.739	2.973	3.028	2.955
1660.0	1.173	2.181	2.723	2.958	3.015	2.945
1670.0	1.169	2.167	2.708	2.944	3.002	2.935
1680.0	1.165	2.154	2.692	2.930	2.988	2.924
1690.0	1.161	2.141	2.677	2.914	2.975	2.914
1700.0	1.157	2.128	2.662	2.898	2.962	2.904
1710.0	1.153	2.115	2.647	2.883	2.949	2.895
1720.0	1.150	2.102	2.629	2.867	2.936	2.885
1730.0	1.146	2.090	2.612	2.852	2.924	2.875
1740.0	1.143	2.078	2.595	2.837	2.911	2.866
1750.0	1.139	2.065	2.578	2.822	2.899	2.855
1760.0	1.136	2.051	2.561	2.807	2.887	2.844
1770.0	1.132	2.037	2.544	2.792	2.874	2.834
1780.0	1.129	2.024	2.528	2.778	2.861	2.824
1790.0	1.125	2.010	2.511	2.763	2.847	2.814
1800.0	1.122	1.997	2.495	2.749	2.834	2.804
1810.0	1.119	1.984	2.479	2.733	2.821	2.794
1820.0	1.115	1.971	2.463	2.717	2.808	2.784

TABLE OF DISPLACEMENT VS KN

Trim = 0.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1830.0	1.111	1.958	2.448	2.701	2.795	2.774
1840.0	1.108	1.945	2.432	2.685	2.782	2.764
1850.0	1.104	1.933	2.417	2.670	2.770	2.754
1860.0	1.100	1.920	2.399	2.655	2.757	2.743
1870.0	1.097	1.908	2.382	2.640	2.745	2.733
1880.0	1.093	1.896	2.366	2.625	2.732	2.722
1890.0	1.090	1.884	2.349	2.610	2.719	2.712
1900.0	1.086	1.870	2.332	2.595	2.705	2.702
1910.0	1.083	1.857	2.316	2.581	2.692	2.692
1920.0	1.079	1.843	2.300	2.566	2.679	2.682
1930.0	1.076	1.830	2.284	2.550	2.665	2.672
1940.0	1.072	1.817	2.268	2.534	2.653	2.663
1950.0	1.069	1.804	2.252	2.518	2.640	2.652
1960.0	1.065	1.791	2.237	2.502	2.627	2.641
1970.0	1.060	1.779	2.222	2.487	2.615	2.631
1980.0	1.055	1.766	2.206	2.472	2.602	2.620
1990.0	1.051	1.754	2.190	2.456	2.589	2.610
2000.0	1.046	1.742	2.173	2.441	2.575	2.600
2010.0	1.041	1.729	2.157	2.426	2.562	2.590
2020.0	1.037	1.717	2.141	2.412	2.548	2.580
2030.0	1.032	1.704	2.125	2.397	2.535	2.570
2040.0	1.028	1.691	2.109	2.382	2.522	2.560
2050.0	1.024	1.678	2.093	2.366	2.509	2.550
2060.0	1.019	1.665	2.078	2.350	2.496	2.539
2070.0	1.015	1.652	2.062	2.334	2.483	2.528
2080.0	1.011	1.640	2.047	2.318	2.470	2.518
2090.0	1.006	1.627	2.032	2.303	2.458	2.507
2100.0	0.999	1.614	2.017	2.287	2.444	2.497
2110.0	0.993	1.602	2.002	2.272	2.431	2.487
2120.0	0.987	1.590	1.986	2.257	2.417	2.477
2130.0	0.981	1.578	1.970	2.242	2.403	2.467
2140.0	0.975	1.566	1.954	2.227	2.390	2.457
2150.0	0.969	1.553	1.939	2.212	2.377	2.446
2160.0	0.963	1.540	1.924	2.197	2.364	2.435
2170.0	0.957	1.527	1.908	2.182	2.351	2.425
2180.0	0.952	1.514	1.893	2.166	2.338	2.414
2190.0	0.946	1.501	1.878	2.151	2.325	2.404
2200.0	0.940	1.488	1.864	2.136	2.312	2.393
2210.0	0.934	1.476	1.849	2.120	2.299	2.383
2220.0	0.926	1.463	1.835	2.105	2.285	2.373
2230.0	0.919	1.451	1.819	2.091	2.271	2.363
2240.0	0.911	1.438	1.804	2.076	2.258	2.353
2250.0	0.904	1.426	1.789	2.061	2.244	2.342
2260.0	0.897	1.414	1.774	2.047	2.231	2.331
2270.0	0.890	1.400	1.760	2.032	2.218	2.321
2280.0	0.882	1.387	1.745	2.017	2.205	2.310
2290.0	0.875	1.374	1.730	2.002	2.192	2.299

TABLE OF DISPLACEMENT VS KN

Trim = 1.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
300.0	3.247	4.201	4.505	4.527	4.375	4.040
310.0	3.207	4.178	4.490	4.524	4.378	4.042
320.0	3.169	4.157	4.477	4.521	4.379	4.044
330.0	3.134	4.137	4.464	4.518	4.379	4.045
340.0	3.101	4.119	4.452	4.515	4.378	4.047
350.0	3.070	4.094	4.440	4.511	4.377	4.049
360.0	3.032	4.070	4.429	4.507	4.377	4.050
370.0	2.990	4.046	4.419	4.502	4.376	4.051
380.0	2.951	4.024	4.410	4.498	4.376	4.050
390.0	2.913	4.003	4.398	4.494	4.375	4.046
400.0	2.877	3.984	4.385	4.491	4.375	4.042
410.0	2.843	3.965	4.372	4.487	4.375	4.039
420.0	2.811	3.947	4.361	4.484	4.370	4.036
430.0	2.780	3.929	4.349	4.480	4.365	4.032
440.0	2.751	3.912	4.339	4.477	4.359	4.029
450.0	2.723	3.889	4.329	4.474	4.354	4.027
460.0	2.694	3.868	4.319	4.467	4.349	4.024
470.0	2.659	3.847	4.309	4.459	4.345	4.021
480.0	2.626	3.827	4.301	4.452	4.340	4.015
490.0	2.594	3.808	4.291	4.445	4.336	4.008
500.0	2.563	3.790	4.279	4.438	4.332	4.002
510.0	2.533	3.772	4.268	4.431	4.328	3.996
520.0	2.505	3.756	4.257	4.425	4.322	3.990
530.0	2.478	3.739	4.247	4.419	4.313	3.984
540.0	2.451	3.724	4.236	4.414	4.304	3.979
550.0	2.426	3.708	4.227	4.408	4.296	3.973
560.0	2.401	3.688	4.217	4.403	4.288	3.968
570.0	2.378	3.669	4.208	4.393	4.280	3.963
580.0	2.353	3.650	4.199	4.383	4.272	3.955
590.0	2.327	3.632	4.191	4.373	4.265	3.947
600.0	2.302	3.615	4.183	4.363	4.258	3.939
610.0	2.278	3.598	4.173	4.354	4.251	3.931
620.0	2.255	3.582	4.161	4.345	4.244	3.924
630.0	2.232	3.567	4.149	4.336	4.235	3.917
640.0	2.210	3.552	4.137	4.327	4.224	3.910
650.0	2.189	3.537	4.126	4.319	4.213	3.903
660.0	2.168	3.523	4.116	4.311	4.203	3.897
670.0	2.148	3.509	4.105	4.303	4.193	3.890
680.0	2.128	3.492	4.095	4.295	4.184	3.880
690.0	2.109	3.474	4.085	4.282	4.174	3.871
700.0	2.091	3.458	4.076	4.270	4.165	3.863
710.0	2.071	3.441	4.066	4.257	4.156	3.854
720.0	2.051	3.426	4.057	4.246	4.148	3.846
730.0	2.032	3.410	4.048	4.234	4.139	3.838
740.0	2.013	3.395	4.037	4.223	4.128	3.830
750.0	1.994	3.381	4.024	4.212	4.116	3.822
760.0	1.976	3.367	4.011	4.201	4.104	3.814
770.0	1.959	3.353	3.998	4.191	4.093	3.807
780.0	1.942	3.339	3.985	4.181	4.082	3.797
790.0	1.925	3.326	3.973	4.171	4.071	3.787
800.0	1.909	3.313	3.961	4.161	4.061	3.778

TABLE OF DISPLACEMENT VS KN

Trim = 1.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
810.0	1.893	3.300	3.950	4.146	4.051	3.769
820.0	1.878	3.284	3.938	4.132	4.041	3.760
830.0	1.863	3.269	3.927	4.119	4.031	3.751
840.0	1.848	3.254	3.917	4.105	4.021	3.743
850.0	1.832	3.240	3.906	4.092	4.009	3.734
860.0	1.817	3.225	3.896	4.080	3.996	3.726
870.0	1.802	3.211	3.886	4.067	3.984	3.718
880.0	1.787	3.198	3.871	4.055	3.972	3.708
890.0	1.773	3.184	3.856	4.043	3.960	3.698
900.0	1.759	3.171	3.842	4.032	3.949	3.688
910.0	1.746	3.159	3.828	4.020	3.938	3.679
920.0	1.732	3.146	3.814	4.009	3.927	3.669
930.0	1.719	3.134	3.801	3.994	3.916	3.660
940.0	1.706	3.122	3.787	3.980	3.905	3.651
950.0	1.694	3.110	3.774	3.965	3.895	3.642
960.0	1.682	3.098	3.762	3.951	3.883	3.634
970.0	1.670	3.083	3.749	3.937	3.870	3.625
980.0	1.658	3.068	3.737	3.923	3.857	3.615
990.0	1.646	3.054	3.725	3.910	3.844	3.605
1000.0	1.635	3.040	3.714	3.897	3.832	3.595
1010.0	1.623	3.027	3.702	3.884	3.820	3.585
1020.0	1.612	3.013	3.686	3.872	3.808	3.575
1030.0	1.602	3.000	3.670	3.859	3.797	3.566
1040.0	1.591	2.987	3.655	3.847	3.785	3.556
1050.0	1.581	2.975	3.640	3.833	3.774	3.547
1060.0	1.570	2.962	3.625	3.818	3.763	3.538
1070.0	1.560	2.950	3.611	3.803	3.751	3.529
1080.0	1.550	2.938	3.596	3.788	3.738	3.520
1090.0	1.541	2.927	3.582	3.774	3.725	3.509
1100.0	1.531	2.915	3.569	3.759	3.712	3.499
1110.0	1.522	2.904	3.555	3.745	3.699	3.489
1120.0	1.513	2.891	3.542	3.732	3.687	3.479
1130.0	1.504	2.876	3.529	3.718	3.674	3.469
1140.0	1.495	2.861	3.516	3.705	3.662	3.459
1150.0	1.486	2.846	3.504	3.692	3.651	3.450
1160.0	1.477	2.832	3.487	3.679	3.639	3.440
1170.0	1.468	2.818	3.471	3.666	3.628	3.431
1180.0	1.460	2.804	3.455	3.651	3.616	3.422
1190.0	1.452	2.790	3.439	3.635	3.603	3.412
1200.0	1.444	2.777	3.423	3.620	3.589	3.401
1210.0	1.436	2.763	3.408	3.605	3.576	3.391
1220.0	1.428	2.750	3.393	3.591	3.563	3.381
1230.0	1.420	2.737	3.378	3.576	3.551	3.371
1240.0	1.412	2.725	3.364	3.562	3.538	3.361
1250.0	1.405	2.712	3.350	3.548	3.526	3.351
1260.0	1.397	2.700	3.336	3.534	3.514	3.341
1270.0	1.390	2.688	3.322	3.521	3.502	3.332
1280.0	1.383	2.676	3.308	3.508	3.490	3.323
1290.0	1.376	2.662	3.295	3.494	3.479	3.313
1300.0	1.369	2.647	3.278	3.480	3.466	3.303
1310.0	1.362	2.632	3.261	3.464	3.453	3.292

TABLE OF DISPLACEMENT VS KN

Trim = 1.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1320.0	1.356	2.618	3.245	3.449	3.439	3.282
1330.0	1.349	2.604	3.228	3.433	3.426	3.272
1340.0	1.342	2.590	3.212	3.418	3.414	3.261
1350.0	1.336	2.576	3.197	3.404	3.401	3.252
1360.0	1.330	2.563	3.181	3.389	3.388	3.242
1370.0	1.323	2.549	3.166	3.375	3.376	3.232
1380.0	1.317	2.536	3.151	3.361	3.364	3.223
1390.0	1.311	2.523	3.136	3.347	3.352	3.213
1400.0	1.305	2.510	3.121	3.333	3.341	3.203
1410.0	1.299	2.498	3.107	3.319	3.329	3.193
1420.0	1.294	2.485	3.092	3.306	3.315	3.182
1430.0	1.288	2.473	3.078	3.290	3.302	3.172
1440.0	1.282	2.461	3.062	3.274	3.288	3.162
1450.0	1.277	2.449	3.045	3.259	3.275	3.152
1460.0	1.271	2.434	3.028	3.244	3.262	3.142
1470.0	1.266	2.419	3.011	3.229	3.250	3.132
1480.0	1.261	2.405	2.995	3.214	3.237	3.122
1490.0	1.256	2.390	2.978	3.199	3.225	3.113
1500.0	1.250	2.376	2.962	3.185	3.213	3.103
1510.0	1.245	2.362	2.947	3.170	3.201	3.093
1520.0	1.240	2.349	2.931	3.156	3.189	3.082
1530.0	1.235	2.335	2.916	3.142	3.176	3.072
1540.0	1.230	2.322	2.900	3.129	3.162	3.061
1550.0	1.226	2.309	2.885	3.114	3.149	3.051
1560.0	1.221	2.296	2.871	3.098	3.136	3.041
1570.0	1.216	2.283	2.856	3.082	3.123	3.031
1580.0	1.212	2.270	2.840	3.067	3.110	3.021
1590.0	1.207	2.258	2.822	3.052	3.097	3.012
1600.0	1.203	2.246	2.805	3.037	3.085	3.002
1610.0	1.198	2.233	2.788	3.022	3.072	2.992
1620.0	1.194	2.219	2.772	3.007	3.060	2.982
1630.0	1.189	2.205	2.755	2.992	3.048	2.971
1640.0	1.185	2.191	2.739	2.978	3.035	2.961
1650.0	1.181	2.177	2.722	2.964	3.022	2.951
1660.0	1.177	2.163	2.706	2.950	3.008	2.941
1670.0	1.173	2.149	2.691	2.936	2.995	2.931
1680.0	1.169	2.136	2.675	2.920	2.982	2.921
1690.0	1.165	2.123	2.660	2.904	2.969	2.911
1700.0	1.161	2.109	2.644	2.888	2.956	2.901
1710.0	1.157	2.096	2.629	2.873	2.944	2.892
1720.0	1.153	2.084	2.614	2.857	2.931	2.882
1730.0	1.149	2.071	2.596	2.842	2.919	2.871
1740.0	1.144	2.058	2.579	2.827	2.906	2.861
1750.0	1.140	2.046	2.562	2.812	2.894	2.850
1760.0	1.136	2.034	2.545	2.798	2.881	2.840
1770.0	1.132	2.021	2.528	2.783	2.867	2.830
1780.0	1.128	2.007	2.512	2.769	2.854	2.820
1790.0	1.124	1.993	2.496	2.755	2.841	2.810
1800.0	1.120	1.980	2.480	2.740	2.828	2.801
1810.0	1.116	1.966	2.464	2.723	2.815	2.791
1820.0	1.113	1.953	2.448	2.708	2.802	2.781

TABLE OF DISPLACEMENT VS KN

Trim = 1.00 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1830.0	1.109	1.940	2.432	2.692	2.789	2.771
1840.0	1.105	1.927	2.417	2.676	2.777	2.760
1850.0	1.101	1.914	2.402	2.661	2.765	2.750
1860.0	1.098	1.901	2.386	2.645	2.752	2.739
1870.0	1.094	1.889	2.369	2.630	2.739	2.729
1880.0	1.088	1.876	2.352	2.615	2.726	2.719
1890.0	1.083	1.864	2.335	2.601	2.712	2.709
1900.0	1.078	1.852	2.319	2.586	2.699	2.699
1910.0	1.073	1.840	2.303	2.571	2.686	2.689
1920.0	1.068	1.827	2.286	2.557	2.673	2.680
1930.0	1.063	1.813	2.271	2.541	2.660	2.669
1940.0	1.059	1.800	2.255	2.525	2.647	2.659
1950.0	1.054	1.787	2.239	2.509	2.634	2.648
1960.0	1.049	1.774	2.224	2.493	2.622	2.638
1970.0	1.044	1.761	2.208	2.478	2.609	2.627
1980.0	1.040	1.748	2.193	2.462	2.597	2.617
1990.0	1.035	1.735	2.178	2.447	2.583	2.607
2000.0	1.031	1.723	2.162	2.432	2.569	2.597
2010.0	1.026	1.710	2.146	2.417	2.556	2.587
2020.0	1.020	1.698	2.129	2.402	2.543	2.577
2030.0	1.014	1.686	2.113	2.387	2.530	2.567
2040.0	1.008	1.674	2.098	2.373	2.516	2.556
2050.0	1.003	1.662	2.082	2.357	2.504	2.546
2060.0	0.997	1.649	2.066	2.342	2.491	2.535
2070.0	0.991	1.636	2.051	2.326	2.478	2.525
2080.0	0.986	1.623	2.036	2.310	2.466	2.515
2090.0	0.980	1.610	2.020	2.295	2.453	2.504
2100.0	0.975	1.597	2.005	2.279	2.439	2.494
2110.0	0.969	1.584	1.991	2.264	2.425	2.484
2120.0	0.964	1.572	1.976	2.249	2.412	2.474
2130.0	0.958	1.559	1.960	2.234	2.398	2.464
2140.0	0.953	1.547	1.945	2.219	2.385	2.454
2150.0	0.946	1.535	1.929	2.205	2.372	2.443
2160.0	0.939	1.523	1.914	2.190	2.359	2.432
2170.0	0.932	1.511	1.899	2.175	2.346	2.422
2180.0	0.926	1.499	1.884	2.160	2.333	2.411
2190.0	0.919	1.486	1.869	2.144	2.320	2.401
2200.0	0.912	1.473	1.854	2.129	2.308	2.391
2210.0	0.905	1.460	1.839	2.114	2.294	2.381
2220.0	0.899	1.447	1.825	2.099	2.280	2.370
2230.0	0.892	1.434	1.810	2.084	2.267	2.361
2240.0	0.886	1.422	1.796	2.070	2.253	2.350
2250.0	0.879	1.409	1.781	2.055	2.240	2.339
2260.0	0.873	1.397	1.766	2.040	2.227	2.328
2270.0	0.865	1.385	1.751	2.026	2.214	2.318
2280.0	0.857	1.373	1.737	2.012	2.201	2.307
2290.0	0.849	1.361	1.722	1.997	2.188	2.297

TABLE OF DISPLACEMENT VS KN

Trim = 1.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
300.0	3.131	4.173	4.496	4.537	4.383	4.042
310.0	3.098	4.154	4.483	4.534	4.382	4.043
320.0	3.067	4.135	4.472	4.531	4.382	4.045
330.0	3.032	4.109	4.460	4.526	4.381	4.047
340.0	2.990	4.085	4.450	4.521	4.381	4.047
350.0	2.950	4.062	4.440	4.517	4.380	4.044
360.0	2.912	4.040	4.430	4.513	4.380	4.042
370.0	2.876	4.020	4.417	4.509	4.379	4.040
380.0	2.842	4.001	4.404	4.505	4.377	4.038
390.0	2.810	3.983	4.392	4.502	4.372	4.036
400.0	2.780	3.965	4.380	4.498	4.367	4.035
410.0	2.751	3.949	4.370	4.495	4.363	4.033
420.0	2.723	3.929	4.359	4.492	4.358	4.032
430.0	2.697	3.907	4.349	4.483	4.354	4.030
440.0	2.663	3.886	4.340	4.475	4.350	4.025
450.0	2.630	3.866	4.331	4.467	4.346	4.019
460.0	2.599	3.846	4.322	4.460	4.342	4.013
470.0	2.569	3.828	4.311	4.453	4.339	4.008
480.0	2.540	3.810	4.299	4.446	4.335	4.003
490.0	2.513	3.793	4.287	4.440	4.327	3.998
500.0	2.486	3.777	4.277	4.433	4.319	3.993
510.0	2.461	3.761	4.266	4.427	4.311	3.989
520.0	2.437	3.746	4.256	4.422	4.304	3.985
530.0	2.413	3.729	4.246	4.416	4.297	3.980
540.0	2.391	3.709	4.237	4.405	4.290	3.972
550.0	2.369	3.690	4.228	4.395	4.283	3.965
560.0	2.344	3.671	4.219	4.385	4.277	3.957
570.0	2.320	3.653	4.211	4.375	4.271	3.950
580.0	2.297	3.636	4.203	4.366	4.265	3.943
590.0	2.274	3.619	4.190	4.357	4.257	3.937
600.0	2.252	3.603	4.178	4.348	4.247	3.930
610.0	2.231	3.588	4.165	4.340	4.237	3.924
620.0	2.211	3.573	4.154	4.332	4.227	3.918
630.0	2.191	3.558	4.142	4.324	4.218	3.912
640.0	2.172	3.544	4.131	4.316	4.208	3.903
650.0	2.154	3.530	4.120	4.307	4.199	3.894
660.0	2.136	3.513	4.110	4.295	4.191	3.886
670.0	2.119	3.495	4.100	4.283	4.182	3.878
680.0	2.102	3.478	4.090	4.271	4.174	3.870
690.0	2.083	3.462	4.081	4.260	4.166	3.862
700.0	2.064	3.446	4.071	4.249	4.157	3.854
710.0	2.046	3.430	4.062	4.238	4.145	3.847
720.0	2.029	3.415	4.048	4.228	4.134	3.840
730.0	2.012	3.400	4.034	4.217	4.123	3.833
740.0	1.995	3.386	4.020	4.208	4.112	3.824
750.0	1.979	3.372	4.007	4.198	4.102	3.814
760.0	1.963	3.358	3.994	4.189	4.091	3.805
770.0	1.948	3.345	3.981	4.179	4.081	3.796
780.0	1.933	3.332	3.968	4.165	4.072	3.787
790.0	1.919	3.319	3.956	4.151	4.062	3.779
800.0	1.904	3.304	3.945	4.138	4.053	3.770

TABLE OF DISPLACEMENT VS KN

Trim = 1.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
810.0	1.891	3.288	3.933	4.125	4.043	3.762
820.0	1.877	3.273	3.922	4.112	4.030	3.754
830.0	1.862	3.258	3.911	4.100	4.018	3.747
840.0	1.847	3.243	3.900	4.088	4.006	3.737
850.0	1.832	3.228	3.888	4.076	3.994	3.727
860.0	1.818	3.214	3.873	4.064	3.983	3.718
870.0	1.804	3.200	3.858	4.053	3.972	3.708
880.0	1.790	3.187	3.844	4.042	3.961	3.699
890.0	1.776	3.174	3.830	4.031	3.950	3.690
900.0	1.763	3.161	3.816	4.017	3.940	3.681
910.0	1.750	3.148	3.803	4.003	3.930	3.672
920.0	1.738	3.136	3.790	3.988	3.920	3.664
930.0	1.726	3.124	3.777	3.974	3.907	3.655
940.0	1.713	3.112	3.764	3.960	3.894	3.647
950.0	1.702	3.099	3.752	3.947	3.881	3.636
960.0	1.690	3.084	3.740	3.934	3.869	3.626
970.0	1.679	3.068	3.728	3.921	3.857	3.616
980.0	1.667	3.053	3.717	3.908	3.845	3.606
990.0	1.655	3.038	3.704	3.896	3.833	3.597
1000.0	1.644	3.023	3.688	3.883	3.822	3.587
1010.0	1.633	3.009	3.673	3.872	3.811	3.578
1020.0	1.622	2.995	3.657	3.859	3.800	3.569
1030.0	1.611	2.981	3.642	3.844	3.789	3.561
1040.0	1.600	2.968	3.627	3.829	3.777	3.552
1050.0	1.590	2.955	3.613	3.814	3.764	3.542
1060.0	1.580	2.942	3.599	3.799	3.751	3.531
1070.0	1.570	2.929	3.585	3.785	3.738	3.521
1080.0	1.560	2.916	3.571	3.771	3.726	3.511
1090.0	1.550	2.904	3.558	3.757	3.713	3.501
1100.0	1.541	2.892	3.544	3.744	3.701	3.492
1110.0	1.532	2.880	3.531	3.730	3.689	3.482
1120.0	1.523	2.865	3.519	3.717	3.678	3.473
1130.0	1.514	2.850	3.506	3.705	3.666	3.464
1140.0	1.505	2.834	3.490	3.692	3.655	3.455
1150.0	1.496	2.819	3.474	3.678	3.644	3.445
1160.0	1.487	2.804	3.458	3.663	3.630	3.435
1170.0	1.478	2.789	3.442	3.647	3.617	3.424
1180.0	1.470	2.774	3.426	3.632	3.604	3.414
1190.0	1.462	2.760	3.411	3.617	3.591	3.404
1200.0	1.453	2.746	3.396	3.603	3.578	3.394
1210.0	1.445	2.732	3.381	3.589	3.566	3.384
1220.0	1.437	2.719	3.366	3.574	3.553	3.375
1230.0	1.430	2.705	3.352	3.561	3.541	3.365
1240.0	1.422	2.692	3.338	3.547	3.530	3.356
1250.0	1.415	2.679	3.324	3.534	3.518	3.347
1260.0	1.407	2.666	3.310	3.520	3.506	3.337
1270.0	1.400	2.654	3.297	3.507	3.494	3.326
1280.0	1.393	2.642	3.283	3.493	3.481	3.316
1290.0	1.385	2.627	3.266	3.477	3.467	3.306
1300.0	1.378	2.612	3.249	3.462	3.454	3.295
1310.0	1.371	2.598	3.232	3.446	3.441	3.285

TABLE OF DISPLACEMENT VS KN

Trim = 1.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1320.0	1.365	2.583	3.216	3.431	3.429	3.276
1330.0	1.358	2.569	3.200	3.417	3.416	3.266
1340.0	1.351	2.555	3.184	3.402	3.404	3.256
1350.0	1.344	2.541	3.169	3.388	3.392	3.247
1360.0	1.338	2.528	3.154	3.373	3.380	3.238
1370.0	1.332	2.514	3.138	3.360	3.368	3.228
1380.0	1.325	2.501	3.124	3.346	3.356	3.217
1390.0	1.319	2.488	3.109	3.332	3.344	3.207
1400.0	1.313	2.475	3.094	3.319	3.330	3.196
1410.0	1.307	2.462	3.080	3.304	3.317	3.186
1420.0	1.301	2.450	3.066	3.288	3.304	3.176
1430.0	1.295	2.438	3.051	3.273	3.291	3.166
1440.0	1.289	2.425	3.034	3.257	3.278	3.156
1450.0	1.284	2.413	3.017	3.242	3.265	3.147
1460.0	1.278	2.400	3.000	3.227	3.253	3.137
1470.0	1.273	2.385	2.983	3.212	3.241	3.128
1480.0	1.267	2.371	2.967	3.198	3.229	3.118
1490.0	1.262	2.357	2.951	3.184	3.217	3.107
1500.0	1.256	2.343	2.935	3.169	3.205	3.096
1510.0	1.251	2.329	2.919	3.155	3.192	3.086
1520.0	1.246	2.315	2.904	3.142	3.178	3.076
1530.0	1.241	2.302	2.888	3.128	3.165	3.066
1540.0	1.236	2.289	2.873	3.113	3.152	3.056
1550.0	1.231	2.276	2.858	3.097	3.139	3.046
1560.0	1.226	2.263	2.844	3.081	3.126	3.036
1570.0	1.221	2.250	2.829	3.066	3.114	3.027
1580.0	1.216	2.237	2.813	3.051	3.101	3.017
1590.0	1.212	2.225	2.795	3.036	3.089	3.007
1600.0	1.207	2.213	2.778	3.021	3.077	2.996
1610.0	1.202	2.201	2.761	3.006	3.065	2.986
1620.0	1.197	2.189	2.745	2.992	3.052	2.975
1630.0	1.192	2.175	2.728	2.977	3.039	2.965
1640.0	1.187	2.160	2.712	2.963	3.025	2.955
1650.0	1.182	2.146	2.696	2.949	3.012	2.945
1660.0	1.178	2.133	2.680	2.935	2.999	2.935
1670.0	1.173	2.119	2.664	2.920	2.986	2.926
1680.0	1.168	2.106	2.648	2.904	2.973	2.916
1690.0	1.164	2.092	2.633	2.888	2.960	2.906
1700.0	1.159	2.079	2.618	2.873	2.948	2.896
1710.0	1.154	2.066	2.603	2.857	2.935	2.885
1720.0	1.150	2.053	2.588	2.842	2.923	2.875
1730.0	1.146	2.041	2.571	2.827	2.911	2.865
1740.0	1.141	2.028	2.554	2.812	2.898	2.855
1750.0	1.137	2.016	2.537	2.797	2.884	2.845
1760.0	1.133	2.003	2.520	2.783	2.871	2.835
1770.0	1.127	1.991	2.504	2.768	2.858	2.825
1780.0	1.122	1.979	2.488	2.754	2.845	2.815
1790.0	1.116	1.966	2.471	2.740	2.831	2.806
1800.0	1.111	1.952	2.455	2.724	2.819	2.796
1810.0	1.106	1.939	2.440	2.708	2.806	2.785
1820.0	1.100	1.925	2.424	2.693	2.793	2.775

TABLE OF DISPLACEMENT VS KN

Trim = 1.50 M

Displacement (Tonnes)	Angles of Heel (Degrees)					
	10	20	30	40	50	60
1830.0	1.095	1.912	2.409	2.677	2.781	2.764
1840.0	1.090	1.899	2.393	2.661	2.769	2.754
1850.0	1.085	1.886	2.378	2.646	2.756	2.744
1860.0	1.080	1.873	2.363	2.631	2.743	2.734
1870.0	1.075	1.861	2.348	2.616	2.729	2.724
1880.0	1.070	1.848	2.331	2.601	2.716	2.714
1890.0	1.065	1.836	2.315	2.586	2.703	2.704
1900.0	1.060	1.824	2.298	2.572	2.690	2.695
1910.0	1.055	1.812	2.282	2.557	2.677	2.684
1920.0	1.049	1.800	2.266	2.543	2.664	2.674
1930.0	1.043	1.788	2.250	2.527	2.651	2.663
1940.0	1.037	1.775	2.235	2.511	2.638	2.653
1950.0	1.030	1.762	2.219	2.495	2.626	2.643
1960.0	1.024	1.748	2.204	2.479	2.614	2.632
1970.0	1.018	1.735	2.189	2.464	2.601	2.622
1980.0	1.012	1.722	2.174	2.449	2.588	2.612
1990.0	1.006	1.710	2.159	2.433	2.574	2.602
2000.0	1.000	1.697	2.144	2.418	2.561	2.593
2010.0	0.995	1.684	2.129	2.403	2.547	2.583
2020.0	0.989	1.672	2.113	2.388	2.534	2.572
2030.0	0.983	1.660	2.097	2.374	2.521	2.561
2040.0	0.978	1.648	2.081	2.359	2.508	2.551
2050.0	0.972	1.636	2.065	2.345	2.495	2.541
2060.0	0.966	1.624	2.050	2.329	2.483	2.530
2070.0	0.959	1.612	2.034	2.313	2.470	2.520
2080.0	0.952	1.599	2.019	2.298	2.458	2.510
2090.0	0.946	1.586	2.004	2.283	2.444	2.500
2100.0	0.939	1.573	1.989	2.267	2.431	2.490
2110.0	0.933	1.561	1.974	2.252	2.417	2.480
2120.0	0.926	1.548	1.960	2.237	2.404	2.470
2130.0	0.920	1.536	1.945	2.223	2.390	2.459
2140.0	0.914	1.523	1.931	2.208	2.377	2.448
2150.0	0.908	1.511	1.915	2.193	2.364	2.438
2160.0	0.901	1.499	1.900	2.179	2.351	2.427
2170.0	0.895	1.487	1.885	2.165	2.338	2.417
2180.0	0.889	1.475	1.870	2.150	2.326	2.407
2190.0	0.883	1.463	1.855	2.135	2.313	2.397
2200.0	0.875	1.451	1.840	2.120	2.300	2.387
2210.0	0.868	1.438	1.826	2.105	2.287	2.377
2220.0	0.861	1.426	1.811	2.090	2.273	2.367
2230.0	0.854	1.413	1.797	2.075	2.260	2.356
2240.0	0.847	1.400	1.783	2.060	2.247	2.345
2250.0	0.839	1.388	1.769	2.046	2.233	2.334
2260.0	0.833	1.375	1.755	2.032	2.220	2.324
2270.0	0.826	1.363	1.740	2.017	2.208	2.313
2280.0	0.819	1.351	1.725	2.003	2.195	2.303
2290.0	0.812	1.339	1.711	1.989	2.182	2.293

DEADWEIGHT TABLE

Draft (ext) M	Ext Disp T	Dwt T
0.902	516.2	3.8
0.912	522.7	10.3
0.922	529.2	16.8
0.932	535.6	23.2
0.942	542.1	29.7
0.952	548.5	36.1
0.962	555.0	42.6
0.972	561.4	49.0
0.982	567.9	55.5
0.992	574.3	61.9
1.002	580.8	68.4
1.012	587.2	74.8
1.022	593.6	81.2
1.032	599.9	87.5
1.042	606.3	93.9
1.052	612.7	100.3
1.062	619.0	106.6
1.072	625.4	113.0
1.082	631.8	119.4
1.092	638.1	125.7
1.102	644.5	132.1
1.112	650.8	138.4
1.122	657.2	144.8
1.132	663.6	151.2
1.142	669.9	157.5
1.152	676.3	163.9
1.162	682.7	170.3
1.172	689.0	176.6
1.182	695.4	183.0
1.192	701.7	189.3
1.202	708.1	195.7
1.212	714.5	202.1
1.222	720.8	208.4
1.232	727.2	214.8
1.242	733.6	221.2
1.252	739.9	227.5
1.262	746.3	233.9
1.272	753.0	240.6
1.282	759.7	247.3
1.292	766.4	254.0
1.302	773.2	260.8
1.312	779.9	267.5
1.322	786.6	274.2
1.332	793.3	280.9
1.342	800.1	287.7
1.352	806.8	294.4
1.362	813.5	301.1
1.372	820.2	307.8
1.382	826.9	314.5
1.392	833.7	321.3
1.402	840.4	328.0
1.412	847.1	334.7

DEADWEIGHT TABLE

Draft (ext) M	Ext Disp T	Dwt T
1.422	853.8	341.4
1.432	860.5	348.1
1.442	867.3	354.9
1.452	874.0	361.6
1.462	880.7	368.3
1.472	887.4	375.0
1.482	894.1	381.7
1.492	900.9	388.5
1.502	907.6	395.2
1.512	914.3	401.9
1.522	920.8	408.4
1.532	927.4	415.0
1.542	933.9	421.5
1.552	940.5	428.1
1.562	947.0	434.6
1.572	953.5	441.1
1.582	960.1	447.7
1.592	966.6	454.2
1.602	973.1	460.7
1.612	979.7	467.3
1.622	986.2	473.8
1.632	992.7	480.3
1.642	999.3	486.9
1.652	1005.8	493.4
1.662	1012.3	499.9
1.672	1018.9	506.5
1.682	1025.4	513.0
1.692	1031.9	519.5
1.702	1038.5	526.1
1.712	1045.0	532.6
1.722	1051.5	539.1
1.732	1058.1	545.7
1.742	1064.6	552.2
1.752	1071.1	558.7
1.762	1077.7	565.3
1.772	1084.4	572.0
1.782	1091.0	578.6
1.792	1097.7	585.3
1.802	1104.4	592.0
1.812	1111.1	598.7
1.822	1117.8	605.4
1.832	1124.5	612.1
1.842	1131.2	618.8
1.852	1137.9	625.5
1.862	1144.5	632.1
1.872	1151.2	638.8
1.882	1157.9	645.5
1.892	1164.6	652.2
1.902	1171.3	658.9
1.912	1178.0	665.6
1.922	1184.7	672.3
1.932	1191.3	678.9

DEADWEIGHT TABLE

Draft (ext) M	Ext Disp T	Dwt T
1.942	1198.0	685.6
1.952	1204.7	692.3
1.962	1211.4	699.0
1.972	1218.1	705.7
1.982	1224.8	712.4
1.992	1231.5	719.1
2.002	1238.1	725.7
2.012	1244.8	732.4
2.022	1251.8	739.4
2.032	1258.8	746.4
2.042	1265.8	753.4
2.052	1272.8	760.4
2.062	1279.8	767.4
2.072	1286.8	774.4
2.082	1293.8	781.4
2.092	1300.8	788.4
2.102	1307.8	795.4
2.112	1314.8	802.4
2.122	1321.8	809.4
2.132	1328.8	816.4
2.142	1335.8	823.4
2.152	1342.8	830.4
2.162	1349.8	837.4
2.172	1356.7	844.3
2.182	1363.7	851.3
2.192	1370.7	858.3
2.202	1377.7	865.3
2.212	1384.7	872.3
2.222	1391.7	879.3
2.232	1398.7	886.3
2.242	1405.7	893.3
2.252	1412.7	900.3
2.262	1419.7	907.3
2.272	1426.8	914.4
2.282	1434.0	921.6
2.292	1441.1	928.7
2.302	1448.3	935.9
2.312	1455.4	943.0
2.322	1462.6	950.2
2.332	1469.7	957.3
2.342	1476.8	964.4
2.352	1484.0	971.6
2.362	1491.1	978.7
2.372	1498.3	985.9
2.382	1505.4	993.0
2.392	1512.6	1000.2
2.402	1519.7	1007.3
2.412	1526.8	1014.4
2.422	1534.0	1021.6
2.432	1541.1	1028.7
2.442	1548.3	1035.9
2.452	1555.4	1043.0

DEADWEIGHT TABLE


Draft (ext) M	Ext Disp T	Dwt T
2.462	1562.6	1050.2
2.472	1569.7	1057.3
2.482	1576.8	1064.4
2.492	1584.0	1071.6
2.502	1591.1	1078.7
2.512	1598.3	1085.9
2.522	1605.5	1093.1
2.532	1612.7	1100.3
2.542	1619.8	1107.4
2.552	1627.0	1114.6
2.562	1634.2	1121.8
2.572	1641.4	1129.0
2.582	1648.6	1136.2
2.592	1655.8	1143.4
2.602	1663.0	1150.6
2.612	1670.2	1157.8
2.622	1677.4	1165.0
2.632	1684.5	1172.1
2.642	1691.7	1179.3
2.652	1698.9	1186.5
2.672	1713.3	1200.9
2.682	1720.5	1208.1
2.692	1727.7	1215.3
2.702	1734.9	1222.5
2.712	1742.1	1229.7
2.722	1749.2	1236.8
2.732	1756.4	1244.0
2.742	1763.6	1251.2
2.752	1770.8	1258.4
2.762	1778.0	1265.6
2.772	1785.2	1272.8
2.782	1792.4	1280.0
2.792	1799.6	1287.2
2.802	1806.8	1294.4
2.812	1814.0	1301.6
2.822	1821.3	1308.9
2.832	1828.5	1316.1
2.842	1835.7	1323.3
2.852	1842.9	1330.5
2.862	1850.1	1337.7
2.872	1857.3	1344.9
2.882	1864.5	1352.1
2.892	1871.7	1359.3
2.902	1878.9	1366.5
2.912	1886.1	1373.7
2.922	1893.4	1381.0
2.932	1900.6	1388.2
2.942	1907.8	1395.4
2.952	1915.0	1402.6
2.962	1922.2	1409.8
2.972	1929.4	1417.0
2.982	1936.6	1424.2

DEADWEIGHT TABLE


Draft (ext) M	Ext Disp T	Dwt T	
2.992	1943.8	1431.4	
3.002	1951.0	1438.6	
3.012	1958.20	1445.8	Full Loaded Dept.
3.022	1965.5	1453.1	
3.032	1972.7	1460.3	
3.042	1979.9	1467.5	
3.052	1987.2	1474.8	
3.062	1994.4	1482.0	
3.072	2001.6	1489.2	
3.082	2008.8	1496.4	
3.092	2016.1	1503.7	
3.102	2023.3	1510.9	
3.112	2030.5	1518.1	
3.122	2037.7	1525.3	
3.132	2045.0	1532.6	
3.142	2052.2	1539.8	
3.152	2059.4	1547.0	
3.162	2066.7	1554.3	
3.172	2073.9	1561.5	
3.182	2081.1	1568.7	
3.192	2088.3	1575.9	
3.202	2095.6	1583.2	
3.212	2102.8	1590.4	
3.222	2110.0	1597.6	
3.232	2117.2	1604.8	
3.242	2124.5	1612.1	
3.252	2131.7	1619.3	
3.262	2138.9	1626.5	
3.272	2146.2	1633.8	
3.282	2153.4	1641.0	
3.292	2160.6	1648.2	
3.302	2167.9	1655.5	
3.312	2175.1	1662.7	
3.322	2182.4	1670.0	

TABLE OF DISPLACEMENT VS MAXIMUM PERMISSIBLE KGo


DISPLACEMENT	MAX PERMISSIBLE
	KGo
(T)	(m)
500.0	9.42
600.0	8.92
700.0	8.49
800.0	8.10
900.0	7.73
1000.0	7.38
1100.0	7.05
1200.0	6.73
1300.0	6.42
1400.0	6.11
1500.0	5.80
1600.0	5.50
1700.0	5.20
1800.0	4.90
1900.0	4.61
2000.0	4.31
2100.0	4.01




CONDITION 01 : LIGHTSHIP




PROFILE




PLAN




W.B. TK



F.W. TK



F.O. TK



CARGO HOLD

Condition # 1: Lightship

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M

LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
------------------	-------	-------	---------	-------	---------	------

DISPLACEMENT	512.4	4.000	2049.60	4.504	2307.85	0.00
---------------------	--------------	--------------	----------------	--------------	----------------	-------------

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims		
MCT1Cm	22.92	T.M	Draft _{KL} (Mean)	0.882	M
LCF	1.34	M	Draft _{KL} (AP)	1.357	M
LCB	4.73	M	Draft _{KL} (FP)	0.407	M
TPCm	6.33	T			
Metacentric Height					
KMt	15.95	M			
KG	4.00	M			
KGo	4.00	M			
GoMt	11.95	M	Trim	0.949	M


Condition # 1: Lightship**Intact Stability (Primary Criterion)**

	OBTAINED	MIN REQUIRED
Displacement	512.40 T	
KGo	4.00 M	
GoMt	11.95 M	0.30 M


Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	2.505	3.756	4.257	4.425	4.322
KG Sin θ (M)	0.000	0.695	1.368	2.000	2.571	3.064
GZ (M)	0.000	1.810	2.388	2.257	1.854	1.258


	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	1.332 M-RAD	0.090 M-RED
Maximum GZ	2.410 M	0.200 M
Angle of Downflooding θ_f	41.86 Deg.	




CONDITION 02 : FULLY LOADED DEPARTURE WITH 100% CONSUMABLES



PROFILE



PLAN



Condition # 2: FULLY LOADED DEPARTURE WITH 100 % CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	0.0	3.283	0.00	29.71	0.00	0.00
FORE PEAK TK. (C)	0.0	2.976	0.00	-26.58	0.00	0.00
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	10.0	3.044	30.44	27.60	276.04	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	4.9	2.621	12.84	25.49	124.89	1.36
FUEL OIL TANK (S)	4.9	2.621	12.84	25.49	124.89	1.36
3.CARGO HOLD						
CARGO HOLD	1423.4	2.200	3131.47	0.94	1337.99	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	1958.20	2.680	5247.07	2.116	4143.07	258.23

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	33.59	T.M	Draft _{KL} (Mean)	2.992 M
LCF	2.38	M	Draft _{KL} (AP)	3.311 M
LCB	1.88	M	Draft _{KL} (FP)	2.673 M
TPCm	7.20	T		
Metacentric Height				
KMt	6.18	M		
KG	2.68	M		
KGo	2.81	M		
GoMt	3.37	M	Trim	0.637 M


Condition # 2: FULLY LOADED DEPARTURE WITH 100 % CONSUMABLES**Intact Stability (Primary Criterion)**

	OBTAINED	MIN REQUIRED
Displacement	1958.20 T	
KGo	2.81 M	
GoMt	3.37 M	0.30 M


Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	1.065	1.791	2.237	2.502	2.627
KG Sin θ (M)	0.000	0.488	0.962	1.406	1.807	2.154
GZ (M)	0.000	0.577	0.829	0.831	0.695	0.473


	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	0.250 M-RAD	0.090 M-RED
Maximum GZ	0.770 M	0.200 M
Angle of Downflooding θ_f	24.88 Deg.	




CONDITION 03 : FULLY LOADED ARRIVAL WITH 10% CONSUMABLES




PROFILE




PLAN




W.B. TK



F.W. TK



F.O. TK



CARGO HOLD

Condition # 3: FULLY LOADED ARRIVAL WITH 10 % CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	0.0	3.283	0.00	29.71	0.00	0.00
FORE PEAK TK. (C)	0.0	2.976	0.00	-26.58	0.00	0.00
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	1.0	3.044	3.04	27.60	27.60	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	0.5	2.621	1.31	25.49	12.74	1.36
FUEL OIL TANK (S)	0.5	2.621	1.31	25.49	12.74	1.36
3.CARGO HOLD						
CARGO HOLD	1423.4	2.200	3131.47	0.94	1337.99	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	1940.40	2.678	5196.61	1.892	3670.34	258.23

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	33.58	T.M	Draft _{KL} (Mean)	2.972 M
LCF	2.38	M	Draft _{KL} (AP)	3.225 M
LCB	1.88	M	Draft _{KL} (FP)	2.719 M
TPCm	7.20	T		
Metacentric Height				
KMt	6.20	M		
KG	2.68	M		
KGo	2.81	M		
GoMt	3.39	M	Trim	0.507 M


Condition # 3: FULLY LOADED ARRIVAL WITH 10 % CONSUMABLES**Intact Stability (Primary Criterion)**

	OBTAINED	MIN REQUIRED
Displacement	1940.40 T	
KGo	2.81 M	
GoMt	3.39 M	0.30 M


Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	1.069	1.804	2.252	2.518	2.640
KG Sin θ (M)	0.000	0.488	0.961	1.406	1.807	2.154
GZ (M)	0.000	0.581	0.843	0.846	0.711	0.486


	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	0.256 M-RAD	0.090 M-RED
Maximum GZ	0.770 M	0.200 M
Angle of Downflooding θ_f	25.12 Deg.	




CONDITION 04 : BALLAST DEPARTURE WITH 100% CONSUMABLES




PROFILE




PLAN




W.B. TK



F.W. TK



F.O. TK



CARGO HOLD

Condition # 4: BALLAST DEPARTURE WITH 100% CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	40.2	3.283	131.89	29.71	1193.51	311.06
FORE PEAK TK. (C)	59.9	2.976	178.12	-26.58	-1591.04	85.14
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	10.0	3.044	30.44	27.60	276.04	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	4.9	2.621	12.84	25.49	124.89	1.36
FUEL OIL TANK (S)	4.9	2.621	12.84	25.49	124.89	1.36
3.CARGO HOLD						
CARGO HOLD	0.0	2.200	0.00	0.94	0.00	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	634.82	3.821	2425.61	3.792	2407.55	654.42

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	24.46	T.M	Draft _{KL} (Mean)	1.072 M
LCF	1.30	M	Draft _{KL} (AP)	1.533 M
LCB	4.09	M	Draft _{KL} (FP)	0.611 M
TPCm	6.47	T		
Metacentric Height				
KMt	13.41	M		
KG	3.82	M		
KGo	4.85	M		
GoMt	8.56	M	Trim	0.923 M


Condition # 4: BALLAST DEPARTURE WITH 100% CONSUMABLES**Intact Stability (Primary Criterion)**

	OBTAINED	MIN REQUIRED
Displacement	634.82 T	
KGo	4.85 M	
GoMt	8.56 M	0.30 M


Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	2.210	3.552	4.137	4.327	4.224
KG Sin θ (M)	0.000	0.843	1.659	2.426	3.119	3.717
GZ (M)	0.000	1.367	1.893	1.711	1.208	0.507


	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	1.106 M-RAD	0.090 M-RED
Maximum GZ	1.910 M	0.200 M
Angle of Downflooding θ_f	40.60 Deg.	




CONDITION 05 : BALLAST ARRIVAL WITH 10% CONSUMABLES




PROFILE




PLAN




W.B. TK



F.W. TK



F.O. TK



CARGO HOLD

Condition # 5: BALLAST ARRIVAL WITH 10% CONSUMABLES

Item	Weight	VCG	Vert Mom	LCG	Long Mom	FSM
	Tonnes	M	T-M	M	T-M	T-M
1.WATER BALLAST TANKS						
WATER BALLAST TANKS						
AFT PEAK TK (C)	57.4	3.283	188.41	29.71	1705.02	311.06
FORE PEAK TK. (C)	59.9	2.976	178.12	-26.58	-1591.04	85.14
2. CONSUMABLES						
FRESH WATER TANKS						
F W TANK (C)	1.0	3.044	3.04	27.60	27.60	255.51
FUEL OIL TANKS						
FUEL OIL TANK (P)	0.5	2.621	1.31	25.49	12.74	1.36
FUEL OIL TANK (S)	0.5	2.621	1.31	25.49	12.74	1.36
3.CARGO HOLD						
CARGO HOLD	0.0	2.200	0.00	0.94	0.00	0.00
DEADWEIGHT CONSTS.	2.6	3.800	9.88	-11.00	-28.60	0.00
LIGHTSHIP	512.4	4.000	2049.60	4.504	2307.85	0.00
DISPLACEMENT	634.24	3.834	2431.67	3.857	2446.32	654.42

From HYDROSTATICS

Hydrostatic Particulars			Drafts & Trims	
MCT1Cm	24.46	T.M	Draft _{KL} (Mean)	1.072 M
LCF	1.30	M	Draft _{KL} (AP)	1.542 M
LCB	4.09	M	Draft _{KL} (FP)	0.602 M
TPCm	6.47	T		
Metacentric Height				
KMt	13.41	M		
KG	3.83	M		
KGo	4.87	M		
GoMt	8.54	M	Trim	0.940 M


Condition # 5: BALLAST ARRIVAL WITH 10% CONSUMABLES**Intact Stability (Primary Criterion)**

	OBTAINED	MIN REQUIRED
Displacement	634.24 T	
KGo	4.87 M	
GoMt	8.54 M	0.30 M

Righting Arm Curve

Angle (Deg)	0	10	20	30	40	50
KN (M)	0.000	2.210	3.552	4.137	4.327	4.224
KG Sin θ (M)	0.000	0.845	1.664	2.433	3.128	3.727
GZ (M)	0.000	1.365	1.888	1.704	1.199	0.497

	OBTAINED	MIN REQUIRED
Area upto 40 deg / θ_f	1.099 M-RAD	0.090 M-RED
Maximum GZ	1.910 M	0.200 M
Angle of Downflooding θ_f	40.63 Deg.	



LIGHTSHIP PARTICULARS

Lightship Displacement	=	512.40 T
VCG	=	4.00 M Above Base Line
LCG	=	4.50 M Aft of Midship