

PROJECT REPORT

RESTAURANT MENU MANAGEMENT SYSTEM

Submitted by

Bhavya . B

ADIT/TVM/19/008

National Skill Training Institute for Women , Trivandrum

ABSTRACT

Restaurant menu management system is a project which aims in developing a computerized system to maintain all the menu details of the restaurant .This project has features like admin login through which the admin can monitor whole system. The admin after login in to his account can have various options such as add item, view item, update item, cancel item. Overall this project is being developed to help admin to maintain the restaurant menu in the best way possible and also reduce human efforts.

CONTENTS

ABSTRACT

1. INTRODUCTION

1.1 PROJECT OVERVIEW

1.2 PROJECT DESCRIPTION

1.3 SCOPE OF WORK

2. SOFTWARE DEVELOPMENT ENVIRONMENT

3. SYSTEM DESIGNS

3.1 ER DIAGRAM

3.2 CLASS DIAGRAM

3.3 FLOW CHART

4. SYSTEM REQUIREMENTS

4.1 HARDWARE REQUIREMENTS

4.2 SOFTWARE REQUIREMENTS

5. APPENDICES

5.1 DATABASE TABLES

5.2 SOURCE CODE

5.3 SCREENSHORT

6. CONCLUSION

7. REFERENCE

1. INTRODUCTION

1.1 PROJECT OVERVIEW

The objective of this application is to design a system to maintain information related to the menu of restaurant menu management. The purpose is to maintain a centralized repository of information about restaurant menu.

1.2 PROJECT DESCRIPTION

The project for monitoring and controlling the menu details on application. The project is developed in PHP and MySQL. This is mainly focuses on basic operations to maintaining menu details in a restaurant like add item, view menu, update item and cancel item.

1.3 SCOPE OF WORK


We can create computerized management system for a restaurant. It has an administrator account. Menu details are stored efficiently and cost effectively. It will reduce human error and also reduces the time consumption. It keeps the database correct and up-to-date and also stores all data in proper manner.

2. SOFTWARE DEVELOPMENT ENVIRONMENT


Restaurant management system is an application to help admin of restaurant to monitor menu details. Using HTML and CSS we are structured and designed the web page. We used My SQL as database and PHP as server side scripting language, where PHP used for dynamic contents like form validation, session, signup and login procedures. Here My SQL is best choice for PHP developers. My SQL is an open source relational database. Both are enables the storage of data and perform operations according to the need of admin.

3. SYSTEM DESIGN


3.1 ER DIAGRAM



3.2 CLASS DIAGRAM



3.3 FLOW CHART



4. SYSTEM REQUIREMENTS

4.1 HARDWARE REQUIREMENTS

1. A working PC
2. RAM 4GB or higher
3. Processor 1 GHz or more
4. Hard drive 32GB or above
5. Stable network connectivity


4.2 SOFTWARE REQUIREMENTS

1. Operating System : Windows 10
2. Browser: Chrome, Mozilla Firefox.
3. Text Editor: Visual studio code
4. Frond end: HTML,CSS
5. Back end: PHP
6. Database: MySQL

5. APPENDICES

5.1 DATABASE TABLES

1. Table - login



Server: 127.0.0.1 » Database: restuarent » Table: login

Table structure | Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	user_id	varchar(25)	latin1_swedish_ci	No	None			Change Drop More
<input type="checkbox"/>	2	username	varchar(25)	latin1_swedish_ci	No	None			Change Drop More
<input type="checkbox"/>	3	password	varchar(25)	latin1_swedish_ci	No	None			Change Drop More


☐ Check all With selected: Browse Change Drop Primary Unique Index Fulltext

Add to central columns Remove from central columns

Print Propose table structure Track table Move columns Normalize

Add 1 column(s) after password

2. Table - bigbite



Server: 127.0.0.1 » Database: restuarent » Table: bigbite

Table structure | Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Item_Id	int(50)		Yes	NULL			Change Drop More
<input type="checkbox"/>	2	ItemName	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	3	Veg_Nonveg	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	4	Combopack	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	5	Available_time	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	6	Add_choice	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	7	picture	varchar(50)	latin1_swedish_ci	Yes	NULL			Change Drop More
<input type="checkbox"/>	8	Rate	int(50)		Yes	NULL			Change Drop More

☐ Check all With selected: Browse Change Drop Primary Unique Index Fulltext

Add to central columns Remove from central columns

Print Propose table structure Track table Move columns Normalize

Add 1 column(s) after Rate

5.2 SOURCE CODE

1. Connection.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "restuarent";
$conn = mysqli_connect($servername,$username,$password,$dbname);
if($conn){
    echo"<script>
    alert('connected successfully')
    </script>";
}
else{
    echo"<script>
    alert('failed to connect'.mysqli_connect_error())
    </script>";
}
?>
```

Signup.php

```
<?php

session_start();

include("connection.php");
include("function.php");

if($_SERVER['REQUEST_METHOD'] == "POST")
{

    $username = $_POST['username'];
    $password = $_POST['password'];

    if(!empty($username) && !empty($password) && !is_numeric($username) && !is_numeric($password))
    {
```

```

        $user_id = random_num(20);
        $sql = "insert into login (user_id,username,password) values ('$user_id','$username','$password')";

        mysqli_query($conn, $sql);
    <link rel="stylesheet" href="CSS/login.css">
    <title>Sign Up</title>
</head>
<body class="bg">
    <center>
        <h2>Sign Up</h2>
        <form method="POST">
            <fieldset id="feild">
                <div id="div">
                    <label>Usernmae : </label><br><br>
                    <input type="text" class="input" name="username" required><br><br>
                </div>
                <label>Password : </label><br><br>
                <input type="password" class="input" name="password" required><br><br>
                <input type="submit" id="submit" name="signup" value="Sign Up"><br><br><br>
                <a href="login.php" id="a">Click here to Login</a>
            </div>
        </fieldset>
    </form>
</center>

```

```
</body>
</html>
```

Login.php

```
<?php
```

```
session_start();
```

```
include("connection.php");
include("function.php");
```

```
if($_SERVER['REQUEST_METHOD'] == "POST")
{
    $username = $_POST['username'];
    $password = $_POST['password'];

    if(!empty($username) && !empty($password) && !is_numeric($user
name))
    {

        $sql = "select * from login where username= '$username' li
mit 1";
        $result = mysqli_query($conn, $sql);

        if($result)
        {
            if($result && mysqli_num_rows($result) > 0)
            {

                $user_data = mysqli_fetch_assoc($result);

                if($user_data['password'] === $password)
                {

                    $_SESSION['user_id'] = $user_data['user_id'];
                    header("Location: home.php");
                    die;
                }
            }
        }
    }
}
```

```

        }
    }

    echo"<script>
alert('Invalid credentials!')
</script>";
    }else
    {
        echo"<script>
alert('Invalid credentials!')
</script>";
    }
}

?>

<html>
    <head>
        <link rel="stylesheet" href="css/login.css">
        <title>Login</title>
    </head>
    <body class="bg">
        <center>
            <h2>Login</h2>
            <form method="POST">
                <fieldset id="feild">
                    <div id="div">
                        <label>Username : </label><br><br>
                        <input type="text" class="input" name="username"><br><br>
                        <label>Password : </label><br><br>
                        <input type="password" class="input" name="password"><br><br><br>
                        <input type="submit" id="submit" name="login" value="Login"><br><br><br>
                        <a href="signup.php" id="a">Click here to Sign Up</a>
                    </div>
                </fieldset>
            </form>
        </center>

    </body>
</html>

```

Function.php

```
<?php
```

```
function check_login($conn)
{
    if(isset($_SESSION['user_id']))
    {
        $id = $_SESSION['user_id'];
        $sql = "select * from login where user_id = '$id' limit 1";

        $result = mysqli_query($conn,$sql);
        if($result && mysqli_num_rows($result) > 0)
        {
            $user_data = mysqli_fetch_assoc($result);
            return $user_data;
        }
    }

    header("Location: login.php");
    die;
}

function random_num($length)
{
    $text = "";
    if($length < 5)
    {
        $length = 5;
    }

    $len = rand(4,$length);

    for ($i=0; $i < $len; $i++) {
        # code...

        $text .= rand(0,9);
    }
}
```



```

    }

    return $text;
}

```

Home.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>bigbite</title>
    <link rel="stylesheet" href="css/style.css">
</head>
<body>
    <div id="body">
        <div id="header">
            
            <h1 id="first">BIGBITE</h1>
            <a id="logout" href="logout.php">Logout</a>
        </div>
        <div id="middle">
            <ul>
                <li><a href="add.php">Add Item</a></li>
                <li><a href="view.php">View Menu</a></li>
                <li><a href="view.php">Update Item</a></li>
                <li><a href="view.php">Cancel Item</a></li>
            </ul>
        </div>
    </div>
    <div id="footer">
        <p class="cap"> Designed and developed by Bhavya.B</p><br>
    </div>
</body>
</html>

```

Add.php

```

<!DOCTYPE html>

```

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>BigBite</title>
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <div id="body">
    <div id="header">
      
      <h1 id="first">BIGBITE</h1>
      <a id="logout" href="logout.php">Logout</a>
    </div>
    <div id="form">
      <h1 id="add1">Add Item</h1>
      <br><br>
      <form action="data.php" method="POST" enctype="multipart/f
orm-data">
        <table class="table">
          <tr>
            <td>Item Id</td>
            <td><input type="text" name="id"></td>
          </tr>
          <tr>
            <td>Item Name</td>
            <td><input type="text" name="itemname"></td>
          </tr>
          <tr>
            <td>Veg/Nonveg</td>
            <td>
              <input type="radio" name="veg/nonveg" value="vegetaria
n">
              <label for="vegetarian">Vegetarian</label>
              <input type="radio" name="veg/nonveg" value="non_veget
arian">
              <label for="non_vegetarian">Non-vegetarian</label>
            </td>
          </tr>
          <tr>
            <td>Combopack</td>
            <td>
              <input type="radio" name="combo" value="yes">

```

```

        <label for="yescombo">Yes</label>
        <input type="radio" name="combo" value="no">
    <label for="nocombo">No</label>
    </td>
</tr>

<tr>
    <td>Available time</td>
    <td>
        <input type="checkbox" name="availabletime[]" value="breakfast">
        <label for="breakfast">Breakfast</label>
        <input type="checkbox" name="availabletime[]" value="lunch">
        <label for="lunch">Lunch</label>
        <input type="checkbox" name="availabletime[]" value="dinner">
        <label for="dinner">Dinner</label>
    </td>
</tr>

<tr>
    <td>Add choice</td>
    <td>
        <input type="checkbox" name="addchoice[]" value="chicken">
        <label for="chicken">Extra chicken</label>
        <input type="checkbox" name="addchoice[]" value="cheese">
        <label for="cheese">Extra cheese</label>
        <input type="checkbox" name="addchoice[]" value="myonnaise">
        <label for="myonnaise">Myonnaise</label>
    </td>
</tr>

<tr>
    <td>Picture</td>
    <td><input type="file" name="pic"></td>

</tr>
<tr>
    <td>Rate</td>
    <td><input type="number" name="rate"></td>
</tr>
</table><br><br>
<input type="submit" name="submit" id="submit" class="submit">
</form>
</div>

```

```

        </div>

</body>
</html>

```

Data.php

```

<?php
include('connection.php');
?>
<?php
    if(isset($_POST['submit'])){
        $itemid = $_POST['id'];
        $itemname = $_POST['itemname'];
        $veg_nonveg = $_POST['veg/nonveg'];
        $combopack = $_POST['combo'];
        $rate = $_POST['rate'];
        $picture = $_FILES['pic']['name'];
        $tempname = $_FILES['pic']['tmp_name'];
        $folder = "images/".$picture;
        move_uploaded_file($tempname,$folder);
        $available_time = $_POST['availabletime'];
        $availability="";
        foreach($available_time as $available)
        {
            $availability.= $available.", ";
        }
        $addchoice = $_POST['addchoice'];
        $add="";
        foreach( $addchoice as $added)
        {
            $add.= $added.", ";
        }
        $sql = "INSERT INTO Bigbite(Item_Id,ItemName,Veg_Nonveg,Combopack,Available_time,Add_choice,picture,Rate)
        VALUES('$itemid','$itemname','$veg_nonveg','$combopack','$availability','$add','$picture','$rate')";
        $data = mysqli_query($conn,$sql);

        if($data){
            echo"<script>
            alert('data inserted successfully')

```

```

        </script>";

        }
        else {

            echo"<script>
alert('failed to insert')
</script>";
        }
    }
}

?>

```

View.php

```

<?php
include 'connection.php';
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>bigbite</title>
    <link rel="stylesheet" href="CSS/view.css">
</head>
<body>
    <div id="body">
        <div id="header">
            
            <h1 id="first">BIGBITE</h1>
            <a id="logout" href="logout.php">Logout</a>
        </div>

        <div id="view">
            <h1 style="text-align:center;">MENU DETAILS</h1>
            <table class="table" border="1">
                <tr>
                    <th>Item Id</th>

```

```

        <th>Item Name</th>
        <th>Veg/Non-veg</th>
        <th>Combopack</th>
        <th>Available Time</th>
        <th>Add choice</th>
        <th>Picture</th>
        <th>Rate</th>
        <th colspan="2">action</th>
    </tr>

    <?php

        $sql = "SELECT * FROM Bigbite";
        $data = mysqli_query($conn,$sql);
        $total = mysqli_num_rows($data);
        if($total !=0)
        {
            while($result = mysqli_fetch_assoc($data))
            {

        <tr>
        <td><?php echo $result['Item_Id']; ?></td>
        <td><?php echo $result['ItemName']; ?></td>
        <td><?php echo $result['Veg_Nonveg']; ?></td>
        <td><?php echo $result['Combopack']; ?></td>
        <td><?php echo $result['Available_time']; ?></td>
        <td><?php echo $result['Add_choice']; ?></td>
        </td>
        <td><?php echo $result['Rate']; ?></td>
        <td><a href="delete.php?Item_Id= <?php echo $result['Item_Id'];?>
">cancel item </a></td>
        <td><a href="update.php?Item_Id= <?php echo $result['Item_Id'];?>
">Update item </a></td>
        </tr>

    <?php
        }
    }
    mysqli_close($conn);
    ?>
</table>

```

```
</div>
```

```
</body>
```

```
</html>
```

Update.php

```
<?php
```

```
include 'connection.php';
```

```
if(isset($_GET["Item_Id"]))
```

```
{
```

```
    $itemid = $_GET["Item_Id"];
```

```
    $query = "SELECT * FROM Bigbite WHERE Item_Id = $itemid";
```

```
    $result = mysqli_query($conn,$query);
```

```
    $row= mysqli_fetch_array($result);
```

```
    $a = $row["Available_time"];
```

```
    $b = explode(",", $a);
```

```
    $c = $row["Add_choice"];
```

```
    $d = explode(",", $c);
```

```
}
```

```
if(isset($_POST["update"])){
```

```
    $itemid = $_POST['id'];
```

```
    $itemname = $_POST['itemname'];
```

```
    $veg_nonveg = $_POST['veg/nonveg'];
```

```
    $combopack = $_POST['combo'];
```

```
    $rate = $_POST['rate'];
```

```
    $picture = $_FILES['pic']['name'];
```

```
    $tempname = $_FILES['pic']['tmp_name'];
```

```
    $folder = "images/".$picture;
```

```
    move_uploaded_file($tempname,$folder);
```

```
    $e= $_POST["availabletime"];
```

```
    $f = implode(",", $e);
```

```
    $g = $_POST["addchoice"];
```

```
    $h = implode(",", $g);
```

```
    $sql = "UPDATE Bigbite SET Item_Id = '$itemid', ItemName = '$itemname', Veg_No  
nveg = '$veg_nonveg', Combopack = '$combopack', Available_time = '$f', Add_choice = '$h', pic  
ture = '$picture', Rate = '$rate' WHERE Item_Id = $itemid";
```

```
    if (mysqli_query($conn,$sql)) {
```

```
        echo"<script>
```

```
        alert('updated successfully')
```

```
        </script>";
```

```

    }
    else {
        echo"<script>
alert('failed to update.')
</script>";
    }
}

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>BigBite</title>
    <link rel="stylesheet" href="css/style.css">
</head>
<body>
    <div id="body">
        <div id="header">
            
            <h1 id="first">BIGBITE</h1>
            <a id="logout" href="logout.php">Logout</a>
        </div>
        <div id="form">
            <h1 id="add1">update Item</h1>
            <br><br>
            <form action="" method="POST" enctype="multipart/form-data">
                <table class="table">
                    <tr>
                        <td>Item Id</td>
                        <td><input type="text" name="id" value="<?php echo $row['Item_Id
']?>" required></td>
                    </tr>
                    <tr>
                        <td>Item Name</td>
                        <td><input type="text" name="itemname" value="<?php echo $row['ItemName']?>" required></td>
                    </tr>
                    <tr>
                        <td>Veg/Nonveg</td>
                        <td>
                            <input type="radio" name="veg/nonveg" value="vegetarian">?php if(
$row["Veg_Nonveg"]== 'vegetarian'){echo "checked";}?>

```



```

        <label for="vegetarian">Vegetarian</label>
        <input type="radio" name="veg/nonveg" value="non_vegetarian" <?php
p if($row["Veg_Nonveg"]=='non_vegetarian'){echo "checked";}}?>>
        <label for="non_vegetarian">Non-vegetarian</label>
    </td>
</tr>
<tr>
    <td>Combopack</td>
    <td>
        <input type="radio" name="combo" value="yes"<?php if($row["Combop
ack"]=='yes'){echo "checked";}}?>>
        <label for="yescombo">Yes</label>
        <input type="radio" name="combo" value="no"<?php if($row["Combopa
ck"]=='no'){echo "checked";}}?>>
        <label for="nocombo">No</label>
    </td>
</tr>
<tr>
    <td>Available time</td>
    <td>
        <input type="checkbox" name="availabletime[]" value="breakfast"<?
php if(in_array("breakfast",$b)) {echo "checked";}}?>>
        <label for="breakfast">Breakfast</label>
        <input type="checkbox" name="availabletime[]" value="lunch"<?php
if(in_array("lunch",$b)) {echo "checked";}}?>>
        <label for="lunch">Lunch</label>
        <input type="checkbox" name="availabletime[]" value="dinner"<?php
if(in_array("dinner",$b)) {echo "checked";}}?>>
        <label for="dinner">Dinner</label>
    </td>
</tr>
<tr>
    <td>Add choice</td>
    <td>
        <input type="checkbox" name="addchoice[]" value="chicken"<?php if
(in_array("chicken",$d)) {echo "checked";}}?>>
        <label for="chicken">Extra chicken</label>
        <input type="checkbox" name="addchoice[]" value="cheese"<?php if(
in_array("cheese",$d)) {echo "checked";}}?>>
        <label for="cheese">Extra cheese</label>
        <input type="checkbox" name="addchoice[]" value="myonnaise"<?php
if(in_array("myonnaise",$d)) {echo "checked";}}?>>
        <label for="myonnaise">Myonnaise</label>
    </td>
</tr>

```

```

        <tr>
            <td>Picture</td>
            <td><input type="file" name="pic" value="<?php echo $row['Picture
']?>" required></td>
        </tr>
        <tr>
            <td>Rate</td>
            <td><input type="number" name="rate" value="<?php echo $row['Rate
']?>" required></td>
        </tr>
    </table><br><br>
    <input class="submit" value="Update" type="submit" name="update">
</form>
</div>
</div>

</body>
</html>

```

Delete.php

```

<?php
include 'connection.php';

$itemid = $_GET['Item_Id'];
$sql = "DELETE FROM Bigbite WHERE Item_Id = $itemid";

if (mysqli_query($conn,$sql))
{
    echo"<script>
alert('item cancelled')
</script>";
}
else{
    echo"<script>
alert('failed to cancel item')
</script>";
}

?>

```

Logout.php

```
<?php

session_start();

if(isset($_SESSION['user_id']))
{
    unset($_SESSION['user_id']);
}

header("Location: login.php");
die;
?>
```

Login.css

```
.bg {
    /* Full height */
    height: 100%;

    /* Center and scale the image nicely */
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
}

#feild{
    width: 25%;
    height: 350px;
    background-color: rgb(151, 224, 151);
}

h1, h2{
    color: rgb(26, 25, 25);
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
h1{
    font-size: 30px;
}
```

```

#div{
    margin-top: 35px;
}
#submit{
    height: 35px;
    width: 95px;
    border-color: rgb(88, 115, 116);
    border-width: 7px;
    background-color: darkgrey;
    color: cornsilk;
    font-
family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unico
de', Geneva, Verdana, sans-serif;
    font-weight: bold;
}
#a{
    color: rgb(27, 12, 241);
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

.input{
    height: 30px;
    width: 300px;
}
label{
    color: rgb(24, 23, 22);
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    font-size: 17px;
}

```

Style.css

```

body {
    margin: 0;
    background-color: grey;
}

#header{
    height: 100px;
    width: 100%;
    background-color: black;
}

```

```
#logo{
    height: 100px;
    width: 100px;
    margin-left: 25px;
}

#first{
    text-align: center;
    color: white;
    margin-top: -75px;
}
#logout{
    float: right;
    margin-right: 50px;
    margin-top: -50px;
}
#middle{
    margin-top: 250px;
}
#middle li{
    display: inline;
    padding: 25px;
    background-color: rgb(14, 13, 13);
    margin-left: 85px;
}
a{
    text-decoration: none;
    color: white;
}

#footer{
    background-color: black;
    width: 100%;
    height: 20px;
    display: table;
    position: fixed;
    bottom: 0;
}
p{
    color: white;
    text-align: center;
    padding: 15px;
}
#form{
```

```

        margin-left: 250px;
    }
    #add1{
        margin-left: 300px;
    }
    td{
        padding: 15px;
    }
    .submit{
        margin-left: 300px;
    }
    #update{
        margin-left: 300px;
    }
    .table{
        margin-top: -75px;
    }

```

View.css

```

body {
    margin: 0;
    background-color: grey;
}
#header{
    height: 100px;
    width: 100%;
    background-color: black;
}
#logo{
    height: 100px;
    width: 100px;
    margin-left: 25px;
}
#first{
    text-align: center;
    color: white;
    margin-top: -75px;
}

```


```
#logout{
    float: right;
    margin-right: 50px;
    margin-top: -50px;
}
a{
    text-decoration: none;
    color: white;
}

#footer{
    background-color: black;
    width: 100%;
    height: 20px;
    display: table;
    position: fixed;
    bottom:0;
}
p{
    color: white;
    text-align: center;
    padding: 15px;
}
.table{
    margin-top: 75px;
    margin-left: 75px;
}
/*
#table th,td,tr{
    border: 1px solid black;

}
*/
```


5.2 SCREENSHORTS

SIGN UP PAGE




A screenshot of a web browser displaying the 'Sign Up' page. The browser's address bar shows 'localhost/project/signup.php'. The page has a light green background. At the top, the title 'Sign Up' is centered. Below it, there is a form with two input fields: 'Usermae :' (note the typo) containing 'admin', and 'Password :' containing a masked password '*****'. A 'Sign Up' button is positioned below the password field. At the bottom of the form, there is a blue link that says 'Click here to Login'.

LOGIN PAGE



A screenshot of a web browser displaying the 'Login' page. The browser's address bar shows 'localhost/project/login.php'. The page has a light green background. At the top, the title 'Login' is centered. Below it, there is a form with two input fields: 'Username :' containing 'admin', and 'Password :' containing a masked password '*****'. A 'Login' button is positioned below the password field. At the bottom of the form, there is a blue link that says 'Click here to Sign Up'.


HOME PAGE



ADD ITEM PAGE

A screenshot of a web browser showing the 'Big Bite' 'Add Item' page. The browser's address bar displays 'localhost/project/add.php'. The page has a black header with the 'Big Bite' logo on the left, the text 'BIGBITE' in the center, and a 'Logout' link on the right. The main content area is a solid gray rectangle with the title 'Add Item' centered at the top. Below the title are several form fields: 'Item Id' with the value '101', 'Item Name' with the value 'pizza', 'Veg/Nonveg' with radio buttons for 'Vegetarian' (selected) and 'Non-vegetarian', 'Combopack' with radio buttons for 'Yes' (selected) and 'No', 'Available time' with checkboxes for 'Breakfast' (checked), 'Lunch' (checked), and 'Dinner' (unchecked), 'Add choice' with checkboxes for 'Extra chicken' (unchecked), 'Extra cheese' (checked), and 'Myonnaise' (checked), 'Picture' with a 'Choose File' button and the filename 'pizza.jpg', and 'Rate' with a spinner box showing '120'. A 'Submit' button is located at the bottom right of the form area.

VIEW ITEM PAGE




BIGBITE

Logout

MENU DETAILS

Item Id	Item Name	Veg/Non-veg	Combopack	Available Time	Add choice	Rate	action	
1	samosa	vegetarian	no	breakfast,	cheese,	12	cancel item	Update item
2	pizza	vegetarian	no	breakfast,lunch,	cheese,myonnaise,	120	cancel item	Update item
3	biriyani	non_vegetarian	yes	lunch,dinner,	chicken,myonnaise,	130	cancel item	Update item
4	porotta	non_vegetarian	yes	lunch,dinner,	chicken,cheese,	70	cancel item	Update item
2147483647	dosa	vegetarian	yes	breakfast,	cheese,	30	cancel item	Update item

UPDATE ITEM PAGE



BIGBITE

Logout

update Item

Item Id

101

Item Name

pizza

Veg/Nonveg

☐ Vegetarian ☒ Non-vegetarian

Combopack

☒ Yes ☐ No

Available time

☐ Breakfast ☒ Lunch ☒ Dinner

Add choice

☐ Extra chicken ☒ Extra cheese ☒ Myonnaise

Picture

Choose File


pizza.jpg

Rate

130

Update

CANCEL ITEM PAGE



6. CONCLUSION

This was an effort to develop a simple menu management system which may be useful in the restaurant to insert, store, handle and retrieve the information about food items. This is for computerizing the working in a restaurant.

7. REFERENCE

1. <https://www.w3schools.com/>
2. <https://www.geeksforgeeks.org/>