

```
computer@computer-Dell-Pro-Slim-Essential-QVS1260: ~  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o. p  
/usr/bin/ld: cannot open output file .: Is a directory  
collect2: error: ld returned 1 exit status  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
HELLO WORLD! computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -ogedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o. p  
/usr/bin/ld: cannot open output file .: Is a directory  
collect2: error: ld returned 1 exit status  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
HELLO WORLD!  
My name is Bhavya Trivedi.computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ .gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o. p  
/usr/bin/ld: cannot open output file .: Is a directory  
collect2: error: ld returned 1 exit status  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c .o p  
/usr/bin/ld: cannot find .o: No such file or directory  
collect2: error: ld returned 1 exit status  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
My College Name is MIT World Peace Universitycomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
Name: Bhavya  
Age: 18  
City: Rajasthancomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
Name: Bhavya  
Age: 18  
City: Rajasthancomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p  
My name is Bhavya Trivedi. I'm 18 years old. I'm from Rajasthan  
Name: Bhavya  
Class: First Yearcomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c  
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p  
hello.c: In function 'main':  
hello.c:4:27: warning: missing terminating " character  
    4 | printf("\nC Programming\ ");  
      |                             ^  
hello.c:4:27: warning: missing terminating " character
```

```
computer@computer-Dell-Pro-Slim-Essential-QVS1260: ~
Name: Bhavya
Class: First Yearcomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
hello.c: In function 'main':
hello.c:4:27: warning: missing terminating " character
4 | printf("\C Programming\ "");
  |                               ^
hello.c:4:27: error: missing terminating " character
4 | printf("\C Programming\ "");
  |                               ^
hello.c:5:1: warning: unknown escape sequence: '\040'
5 | return 0;
  | ~~~~~
hello.c:4:27: error: expected ')' before 'return'
4 | printf("\C Programming\ "");
  |                               ^
5 | return 0;
  | ~~~~~
hello.c:5:10: error: expected ';' before '}' token
5 | return 0;
  |          ^
6 | }
  | ~
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p
"C Programming"computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p
Red
Green
Bluecomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p
Name: Bhavyacomputer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p
C:\Programs\Computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gedit hello.c
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ gcc hello.c -o p
computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$ ./p
Item Price
Pen 10
Book 50computer@computer-Dell-Pro-Slim-Essential-QVS1260:~$
```









