CASE STUDY: Online Shopping Cart System

P.Bhavyasree 192324106 1.Implement the Product Class Define the 'Product' class with attributes and methods to handle product details and stock quantity updates. import java.util.ArrayList; import java.util.List; import java.time.LocalDateTime; public class Product { private String productId; private String name; private double price; private int stockQuantity; public Product(String productId, String name, double price, int stockQuantity) { this.productId = productId; this.name = name; this.price = price; this.stockQuantity = stockQuantity;

}

```
public String getProductId() {
    return productId;
  }
  public String getName() {
    return name;
  }
  public double getPrice() {
    return price;
  }
  public int getStockQuantity() {
    return stockQuantity;
  }
  public void updateStockQuantity(int quantity) {
    this.stockQuantity += quantity;
  }
2. Implement the Customer Class
Define the Customer class with attributes and methods to
manage the shopping cart.
public class Customer {
  private String customerId;
```



```
private String name;
  private String email;
  private List<Product> cart;
  public Customer(String customerId, String name, String email)
{
    this.customerId = customerId;
    this.name = name;
    this.email = email;
    this.cart = new ArrayList<>();
  }
  public String getCustomerId() {
    return customerId;
  }
  public String getName() {
    return name;
  }
  public String getEmail() {
    return email;
  }
  public void addToCart(Product product) {
```



```
cart.add(product);
  }
  public void removeFromCart(Product product) {
    cart.remove(product);
  }
  public void viewCart() {
    System.out.println("Cart Contents:");
    for (Product product : cart) {
      System.out.println(product.getName() + " - $" +
product.getPrice());
    }
  }
  public Order checkout() {
    double totalAmount = 0;
    for (Product product : cart) {
      totalAmount += product.getPrice();
    }
    Order order = new Order("ORDER" +
System.currentTimeMillis(), this, new ArrayList<>(cart),
totalAmount, LocalDateTime.now());
    cart.clear();
    return order;
  }
```



```
}
3. Implement the Order Class
Define the Order class with attributes and methods to handle
order details and calculate the total amount.
public class Order {
  private String orderId;
  private Customer customer;
  private List<Product> products;
  private double totalAmount;
  private LocalDateTime orderDate;
  public Order(String orderld, Customer customer,
List<Product> products, double totalAmount, LocalDateTime
orderDate) {
    this.orderId = orderId;
    this.customer = customer;
    this.products = products;
    this.totalAmount = totalAmount:
    this.orderDate = orderDate;
  }
  public String getOrderId() {
    return orderld;
  }
  public Customer getCustomer() {
```



```
return customer;
  }
  public List<Product> getProducts() {
    return products;
  }
  public double getTotalAmount() {
    return totalAmount;
  }
  public LocalDateTime getOrderDate() {
    return orderDate:
  }
  public void calculateTotalAmount() {
    totalAmount = 0;
    for (Product product products) {
      totalAmount += product.getPrice();
    }
  }
4. Implement the Inventory Class
Define the Inventory class with attributes and methods to
manage product inventory.
```



```
public class Inventory {
  private List<Product> products;
  public Inventory() {
    this.products = new ArrayList<>();
  }
  public void addProduct(Product product) {
    products.add(product);
  }
  public Product getProductById(String productId) {
    for (Product product products) {
      if (product.getProductId().equals(productId)) {
         return product;
      }
    }
    return null;
  }
  public void updateProductStock(String productId, int quantity)
{
    Product product = getProductById(productId);
    if (product != null) {
      product.updateStockQuantity(quantity);
```



```
}
5. Develop a Main Class to Test the System
Create instances of Product, Customer, and Inventory. Add
products to the inventory, simulate adding products to the
customer's cart, view the cart, and checkout.
public class Main {
  public static void main(String[] args) {
    // Create Inventory
    Inventory inventory = new Inventory();
    // Create Products
    Product product1 = new Product("P001", "Laptop", 1000.00,
10);
    Product product2 = new Product("P002", "Smartphone",
500.00, 20);
    // Add Products to Inventory
    inventory.addProduct(product1);
    inventory.addProduct(product2);
    // Create Customer
    Customer customer = new Customer("C001", "John Doe",
"john.doe@example.com");
```



```
// Add Products to Customer's Cart
    customer.addToCart(product1);
    customer.addToCart(product2);
    // View Cart Contents
    customer.viewCart();
    // Checkout
    Order order = customer.checkout();
    // Print Order Details
    System.out.println("Order ID: " + order.getOrderId());
    System.out.println("Customer: " +
order.getCustomer().getName());
    System.out.println("Order Date: " + order.getOrderDate());
    System.out.println("Total Amount: $" +
order.getTotalAmount());
    // Update Inventory Stock
    inventory.updateProductStock("P001", -1);
    inventory.updateProductStock("P002", -1);
    // Print Updated Stock
    System.out.println("Updated Stock for P001: " +
product1.getStockQuantity());
    System.out.println("Updated Stock for P002: " +
```



```
product2.getStockQuantity());
  }
}
FULL JAVA CODE
import java.time.LocalDateTime;
import java.util.ArrayList;
import java.util.List;
// Product Class
class Product {
  private String productId;
  private String name;
  private double price;
  private int stockQuantity;
  public Product(String productId, String name, double price, int
stockQuantity) {
    this.productId = productId;
    this.name = name;
    this.price = price;
    this.stockQuantity = stockQuantity;
  }
  public String getProductId() {
    return productId;
```



```
}
  public String getName() {
    return name;
  }
  public double getPrice() {
    return price;
  }
  public int getStockQuantity() {
    return stockQuantity;
  }
  public void updateStockQuantity(int quantity) {
    this.stockQuantity += quantity;
  }
// Customer Class
class Customer {
  private String customerId;
  private String name;
  private String email;
  private List<Product> cart;
```

}



```
public Customer(String customerId, String name, String email)
  this.customerId = customerId;
  this.name = name;
  this.email = email;
  this.cart = new ArrayList<>();
}
public void addToCart(Product product) {
  cart.add(product);
}
public void removeFromCart(Product product) {
  cart.remove(product);
}
public List<Product> viewCart() {
  return cart;
}
public Order checkout() {
  double totalAmount = 0;
  for (Product product : cart) {
    totalAmount += product.getPrice();
```



```
}
    Order order = new Order("ORD" +
System.currentTimeMillis(), this, new ArrayList<>(cart),
totalAmount);
    cart.clear(); // Clear cart after checkout
    return order:
  }
}
// Order Class
class Order {
  private String orderId;
  private Customer customer;
  private List<Product> products;
  private double totalAmount;
  private LocalDateTime orderDate;
  public Order(String orderld, Customer customer,
List<Product> products, double totalAmount) {
    this.orderId = orderId;
    this.customer = customer;
    this.products = products;
    this.totalAmount = totalAmount;
    this.orderDate = LocalDateTime.now();
  }
```

```
public String getOrderId() {
  return orderld;
}
public Customer getCustomer() {
  return customer;
}
public List<Product> getProducts() {
  return products;
}
public double getTotalAmount() {
  return totalAmount;
}
public LocalDateTime getOrderDate() {
  return orderDate;
}
public double calculateTotalAmount() {
  return totalAmount;
}
```

}

```
// Inventory Class
class Inventory {
  private List<Product> products;
  public Inventory() {
    this.products = new ArrayList<>();
  }
  public void addProduct(Product product) {
    products.add(product);
  }
  public Product getProductById(String productId) {
    for (Product product : products) {
       if (product.getProductId().equals(productId)) {
         return product;
       }
    return null;
  }
  public void updateProductStock(String productId, int quantity)
{
    Product product = getProductById(productId);
    if (product != null) {
```



```
product.updateStockQuantity(quantity);
    }
}
// Main Class
public class Main {
  public static void main(String[] args) {
    // Create Inventory
    Inventory inventory = new Inventory();
    // Add Products to Inventory
    Product product1 = new Product("P001", "Laptop", 999.99,
10);
    Product product2 = new Product("P002", "Headphones",
29.99, 50);
    inventory.addProduct(product1);
    inventory.addProduct(product2);
    // Create Customer
    Customer customer = new Customer("C001", "Alice",
"alice@example.com");
    // Add Products to Cart
    customer.addToCart(product1);
    customer.addToCart(product2);
```



```
// View Cart
    System.out.println("Cart Contents:");
    for (Product product : customer.viewCart()) {
      System.out.println(product.getName() + " - $" +
product.getPrice());
    }
    // Checkout
    Order order = customer.checkout();
    System.out.println("\nOrder Summary:");
    System.out.println("Order ID: " + order.getOrderId());
    System.out.println("Total Amount: $" +
order.calculateTotalAmount());
    System.out.println("Order Date: " + order.getOrderDate());
  }
OUTPUT
```

Output

java -cp /tmp/Cmwz6Mrasl/Main

Cart Contents:

Laptop - \$999.99

Headphones - \$29.99

Order Summary:

Order ID: ORD1721664882882

Total Amount: \$1029.98

Order Date: 2024-07-22T16:14:42.917588

=== Code Execution Successful ===