

Exercise 1: Hands on CWatM

Peter Burek, Mikhail Smilovic International Institute for Applied Systems Analysis Research Scholars at Water Program






- 1. Running CWatM for the first time
- 2. Run CWatM with a settings file
- 3. Test the options –I , -t
- 4. Take a look at the settings file










0. Running batch files

- Go to folder CWATM_exercise1
- Start: 01_exe_example.bat
 or open a DOS command prompt
 - press Windows+R
 - type cmd + return
 - change directory: e.g.: cd c:/CWATM/CWATM_exercise1
 (or cd "c:/directory with white space/CWATM/CWATM_exercise1")
- Type ..\CWATM_model\CWatMexe\cwatm.exe





1. Running CWatM for the first time

- Go to folder CWATM_exercise1
- Start: 01_exe_example.bat
- Or use the command line (slide before)

cd c:/CWATM/CWATM_exercise1
..\CWATM model\CWatMexe\cwatm.exe

```
F:\CWATM exercise2\rhine30min>..\CWatMexe\cwatmexe\cwatm.exe
CWatM - Community Water Model
Authors: WATER Program, IIASA
Version: Version: 1.04
Date: 06/08/2019
Status: Development
       Arguments list:
       settings.ini
                        settings file
                        output progression given as .
       -q --quiet
       -v --veryquiet no output progression is given
                        output progression given as time step, date and discharge
       -l --loud
                        input maps and stack maps are checked, output for each input map BUT no model run
       -c --check
       -h --noheader
                        .tss file have no header and start immediately with the time series
                        the computation time for hydrological modules are printed
       -t --printtime
                        copyright and warranty information
       -w --warranty
```


CWAT_exercise1


- output
- 01_exe_example.bat
- 02_exe_example.bat
- 03 exe example.bat
- 04_python_example.bat
- 05_python_example.bat
- 06_exe_example.bat
- 06_python_example.bat
- cwatm_exercise0.pdf
- cwatm_exercise1.pptx
- cwatm_exercise3.pptx
- metaNetcdf.xml
- readme.txt
- settings_rhine30min.ini
- settings_rhine30min_2.ini




2. Run CWatM with a settings file

- Start 02_exercise.bat
 - ../CWATM_model/CWatMexe/cwatm.exe settings_rhine30min.ini -l
- Use a text editor e.g. notepad, textpad, notepad++
- Look at ./output/discharge_daily.tss












3. Run CWatM with a settings file

- Start 03_exercise.bat
 ../CWATM_model/CWatMexe/cwatm.exe settings_rhine30min.ini –l -t
- Use a text editor e.g. notepad, textpad, notepad++ to change
 03_exercise.bat








Exercise 3: Hands on CWatM

4. Take a look at the settings file

- Change settings_rhine30min.ini with a text editor
- Look for gauges in settings_rhine30min.ini
- Change it to Gauges = 6.25 51.75 7.75 49.75
- Change StepEnd = 100
- Start 02_exercise.bat

Discharge in cubic meter per second: average over the whole time period



```
*C:\work\CWATM\source\settings1.ini - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
3 🔒 🖶 😘 5 6 🚵 🚜 🛍 🖒 🗩 c l 2 c l 2 kg 🔩 🤏 l 🖫 1 🖫 2 🖫 🔑 📹 l 🗩 🗆 🗷 🗷
       # Community Water Model Version 0.99

⊕ [OPTIONS]

     [BASICS]
       PathRoot = C:\work
 51
       # A pcraster map e.g. $(BASICS:PathRoot)\data\areamaps\area indus.map
       # or a retancle: Number of Cols, Number of rows, cellsize, upper left corner X, upper left cor
       MaskMap = $(BASICS:PathRoot)\data\areamaps\area3.map
 57
       # Indus
       \#MaskMap = 30 20 0.5 65 38
       #MaskMap = $(BASICS:PathRoot)\data\areamaps\area indus.map
                                                                     ; Cut out Indus only
       # Rhine
       \#MaskMap = 30 20 0.5 3 54
       # Station data
       # either a map e.g. $(BASICS:PathRoot)\data\areamaps\area3.map
       # or a location coordinates (X,Y) e.g. 5.75 52.25 9.25 49.75 )
 66
       #Gauges = $(BASICS:PathRoot)\data\areamaps\station8.map
       Gauges = 5.75 52.25 9.25 49.75
       # StepStart and Stepend either dates e.g. 01/06/1990
```



9. Homework

- Play around with the Rhine catchment change the settings file: settings_rhine30min.ini
 - Run for different times
 - Produce different outputs

- What catchment are you interested?
 - Find out the coordinates (lat/lon) of the outlet point
 - Find out coordinates of gauges
 - Send me the coordinates for next lesson



Problems

Most problems come from different file systems, folder structures

We try to set up everything with relative path.

- 1. Please make sure that your folders have a similar structure like in slide 3 in cwatm_exercise1.ppt
- 2. The settings file has a part:

```
[FILE_PATHS]
PathRoot = ../cwatm_data
PathOut = ./output
PathMaps = $(PathRoot)/cwatm_input30min
PathMeteo = $(PathRoot)/climate/rhine

./ jumps back to the previous folder uses the folder output in the same folder as the settings file or the directory you are in
```

- 3. If this is not working you can use also absolute path (also with white space)

 PathRoot = C/root directory/second.root/cwatm/cwatm_data
- 4. If you execute cwatm you can also use absolute path instead ../CWATM_model/CWatMexe/cwatm.exe settings_rhine30min.ini –l "C/root directory/second.root/cwatm/CWATM_model/CWatMexe/cwatm.exe" settings_rhine30min.ini –l (mind the "if there are white spaces)
- 5. Some other errors we address in: https://cwatm.iiasa.ac.at/tutorial.html#test-the-python-model-version
- 6. If you still have problems please take advantage of our forum

https://groups.google.com/g/cwatm