
NATIONAL TEACHERS COLLEGE
School of Arts, Sciences, and Technology
629 J. Nepomuceno St., Quiapo, Manila

Name: Bhea R. Rivera
Block: 3.1 BSIT
Date: October 20, 2026
Professor: Mr. Edward James V. Grageda

Week 9: Object-Oriented Programming in Dart (Part 1)
Your Turn: Submit Your OOP Program

Screenshot 1 — Complete Dart OOP Code





```dart
class Student {
  // Fields (properties)
  String name;
  String program;
  int _grade;


  // Constructor
  Student(this.name, this.program, int grade)
      : _grade = grade;

  // Method to display student information
  void displayInfo() {
    print('Name: $name');
    print('Program: $program');
    print('Grade: $_grade');
  }

  // Encapsulation: read the private grade
  int getGrade() {
    return _grade;
  }

```


DartPad
Create
Create with Gemini
Samples
Run
}
// Encapsulation: update the private grade
void updateGrade(int newGrade) {
if (newGrade >= 0 && newGrade <= 100) {
_grade = newGrade;
print('$name\'s grade updated successfully.');
} else {
print('Invalid grade. Please enter 0 to 100.');
}
}
}
void main() {
// Create at least two Student objects
Student student1 = Student('Bhea Rivera', 'BSIT', 99);
Student student2 = Student('Alicia Omar', 'BSIT', 95);
// Store objects in a List
List<Student> students = [student1, student2];
print('===== STUDENT INFORMATION =====');


DartPad
Create
Create with Gemini
Samples
Run
print('===== STUDENT INFORMATION =====');
// Display every student using a loop
for (Student student in students) {
student.displayInfo();
print('------------------------------');
}
// Demonstrate encapsulation
print('\n===== UPDATE STUDENT GRADE =====');
print('Current grade: ${student1.getGrade()}');
student1.updateGrade(95);
print('New grade: ${student1.getGrade()}');
// Demonstrate a class method
print('\n===== UPDATED STUDENT INFORMATION =====');
student1.displayInfo();
// Demonstrate List usage
print('\nTotal students: ${students.length}');
}

Screenshot 2 — Program Output

