

=====

POWER BI DAX FUNCTIONS - TOP 50 COMPLETE TEACHING GUIDE
Real Indian Dataset (1000 rows, 15 columns)
Calculated Columns | Calculated Measures | Date Table

=====

FILE: Power_BI_DAX_Functions_Dataset.xlsx

4 Worksheets with 1000+ rows of real Indian e-commerce sales data
Perfect for teaching Top 50 DAX Functions
Complete with Date Table, Customer Master, Product Master
Ready to use in Power BI Desktop

=====

DATASET OVERVIEW

=====

Total Sales Data: 1000 records
Total Revenue: ₹35,748,247
Date Range: Jan 2023 - Dec 2025 (3 years)
Unique Customers: 500
Unique Products: 25
Categories: 5 (Electronics, Clothing, Home & Kitchen, Books, Sports)
Regions: 6 (North, South, East, West, Central, Northeast)

=====

WORKSHEET 1: SALES DATA (1000 ROWS, 15 COLUMNS)

=====

Column Name Values	Type	Description	Example
OrderID 11000	Integer	Unique order identifier	10001-
CustomerID 2500	Integer	Customer ID (FK)	2001-
OrderDate 01-15	Date	Date of order	2023-
City Delhi	Text	City where order is from	Mumbai,
State Maharashtra, Delhi	Text	State	
Region South	Text	Geographic region	North,
Category Electronics, Clothing	Text	Product category	
Product T-Shirt	Text	Product name	Laptop,
Quantity	Integer	Number of items ordered	1-5
UnitPrice 100000	Currency	Price per item	500-
Amount 500000	Currency	Quantity × UnitPrice	5000-
DiscountPercent 10, 15, 20	Decimal	Discount given (0-20%)	0, 5,
NetAmount 450000	Currency	Amount - Discount	4000-
FinalAmount 530000	Currency	NetAmount + 18% GST	5000-
Status Completed, Pending	Text	Order status	

WHY THIS DATASET IS PERFECT FOR DAX TEACHING:

- ✓ Real-world Indian e-commerce scenario
 - ✓ Contains dates for time intelligence functions
 - ✓ Multiple dimensions (City, State, Region, Category)
 - ✓ Multiple metrics (Quantity, Amount, Discount)
 - ✓ Time-based variations (sales differ by month/quarter/year)
 - ✓ Good for CALCULATE, FILTER, SUMIF examples
 - ✓ Perfect for context transition examples
 - ✓ Contains NULL-like scenarios (different status values)
-

WORKSHEET 2: DATE TABLE (1000+ ROWS)

What is Date Table?

- Specialized table with one row per date
- Contains time intelligence columns
- Links to fact tables via date relationships
- Foundation for time-based DAX functions

Columns in Date Table:

- Date: Actual date value (2023-01-01, 2023-01-02, etc.)
- Year: 2023, 2024, 2025
- Quarter: Q1, Q2, Q3, Q4
- Month: 1-12
- MonthName: January, February, etc.
- Week: 1-52
- DayOfWeek: 1-7 (Monday to Sunday)
- DayName: Monday, Tuesday, etc.
- IsWeekend: 1 if Saturday/Sunday, 0 otherwise
- IsHoliday: 1 if holiday, 0 otherwise (simplified)

Why Date Table is Important:

- ✓ Enables time intelligence DAX functions
- ✓ Ensures consistent date handling
- ✓ Allows fiscal year calculations
- ✓ Supports holidays/weekends logic
- ✓ Required for Year-over-Year comparisons
- ✓ Essential for quarter comparisons
- ✓ Supports moving averages
- ✓ Perfect for custom calendar scenarios

Where Date Table is Used:

- └ Time intelligence calculations (YTD, MTD, etc.)
 - └ Year-over-Year comparisons
 - └ Moving averages and trending
 - └ Holiday/Weekend filtering
 - └ Fiscal calendar handling
 - └ Custom business calendar
 - └ Complex date logic
-

WORKSHEET 3: CUSTOMER MASTER (500 ROWS)

Columns:

- CustomerID: Unique customer identifier
- CustomerName: Customer name
- Email: Email address
- Phone: Contact number
- City: City location
- State: State location

- JoinDate: Customer registration date
- Status: Active/Inactive

Purpose:

- Dimension table for customer analysis
- Links to SalesData via CustomerID
- Enables customer segmentation

WORKSHEET 4: PRODUCT MASTER (25 ROWS)

Columns:

- ProductID: Unique product identifier
- ProductName: Product name
- Category: Product category
- Status: Active/Inactive

Purpose:

- Dimension table for product analysis
- Links to SalesData via ProductName
- Enables product segmentation

CALCULATED COLUMN vs CALCULATED MEASURE

What is Calculated Column?

- New column added to a table using DAX
- Calculates value for each row independently
- Stored in the data model (uses memory)
- Row-by-row computation
- Value calculated once, then stored

What is Calculated Measure?

- Not stored physically
- Calculated on-the-fly when used in visualization
- Only exists in Power BI (not in table)
- Context-aware (changes based on filter context)
- Aggregated across rows

KEY DIFFERENCES:

Aspect	Calculated Column	Calculated Measure
Storage	Stored in table	Not stored
Computation	Row-by-row	On-the-fly
Context	Row context	Filter context
Memory Usage	Uses memory	No additional memory
Refresh Time	Slower (stored)	Faster (not stored)
Performance	Good for filtering	Good for aggregation
Usage	In visuals & filters	Primarily in visuals
Function Required	DAX with row context	DAX with aggregation

WHEN TO USE CALCULATED COLUMN:

- ✓ Need to use value in relationships
- ✓ Need to filter/slice by this value
- ✓ Value depends on single row only
- ✓ Creating category/segment column
- ✓ Data manipulation needed in model

WHEN TO USE CALCULATED MEASURE:

- ✓ Aggregating data (SUM, AVG, COUNT, etc.)
- ✓ Complex multi-row calculations
- ✓ Context-dependent calculations
- ✓ Performance is critical
- ✓ Only needed in visualizations

EXAMPLE 1: CALCULATED COLUMN - PROFIT MARGIN PERCENTAGE

Business Scenario:

- Need to calculate profit margin percentage for each order
- Used for filtering orders by profitability
- Will be used in row-level filtering and slicing

DAX Formula (Calculated Column):

```
ProfitMarginPercent = (SalesData[NetAmount] - SalesData[CostAmount]) /  
SalesData[NetAmount] * 100
```

Where to Apply:

1. Go to Power BI Desktop
2. Open SalesData table
3. Click "New Column" in ribbon
4. Enter formula above
5. Column added to table

Result:

- ✓ New column in SalesData table
- ✓ Each row has profit margin %
- ✓ Can filter/slice by this value
- ✓ Can use in relationships

EXAMPLE 2: CALCULATED COLUMN - ORDER CATEGORY

Business Scenario:

- Categorize orders as "High Value", "Medium Value", "Low Value"
- Need to filter and segment by order value
- Will be used in reports and visuals

DAX Formula (Calculated Column):

```
OrderCategory =  
IF(SalesData[FinalAmount] >= 50000, "High Value",  
IF(SalesData[FinalAmount] >= 20000, "Medium Value", "Low Value"))
```

Result:

- ✓ New column with three categories
- ✓ Based on FinalAmount value
- ✓ Can segment customers by order category
- ✓ Useful for dynamic pricing analysis

EXAMPLE 3: CALCULATED MEASURE - TOTAL SALES

Business Scenario:

- Calculate total sales for use in visualizations
- Total should change based on filter context
- Need across multiple visuals with different filters

DAX Formula (Calculated Measure):

```
Total Sales = SUM(SalesData[FinalAmount])
```

Where to Create:

1. Power BI Desktop
2. Click "New Measure" in Home ribbon
3. Enter formula above
4. Measure appears in field list

Behavior:

- ✓ Shows total across all rows: ₹35,748,247
- ✓ Filter by Region=North: Shows North total only
- ✓ Filter by Month: Shows that month total only
- ✓ Context-aware and dynamic

EXAMPLE 4: CALCULATED MEASURE - AVERAGE ORDER VALUE

Business Scenario:

- Calculate average order value
- Should vary by selected time period
- Key metric for trend analysis

DAX Formula (Calculated Measure):

```
Average Order Value = AVERAGE(SalesData[FinalAmount])
```

Or Better (handles filters correctly):

```
Average Order Value = SUMX(SalesData, SalesData[FinalAmount]) /  
COUNTA(SalesData[OrderID])
```

Usage:

- ✓ KPI card showing ₹35,748
- ✓ Line chart showing AOV by month
- ✓ Table showing AOV by region
- ✓ All automatically filtered

EXAMPLE 5: CALCULATED MEASURE - YEAR-TO-DATE SALES

Business Scenario:

- Calculate cumulative sales from beginning of year to current date
- Show YTD progress dynamically
- Compare against targets

DAX Formula (Calculated Measure):

```
YTD Sales =  
    CALCULATE(  
        SUM(SalesData[FinalAmount]),  
        DATESYTD(DateTable[Date], "12/31")  
    )
```

Where Used:

- ✓ Executive dashboard showing YTD progress
- ✓ KPI card comparing against goal
- ✓ Waterfall chart showing progression
- ✓ Requires Date Table relationship

DATE TABLE: IMPORTANCE & APPLICATION

What is Date Table?

- A specialized dimension table containing one row per date
- Includes time-related attributes (year, month, quarter, etc.)
- Foundation for all time intelligence calculations

Required for advanced DAX functions

Why It's Important:

1. Time Intelligence Functions:
 - DATESYTD(), DATESQTD(), DATESMTD()
 - SAMEPERIODLASTYEAR()
 - DATEADD()
 - All require proper Date Table
2. Consistent Date Handling:
 - Ensures all dates handled same way
 - Custom calendar support (fiscal year)
 - Holiday inclusion/exclusion
 - Weekend calculations
3. Performance:
 - Better query optimization
 - Faster time-based calculations
 - Efficient filtering
4. Business Calendar:
 - Support fiscal calendars (April-March)
 - Custom fiscal months
 - Holiday incorporation
 - Week numbering

Where It's Used:

1. Sales Trends:
 - Monthly sales trends
 - Quarterly performance
 - Year-over-year comparison

Formula: YoY Growth = `CALCULATE(SUM(Amount), SAMEPERIODLASTYEAR(DateTable[Date])) / ...`
2. Rolling Averages:
 - 7-day moving average
 - 30-day moving average
 - Trend smoothing

Formula: `7DayMA = AVERAGEX(DATESBETWEEN(DateTable[Date], TODAY()-7, TODAY()), SUM(Amount))`
3. Cohort Analysis:
 - Customer cohorts by join date
 - Product launch tracking
 - Retention curves
4. Forecasting:
 - Historical trend analysis
 - Projection calculations
 - Seasonality detection
5. Financial Reporting:
 - Period closing
 - Fiscal period calculations
 - Accrual basis accounting

How to Create Date Table:

Method 1 (Automatic):

1. Power BI Desktop
2. Modeling → New Table
3. Paste: `DateTable = CALENDAR(DATE(2023,1,1), DATE(2025,12,31))`

4. Then add columns for Month, Quarter, etc.

Method 2 (Using External Data):

1. Import from DataTable worksheet
2. Better for custom calendars

Link to Sales Table:

1. Go to Model view
2. Create relationship: SalesData[OrderDate] → DataTable[Date]
3. Mark DataTable[Date] as Date column
4. Relationship now active!