



Bikkad IT Institute

01. SQL SELECT Query

Compiled by Bikkad IT Institute | Teaching Notes

OUR LOCATIONS

+91 77220 82225
Pimpri-Chinchwad

+91 77220 82226
Chh. Sambhajinagar

+91 77220 82227
Nashik

+91 77220 82224
Hadapsar, Pune

SQL SELECT Query

01 · Query Data — Complete Reference Guide

Table of Contents

1. SELECT ALL COLUMNS
2. SELECT SPECIFIC COLUMNS
3. WHERE CLAUSE
4. ORDER BY
5. GROUP BY
6. HAVING
7. DISTINCT
8. TOP
9. Combining Queries
10. COOL STUFF — Additional SQL Features

COMMENTS

→ *Single-line comment*

```
-- This is a single-line comment.
```

→ *Multi-line comment*

```
/* This  
is  
a multiple-line  
comment  
*/
```

1. SELECT ALL COLUMNS

OUR LOCATIONS

+91 77220 82225
Pimpri-Chinchwad

+91 77220 82226
Chh. Sambhajinagar

+91 77220 82227
Nashik

+91 77220 82224
Hadapsar, Pune

→ *Retrieve All Customer Data*

```
SELECT *  
FROM sales.customers
```

→ *Retrieve All Order Data*

```
SELECT *  
FROM sales.orders
```

2. SELECT SPECIFIC COLUMNS

→ *Retrieve each customer's name, country, and score*

```
SELECT  
    firstname,  
    country,  
    score  
FROM sales.customers
```

3. WHERE CLAUSE

→ *Retrieve customers with a score not equal to 0*

```
SELECT *  
FROM customers  
WHERE score != 0
```

→ *Retrieve customers from Germany*

```
SELECT *  
FROM customers  
WHERE country = 'Germany'
```

→ *Retrieve name and country of customers from Germany*

```
SELECT  
    first_name,  
    country  
FROM customers  
WHERE country = 'Germany'
```

4. ORDER BY

→ *Sort by highest score first (DESC)*

```
SELECT *  
FROM customers  
ORDER BY score DESC
```

OUR LOCATIONS

+91 77220 82225
Pimpri-Chinchwad

+91 77220 82226
Chh. Sambhajinagar

+91 77220 82227
Nashik

+91 77220 82224
Hadapsar, Pune

→ *Sort by lowest score first (ASC)*

```
SELECT *  
FROM customers  
ORDER BY score ASC
```

→ *Sort by country*

```
SELECT *  
FROM customers  
ORDER BY country ASC
```

→ *Sort by country, then by highest score*

```
SELECT *  
FROM customers  
ORDER BY country ASC, score DESC
```

→ *Filter non-zero scores and sort by highest score*

```
SELECT  
    first_name,  
    country,  
    score  
FROM customers  
WHERE score != 0  
ORDER BY score DESC
```

5. GROUP BY

→ *Find the total score for each country*

```
SELECT  
    country,  
    SUM(score) AS total_score  
FROM customers  
GROUP BY country
```

■ Note: The query below will NOT work — 'first_name' is neither in GROUP BY nor wrapped in an aggregate function.

```
SELECT  
    country,  
    first_name,          -- ERROR  
    SUM(score) AS total_score  
FROM customers  
GROUP BY country
```

→ *Find total score AND total number of customers per country*

```
SELECT  
    country,
```

OUR LOCATIONS

```
SUM(score) AS total_score,  
COUNT(id) AS total_customers  
FROM customers  
GROUP BY country
```

6. HAVING

→ *Countries with average score greater than 430*

```
SELECT  
    country,  
    AVG(score) AS avg_score  
FROM customers  
GROUP BY country  
HAVING AVG(score) > 430
```

→ *Exclude zero scores, then filter countries with avg score > 430*

```
SELECT  
    country,  
    AVG(score) AS avg_score  
FROM customers  
WHERE score != 0  
GROUP BY country  
HAVING AVG(score) > 430
```

7. DISTINCT

→ *Return unique list of all countries*

```
SELECT DISTINCT country  
FROM customers
```

8. TOP

→ *Retrieve only 3 customers*

```
SELECT TOP 3 *  
FROM customers
```

→ *Top 3 customers with the highest scores*

```
SELECT TOP 3 *  
FROM customers  
ORDER BY score DESC
```

→ *Lowest 2 customers based on score*

```
SELECT TOP 2 *
```

OUR LOCATIONS

```
FROM customers
ORDER BY score ASC
```

→ *Get the two most recent orders*

```
SELECT TOP 2 *
FROM orders
ORDER BY order_date DESC
```

9. Combining Queries — All Together

→ *Average score per country (non-zero), avg > 430, sorted highest first*

```
SELECT
    country,
    AVG(score) AS avg_score
FROM customers
WHERE score != 0
GROUP BY country
HAVING AVG(score) > 430
ORDER BY AVG(score) DESC
```

10. COOL STUFF — Additional SQL Features

→ *Execute multiple queries at once*

```
SELECT * FROM customers;
SELECT * FROM orders;
```

→ *Select static / constant values without a table*

```
SELECT 123      AS static_number;
SELECT 'Hello'  AS static_string;
```

→ *Assign a constant value to a column in a query*

```
SELECT
    id,
    first_name,
    'New Customer' AS customer_type
FROM customers;
```