

Roadtech Asphalt Technologies Pvt Ltd

Website Content Inventory & Rebuild Reference

This document is a structured extraction of all text, structure, and asset references from the current live site (roadtech-asphalt.com), reorganized for use as a content reference when rebuilding the site. It includes a gap-analysis section flagging content that is missing, inconsistent, or placeholder in the current site — these items need real content before launch and should not be carried forward as-is.

Document Contents

- Site map & navigation structure
- Page 1: Home
- Page 2: About Us (incl. FAQ)
- Page 3: Our Products (catalog)
- Page 4: Consultancy Services
- Page 5: Contact / Footer data (used site-wide)
- Image asset inventory
- Gaps & issues to resolve before rebuild

Site Map & Navigation

Primary Navigation (header)

Label	Target	Notes
Home	/	Landing page
About Us	/about-us/	Company overview + FAQ
Our Products	/our-products/	Tabbed product catalog
Consultancy	/consultancy-services/	Tabbed: services, vision, values, partners
Join Us	/join-us/	Careers / tenders (content not retrievable — page returned no usable content)
Contact	/contact-us/	Contact page (content not retrievable — likely a form)

Footer Quick Links (site-wide)

- Jobs → /join-us/
- Tenders → /join-us/ (same target as Jobs — see Gaps section)
- Consultancy Service → /consultancy-services/
- Bitumen Emulsions → /our-products/#bitumen-emulsions
- Bitumen → /our-products/
- Emulsifiers and Additives → /our-products/
- Microsurfacing → / (homepage — see Gaps section)

Footer Static Links (no destination set in current site)

- Responsible Commitment
- Cookies Policy
- Privacy Policy
- Jobs
- Tenders
- Contact Us

All six links above currently point to # (placeholder, non-functional). Real policy pages need to be written for the rebuild.

Hero Section

Company name (H1):

Roadtech Asphalt Technologies Private Limited

Tagline:

“Pioneering Excellence in Bituminous Products & Services”

Background media:

Looping background video (company promo clip — see asset list)

About / Legacy Section

Eyebrow: “About Roadtech Asphalt Technologies Private Limited”

Heading: “Legacy of Quality and Innovation”

ROADTECH ASPHALT TECHNOLOGIES PVT LTD was incorporated in Jan 2020, having a highly qualified and trained technical as well as sales team who works closely with our customers, including manufacturer, distributor and applicator associates.

Our aim is to penetrate the market in terms of manufacturing and supply of quality road products with specialized technical services, to set high standard goals in the industry. We provide technical services to our valuable customers to get the maximum output of the laid / used product, and hence can provide support for enhancement in the life span of the road.

CTA button: “Explore More” → About Us page

Capability Highlights (3-up feature blocks)

Block	Heading	Copy
1	Manufacturing Units	The manufacturing units of Roadtech Asphalt Technologies Private Limited are strategically spread across the country to ensure that our high-quality products are delivered on time and efficiently to the customers.
2	All Unit One Laboratory	Roadtech Asphalt Technologies Private Limited utilizes advanced technology and equipment to ensure the highest quality products and services.
3	R&D Center	Roadtech Asphalt Technologies Private Limited research and development centre utilizes cutting-edge technology and is staffed with experienced professionals dedicated to creating innovative solutions.

Stat / Proof Banner

Heading: “Successful application of 1 Million square metres by Roadtech”

Roadtech Asphalt Technologies Private Limited Microsurfacing provides a durable and cost-effective solution to maintain roads and pavements, ensuring a safe and comfortable transportation experience.

Products Section (preview — full detail on Products page)

Eyebrow: “Our Products” / Heading: “Value-added Bituminous Products”

We are committed to delivering innovative and sustainable solutions. Our expertise, experience, and commitment to quality make us a trusted partner for clients, stakeholders, and communities.

Bitumen Emulsion

Superior Performance and Sustainability for Roads and Pavements. Roadtech is a leading manufacturer of high-quality Bitumen Emulsion that offers superior performance and sustainability for roads and pavements.

Modified Bitumen

Enhanced Performance and Durability for Highways, Runways, and Expressways. Roadtech is a leading manufacturer of high-quality Modified Bitumen which offers enhanced performance and durability for various road infrastructure applications.

Coldmix Application

Quick, Durable, and Cost-Effective. Roadtech Roadbond is a Premix Solution that provides a quick and cost-effective solution for road maintenance, suitable for both flexible and rigid pavements.

Special Products

Paving the Way with Specialized Bituminous Solutions. Roadtech leads the industry with cutting-edge solutions tailored for road surfaces, concrete protection, and waterproofing for surface protection.

Services Section (preview)

Eyebrow: "Our Services" / Heading: "Road Repair & Maintenance"

We are committed to being a trusted partner and solution provider for our clients in road construction. Our comprehensive range of services, backed by cutting-edge technology and experienced professionals, ensures reliable and high-quality solutions for all projects.

Microsurfacing

Durable and Cost-Effective Road Maintenance Solution. Designed to restore the surface of existing roads and pavements by filling and sealing cracks, providing skid resistance, and improving ride quality.

Bitumen Design

Customized Solutions for Sustainable Pavement Repair. Cold mix asphalt is a mixture of aggregate, binder, and additives that can be produced and applied at ambient temperatures, without heating or drying.

Material Testing

Ensuring Quality and Compliance with our in-house lab. Ensuring the quality and performance of construction materials is critical for the safety, durability, and sustainability of buildings, roads, and other infrastructure.

Technical Consultancy

Innovation and Excellence in Road Construction. Offers technical support, product research and development, and advanced solutions for the road construction industry, aimed at providing customers with innovative and practical solutions to improve operations.

Clients / Industries Served

- Highways & Expressways
- Runways
- Race Track & Test Tracks

Customer Feedback Section

Heading: "Customer Feedback"

We genuinely value your opinion and would appreciate your feedback on your experience with our products and services. Your insights help us continually improve our offerings. Please take a moment to share your thoughts.

Followed by a "Feedback" link/button (no destination data retrievable).

Knowledge / Resources Banner

Heading: "KNOWLEDGE @ Roadtech Asphalt Technologies Private Limited"

Followed by links: Responsible Commitment, Cookies Policy, Privacy Policy, Jobs, Tenders, Contact Us (see Gaps section — these are placeholder links site-wide).

Heading

“Road to Excellence in Bitumen Derivatives Industry.”

Body Copy (paragraph 1)

ROADTECH ASPHALT TECHNOLOGIES PVT LTD was incorporated in Jan 2020, having a highly qualified and trained technical as well as sales team who works closely with our customers, which includes manufacturer, distributor and applicator associates etc. Our aim is to penetrate into the market in terms of manufacturing and supply of quality road products with specialized technical services to make sure we set high standard goals in industry. We do provide technical services to our valuable customers to get the maximum output of the laid / used product, and hence can provide support for enhancement in the life span of the road.

Body Copy (paragraph 2 — product range overview)

Our cutting-edge product portfolio includes a wide range of Bitumen Emulsions, Modified Bitumen, Cold Mix, Road Bonds, and more, catering to the diverse needs of National Highways, State Highways, Expressways, and prestigious infrastructure projects. Our niche road maintenance works, such as micro-surfacing and slurry sealing, provide comprehensive solutions for durable and sustainable roads.

Body Copy (paragraph 3 — certifications & standards)

At ROADTECH ASPHALT TECHNOLOGIES PVT LTD, we set industry standards. We are an active member of the IIA (Indian Industries Association), and hold ISO and MSME recognition. Our state-of-the-art manufacturing facilities, stringent quality control measures, and skilled team ensure that our products meet the highest global benchmarks.

Certifications referenced: IIA (Indian Industries Association) member, ISO certified, MSME registered. No certificate numbers, ISO standard (e.g. 9001:2015), or issuing body details are given on the current site — see Gaps section.

Body Copy (paragraph 4 — partnership philosophy)

Collaboration is the cornerstone of our approach. We work closely with our promoters, customers, and stakeholders to deliver unmatched quality, reliability, and innovation in every project. Our unwavering focus on integrity, safety, and customer-centricity has earned us a reputation as a trusted partner in the Roads & Infrastructure sector.

Body Copy (paragraph 5 — closing CTA)

Experience the ROADTECH ASPHALT TECHNOLOGIES PVT LTD advantage and partner with us for your road construction needs. Contact us today to explore how we can contribute to the success of your projects and pave the way to excellence together.

FAQ Section

Q: What are the benefits of using asphalt for paving?

- **Durability:** Asphalt is known for its long lifespan and ability to withstand heavy traffic.
- **Flexibility:** Asphalt can adapt to changes in temperature and soil conditions, reducing the risk of cracking or crumbling.
- **Quick installation:** Asphalt can be installed quickly, minimizing disruptions to traffic and reducing project costs.
- **Cost-effective:** Asphalt is often more cost-effective than other paving materials, such as concrete.

Q: How often should asphalt be maintained?

Regular maintenance, such as sealing cracks and patching potholes, can help extend the lifespan of asphalt pavement. The frequency of maintenance depends on factors such as traffic volume, weather conditions, and the quality of the initial installation.

Q: What are the common signs of asphalt damage?

- Cracks
- Potholes
- Alligatoring (a pattern of interconnected cracks)
- Shotholes (small, round depressions)

Q: What types of asphalt products do you offer?

- Hot mix asphalt (HMA)
- Cold mix asphalt
- Asphalt emulsions
- Asphalt sealants
- Asphalt patching materials

Q: Is asphalt an environmentally friendly material?

Asphalt can be considered an environmentally friendly material when it is recycled and properly maintained. Recycling asphalt reduces the need for new materials and helps conserve energy. Additionally, proper maintenance can help prevent asphalt from deteriorating and polluting the environment.

Q: What safety precautions are taken during asphalt installation?

We follow strict safety protocols to protect our workers and the public during asphalt installation. This includes:

- Use of personal protective equipment (PPE)
- Traffic control measures

Note: Five of the six FAQ answers are generic asphalt-industry information not specific to Roadtech (could apply to any company in this sector). Only two reference Roadtech directly. See Gaps section.

Page 3 — Our Products

The current page is organized as three tabs: Bitumen Emulsions, Bitumen, and Emulsifiers and Additives. Tab contents below.

Tab 1: Bitumen Emulsions

RS-1 — Rapid Setting Emulsion — for Tack Coat

Rapid setting emulsion is a specialized type of bitumen emulsion designed for tack coat applications. It's characterized by its quick-setting properties, allowing for rapid bonding between layers of asphalt. This rapid setting is achieved through a chemical reaction that occurs when the emulsion comes into contact with the aggregate. Tack coat applications, such as ensuring adhesion between new and existing asphalt layers, require a product that sets quickly to minimize the risk of slippage or unevenness in the finished surface. The rapid setting emulsion's efficiency in this regard makes it a popular choice in road construction and maintenance projects.

Has product image on current site.

CSS-1 — Water-Based Slow Setting Emulsion — for Prime Coat

Water-based slow-setting emulsion is a specialized type of bitumen emulsion designed for prime coat applications. Unlike rapid-setting emulsions, this product is formulated to set more slowly, allowing for better penetration into the base material. This slower setting time is particularly beneficial for prime coat applications, as it ensures that the emulsion can effectively bond with the underlying surface, providing a strong foundation for subsequent layers of asphalt. The water-based nature of this emulsion offers advantages such as reduced environmental impact and improved handling properties.

Has product image on current site.

SS-1 — Oil-Based Slow Setting Emulsion — for Prime Coat

Oil-based slow-setting emulsion is a specialized type of bitumen emulsion designed for prime coat applications. Unlike water-based emulsions, this product is formulated using oil as a carrier, which can provide certain advantages in specific conditions. For instance, oil-based emulsions may exhibit better resistance to moisture and certain environmental factors. The slower setting time of this emulsion allows for deeper penetration into the base material, ensuring strong adhesion between the prime coat and subsequent layers of asphalt. It's important to note that oil-based emulsions may have different environmental implications compared to water-based options.

Has product image on current site.

CME — Cold Mix Emulsion — for Construction of Rural Roads

Cold mix emulsion is a specialized type of bitumen emulsion designed for the construction of rural roads. It offers several advantages over traditional hot mix asphalt, including lower energy consumption, reduced emissions, and easier handling. Cold mix emulsions can be mixed with aggregate at ambient temperatures, eliminating the need for costly heating equipment. This makes them particularly suitable for rural areas where infrastructure and resources may be limited. The cold mix process also allows for faster construction times and reduced disruption to local communities.

■ Current site shows an "Upload Image..." placeholder here — no real image set.

CQS — Cationic Quick Setting Emulsion — for Microsurfacing Layer

Cationic quick-setting emulsion is a specialized type of bitumen emulsion designed for microsurfacing layer applications. This type of emulsion is characterized by its positively charged particles (cations), which allow for better adhesion to the existing road surface. The quick-setting properties of this emulsion ensure rapid bonding and minimal disruption to traffic flow during construction. Microsurfacing layers, which consist of a thin layer of asphalt, aggregate, and polymer, are often used to improve road surfaces, enhance skid resistance, and extend their lifespan. Cationic quick-setting emulsion is a popular choice for this application due to its efficient performance and ability to provide a durable and long-lasting surface.

■ Current site shows an "Upload Image..." placeholder here — no real image set.

PME — Polymer Modified Emulsion — for Fog Seal & Slurry Seal (small maintenance)

Polymer modified emulsion (PME) is a specialized type of bitumen emulsion that incorporates polymeric additives to enhance its performance properties. It's commonly used in fog seal and slurry seal applications for small maintenance projects. Fog seals involve applying a thin layer of PME to the road surface, followed by a light sprinkling of aggregate. This process helps to rejuvenate the existing asphalt, improve its skid resistance, and protect it from weathering. Slurry seals are similar but involve a thicker application of PME mixed with aggregate, providing a more substantial layer of protection. PME's enhanced properties — improved adhesion, durability, and resistance to cracking — make it an ideal choice for these types of maintenance applications.

■ Current site shows an “Upload Image...” placeholder here — no real image set.

Tab 2: Bitumen

Section heading on current site: “All grades of Polymer Modified Bitumen as per IS and IRC Standards.”

PMB (high temperature grade)

PMB for high ambient temperature.

■ No further description provided on current site beyond this one line. “Upload Image...” placeholder present — no real image set.

PMB 70 (low temperature grade)

PMB 70 for low ambient temperature.

■ No further description provided on current site beyond this one line. “Upload Image...” placeholder present — no real image set.

CRMB 50 / 55 / 60

CRMB 50 / 55 / 60 as per the customer needs, matching IRC and IS Standards.

■ No further description provided on current site beyond this one line. “Upload Image...” placeholder present — no real image set.

Tab 3: Emulsifiers and Additives

RECYCLED ASPHALT PAVEMENT (RAP) REJUVENATOR

■ Title only — current site provides no description, specs, or use case for this product. “Upload Image...” placeholder present.

Page 4 — Consultancy Services

The current page is organized as four tabs: Consultancy Services, Vision, Core Values, and Our Partners.

Tab 1: Consultancy Services

Roadtech Team provides consultancy to our valuable customers in terms of construction and maintenance of roads using new construction or any maintenance technology — Cold Mix / Hot Mix application or Microsurfacing technologies etc. — on demand, and supports our customers as per their requirement. The Roadtech Team is highly trained and can support customers in terms of production of any grades of Emulsions, Modified Bitumen, etc., at the customer's premises / plant.

Tab 2: Vision

“To be a preferred partner by providing effective and sustainable solutions to our valuable customers and deliver quality constraint material.”

Note: this statement reads as if a word is missing or mis-transcribed (“quality constraint material” is unclear — possibly intended as ‘quality-consistent material’). Recommend rewriting for the rebuild.

Tab 3: Core Values

Roadtech Asphalt Technologies Pvt Ltd believes in delivering quality material to our customers and generating value with trust by maintaining high standards like:

- Business ethics
- Healthy work culture
- Building relationships with customers
- Understanding customer's demand

Tab 4: Our Partners

Current site displays a gallery of 12 images (project/partner photos, filenames 1.jpg–13.jpg, excluding 14) with no captions, names, or descriptions identifying which partner or project each image represents.

■ No partner names, logos, or project labels are available — only raw photos. If a partner/client logo strip is wanted for the rebuild, this needs to be sourced separately.

Page 5 — Contact & Footer Data (site-wide)

This information appears in the footer on every page of the current site. The dedicated Contact Us page itself did not return retrievable content (likely a contact form with no static text).

Registered Office

Roadtech Asphalt Technologies Private Limited

Field	Value
Plant Address	114, 114-B, Delhi Rd, Jandhera, Pahansu, Uttar Pradesh 247451
Registered Address	Shop No. 3, 1st Floor, Sophia Market, Near Hindi Medium Sophia School, Saharanpur
Working Hours	9:30 AM – 6:00 PM
Working Days	Monday to Saturday
Phone	+91 70170 77202
Email (general)	roadtech.asphalt@gmail.com
Email (general, alt)	asphaltrroadtech@gmail.com
Email (info)	info@roadtech-asphalt.com
Email (sales)	sales@roadtech-asphalt.com
Facebook	facebook.com/people/Roadtech-Asphalt-Technologies-PVT-LTD/61566432462325/
LinkedIn	linkedin.com/company/roadtech-asphalt-technologies-pvt-ltd

■ Two different general-purpose Gmail addresses are listed alongside two roadtech-asphalt.com addresses, with no indication of which is preferred or monitored. Recommend consolidating to one primary email per purpose (general, sales) for the rebuild.

Map

Current site embeds a Google Maps iframe centered on the plant location (Jandhera, Pahansu, UP). Coordinates approx. 29.8963 N, 77.3523 E.

Legal / Branding

© 2026 Roadtech Asphalt Technologies Private Limited. All Rights Reserved.

Current footer credits the previous developer (“Designed & Developed by Techooze Solutions”) — remove or replace this for the rebuild.

Image & Media Asset Inventory

These are the media assets referenced on the current site. For the rebuild, treat low-resolution or generic stock-style images as candidates for replacement — see Gaps section.

Asset	Used For
Logo (WhatsApp-Image-2024-08-16...jpeg)	Site logo / header
Background promo video (WhatsApp-Video-2025-01-14...mp4)	Hero background, homepage
about1-1.jpg	Legacy/About section image, homepage
p1.jpg	Bitumen Emulsion product (homepage + RS-1 on Products page)
Screenshot-2024-08-17-164259.jpg	Modified Bitumen product (homepage); also “Highways & Expressways” client image
p3.jpg	Coldmix Application product, homepage
p4.jpg	CSS-1 emulsion image, Products page
p5.jpg	SS-1 emulsion image, Products page
1.jpg (2025/01)	Microsurfacing service image, homepage
2-scaled.jpg (2025/01)	Bitumen Design service image, homepage
3.jpg (2025/01)	Material Testing service image, homepage
download-1.jpg	“Runways” client image
about3.jpg	“Race Track & Test Tracks” client image
about-us.jpeg (2025/01)	About Us page hero/body image
1.jpg–13.jpg (2024/09, excl. 14)	Consultancy “Our Partners” gallery (12 images, uncaptioned)

Gaps & Issues to Resolve Before Rebuild

These are real deficiencies in the current site's content. Carrying them forward unchanged into a rebuild would reproduce the same problems. Each should be resolved (with real content, not placeholders) before the new site is built or fed to an AI builder.

Missing product content

PMB (high temp), PMB 70 (low temp), CRMB 50/55/60, and RAP Rejuvenator have no description, specifications, application notes, or images — only a product name. These are presented as finished catalog entries on the live site despite being incomplete.

Live placeholder text

The Products page displays literal "Upload Image..." text for CME, CQS, PME, and all Bitumen / Additives tab items — visible to site visitors as unfinished placeholder UI.

Broken / duplicated footer links

'Jobs' and 'Tenders' quick links both point to the same /join-us/ page (no distinct content for each). 'Microsurfacing' quick link points to the homepage rather than a relevant product/service section.

Non-functional legal/policy links

Responsible Commitment, Cookies Policy, Privacy Policy, Jobs, Tenders, and Contact Us footer links all point to '#' (no real page). For a rebuild — especially one intended to look more professional — these either need real pages or should be removed rather than shown as dead links.

Generic FAQ content

5 of 6 About-page FAQ answers are generic asphalt-industry facts with no Roadtech-specific detail (could be copy-pasted onto any competitor's site). Consider replacing with FAQs that reflect Roadtech's actual process, capacity, lead times, or service area.

No certification detail

ISO and MSME are mentioned by name only — no certificate numbers, ISO standard version, or issuing authority. If these are to be used as trust signals (recommended for a B2B industrial site), get the actual certificate documents/numbers.

Unclear vision statement

The Consultancy 'Vision' tab contains a phrase ('deliver Quality constraint Material') that reads as a typo or incomplete sentence. Needs rewriting.

Uncaptioned partner gallery

12 images on the Consultancy 'Our Partners' tab have no labels. Either get partner names/logos for a proper trust-bar, or reframe the gallery as 'Project Gallery' with project-type captions instead of implying named partnerships that aren't identified.

Inconsistent email addresses

Two Gmail addresses and two domain-based addresses are listed with no indication of which is actively monitored. Pick one general + one sales address.

No distinct service-area / capacity data

Nothing on the current site states production capacity, number of plants, service radius/states covered, or years of project experience beyond '1 Million sq. m. microsurfacing' — useful trust signals for a B2B audience that are currently absent.

Recommendation: resolve at least the placeholder text, broken links, and missing product descriptions before generating the new site — an AI builder will otherwise either invent plausible-sounding specs (a credibility risk for an industrial buyer who knows the real specs) or carry the gaps forward unchanged.