

LETTER

An Interactive Apology Game

Catch the hearts. Open the envelope.
Watch the letter write itself.

HTML5 Canvas - JavaScript - CSS - Game Logic

bhonepyaemin.com/letter

About the project

Letter is a small interactive web page that turns an apology into a game. Instead of opening on a wall of text, it starts with a heart-catching mini-game: you have to earn the letter before you can read it.

It is built as a single, self-contained HTML file - no frameworks, no build step, no external requests - so it loads instantly and works on both desktop and phone. Names, the message and the difficulty live in one small config block at the top, so the same page can be reused for any recipient.

How it plays

1

Catch the hearts

Move the mouse or drag a finger to steer a basket along the bottom of the screen and catch the falling hearts. Catch 15 to win; miss 5 and the round ends - then you simply try again.

2

Difficulty ramps up

As your score climbs, hearts fall faster and appear more often, so the last few catches take real focus.

3

Open the envelope

Win the round and the game announces "You have a letter!". The screen then switches to a soft, paper-like theme with a single envelope to tap.

4

The letter types itself

The message is typed out character by character with a blinking cursor, as if it were being written live while you read.

5

The runaway "No"

The reply buttons are "Yes" and "No" - but the No button jumps to a random spot whenever you hover, tap or click it, so the only way forward is Yes.

Under the hood

HTML5 Canvas (2D)

The play field is a 360 x 520 canvas. Every frame it is cleared and redrawn: the basket and each falling heart are drawn as text glyphs at positions updated from elapsed time.

Game loop

A requestAnimationFrame loop with a capped time step (40 ms max) keeps speed consistent across devices and stops the game jumping after a tab was in the background. The spawn interval shortens and the fall speed grows as the score rises.

Mouse and touch input

Mouse movement and touch events are mapped into canvas coordinates (scaled with getBoundingClientRect), so the basket follows a cursor or finger accurately at any screen size. Page scrolling is disabled during play so dragging never moves the page.

Game state

A small state machine tracks score, misses and win / lose, and shows a result overlay: "You have a letter!" on a win, or "So close!" with a retry button on a loss.

Theme switch and typewriter

On a win, one CSS class flips the page from the dark game theme to a light paper theme with a serif font. The letter is revealed by a timer (two characters every 30 ms) with a CSS keyframe blinking cursor.

The evasive No button

The No button listens for mouseenter, touchstart and click and teleports to a random position inside its container, so pressing it only makes it jump again; Yes ends the story with a closing line.

Config and zero dependencies

The names, the message text and the catch goal are plain constants at the top of the file. The page makes no network requests, loads no libraries and stores no data.

Quick tags

HTML5 · CSS3 · JavaScript · Canvas API · requestAnimationFrame · Touch + mouse input

Live demo: bhonepyaemin.com/letter - Built by Bhone Pyae Min