Search

1) **Some new fields have in added in intent: message>intent**

Before:

```
message: {

  intent: {

        provider : Provider

        fulfillment : Fulfilment

        payment : Payment

        category : Category

        offer : Offer

        item : Item

        tags :  Tags

        }

    }
```

After:

```
message: {

  intent: {

        descriptor : Descriptor          // this is the new field

        provider : Provider

        fulfillment : Fulfilment

        payment : Payment

        category : Category

        offer : Offer

        item : Item

        tags :  Tags

        }

    }
```

2) Some new fields have been added inside provider: message>intent>provider

Before:

```
Provider{
        Id : string
        descriptor :Descriptor
        categoryId :String
        time :Time
        categories :List<Category>;
        fulfillments :List<Fulfillment>;
        payments :List<Payment>;
        locations :List<Location>;
        offers :List<Offer>;
        items :List<Item>;
        exp :String;
        tags :Tags;
}
```

After:

```
Provider{
        Id : string
        descriptor :Descriptor
        categoryId :String
        @ondc/org/fssai_license_no : String
        rating : float
        time :Time
        categories :List<Category>
        fulfillments :List<Fulfillment>
        payments :List<Payment>
        locations :List<Location>
        offers :List<Offer>
        items :List<Item>
        ttl : String
        exp :String
        rateable : boolean
        tags :Tags
}
```

3) Some fields have been added inside: message>intent>provider>time

Before:
```
time{
        label : String
        timestamp : String
        duration :String
        range :TimeRange
        days :String
}
```

After:
```
time{
        label : String
        timestamp : String
        duration :String
        range :TimeRange
        days :String
        schedule : Schedule{
                    frequency :String
                    holidays :List<String>
                    times: List<String>
}
```

4) **Tags :List<tags>has been changed to Tags :tags : message> intent>provider>category**

Before:
```
            tags : List<tags>
```

After:
```
            tags : tags
```

5) **There are some fields added in the fulfillments: message>intent>fulfillments**

Before:
```
    Fulfilment {
            id :String
            type :String
            providerId :String
            state :State
            tracking :boolean
            customer :object
            agent :Agent
            vehicle :Vehicle
            start :Start
            end :End
            tags :Tags
}
```

After:
```
    Fulfilment {
            id :String
            type :String
            @ondc/org/category : String
            @ondc/org/TAT : String
            providerId : Provider          //Provider/properties/id: string
            rating : Rating                // Rating/properties/value: number

            state :State
            tracking :boolean
            customer :Customer{
                    person : Person
                    contact : Contact
            agent :Agent{
```

```
                    rateable : boolean
                    }
            person : Person
            contact : Contact
            vehicle :Vehicle
            start :Start{
                    authorization : Authorization{
                            type  : String;
                            token :String;
                            validFrom  : String;
                            validTo : String;
                            status  : String;
                            }
            }
            end :End {
                    authorization : Authorization{
                            type  : String;
                            token :String;
                            validFrom  : String;
                            validTo : String;
                            status  : String;
                            }
            }

            rateable : boolean
            tags :Tags
    }
```

6) Some Fields have been added inside payment: message>intent>payment

<u>Before:</u>
```
    Payment {
        uri  : String
        tlMethod  : String
        params :  PaymentParams
                {
                transactionId : String
                amount : String
                mode : String
                vpa : String
                additionalProp1 : String
                additionalProp2 : String
                additionalProp3 : String
                }
        type : String
        status : String
        time :Time
    }
```

<u>After:</u>
```
    Payment {
        uri  : String
        tlMethod  : String
        params :  PaymentParams
                {
                 transactionId : String
```

```
                    transactionStatus : String
                    amount : String
                    currency : Price
                    additionalProp1 : String
                    additionalProp2 : String
                    additionalProp3 : String
                    }

            type : String
            status : String
            time :Time
            @ondc/org/collected_by_status : String
            @ondc/org/buyer_app_finder_fee_type : String
            @ondc/org/buyer_app_finder_fee_amount : String
            @ondc/org/withholding_amount : String
            @ondc/org/withholding_amount_status : String
            @ondc/org/return_window : String
            @ondc/org/return_window_status : String
            @ondc/org/settlement_basis : String
            @ondc/org/settlement_basis_status : String

            @ondc/org/settlement_window : String
            @ondc/org/settlement_window_status : String
            @ondc/org/settlement_details : List<SettlementDetails>{
                        settlementCounterparty  : String;
                        settlementPhase  : String;
                        settlementType : String;
                        settlementBankAccountNo : String;
                        settlementIfscCode : String;
                        upiAddress : String;
                        bankName : String;
                        branchName  : String;
                        beneficiaryAddress : String;
                        settlementStatus : String;
                        settlementReference : String;
                        settlementTimestamp : String;
                    }

        }
```

7) **All the fields except currency of price have been changed to String: message>intent>payment> PaymentParams>price**

<u>Before:</u>

```
        Price{
                currency : String;
                value : float;
                estimatedValue : float;
                computedValue : float;
                listedValue : float;
                offeredValue : float;
                minimumValue : float;
                maximumValue : float;
```

```
        }


After:
        Price{
                currency : String;
                value : String;
                estimatedValue : String;
                computedValue : String;
                listedValue : String;
                offeredValue : String;
                minimumValue : String;
                maximumValue : String;
        }
```

8) Some fields have been changed in location: message>intent>provider>location

```
Before:
   Location{
        Id :  String
        Descriptor : Descriptor
        gps : String
        address : Address
        stationCode : String
        city : City
        country : Country
        circle : String
        polygon : String
        space3D : String
        time :Time
   }

After:
   Location{
        Id :  String
        Descriptor : Descriptor
        gps : String
        address : Address
        stationCode : String
        city : City
        country : Country
        circle : Circle{
                gps : String
                radius : Scalar{

                    value : float     //inside scalar "number : float" is changed to "value : float "

                    }
                }
        polygon : String
        space3D : String
```

```
            time :Time
            rateable : boolean
    }
```

9) Some Fields have been changed in offer: message>intent>offer

Before:
```
    Offer{
        id : String
        descriptor : Descriptor
        locationIds : List<String>
        categoryIds : List<String>
        itemIds : List<String>
        time : Time
    }
```

After:
```
    Offer{
        id : String
        descriptor : Descriptor
        locationIds : List<Location>     // Location/properties/id : string
        categoryIds : List<Category>     // Category/properties/id : string
        itemIds : List<Item>             // Item/properties/id : string
        time : Time
    }
```

10) Some new field have been added inside Item: message>intent>item

Before:
```
        Item{
                id : String
                quantity : ItemQuantity{
                                count : int
                                measure : object
                                }
                parentItemId : String
                descriptor : Descriptor
                price : Price
                categoryId : String
                locationId  : String
                time : Time
                matched : boolean
                related : boolean
                recommended : boolean
                tags : Tags
        }
```

After:

Item{
    id : String
    quantity : ItemQuantity
            {
                allocated : ItemQuantities
                        {
                        count : int
                        measure : Scalar
                        }
                available : ItemQuantities
                        {
                        count : int
                        measure : Scalar
                        }

                maximum : ItemQuantities
                        {
                        count : int
                        measure : Scalar
                        }

                minimum : ItemQuantities
                        {
                        count : int
                        measure : Scalar
                        }

                selected : ItemQuantities
                        {
                        count : int
                        measure : Scalar
                        }

            }
    parentItemId : String
    descriptor : Descriptor
    price : Price
    categoryId : Category   // Category/properties/id : string
    fulfillmentId : Fulfillment   // Fulfillment/properties/id : string
    rating : Rating
    locationId : Location   // Location/properties/id : string
    time : Time
    rateable : boolean
    matched : boolean
    related : boolean
    recommended : boolean
    tags : Tags
    @/ondc/org/returnable : boolean
    @ondc/org/seller_pickup_return : boolean
    @ondc/org/return_window : String
    @ondc/org/cancellable : String
    @ondc/org/time_to_ship : String
    @ondc/org/available_on_cod : boolean
    @ondc/org/contact_details_consumer_care : String

```
            @/ondc/org/statutoryReqsPackagedCommodities : OndcStatutoryReqsPackagedCommodities

                        {

                                    manufacturerOrPackerName : String

                                    manufacturerOrPackerAddress : String

                                    commonOrGenericNameOfCommodity : String

                                    multipleProductsNameNumberOrQty : String

                                    netQuantityOrMeasureOfCommodityInPkg : String

                                    monthYearOfManufacturePackingImport : String

                                    importedProductCountryOfOrigin : String

                        }

            @/ondc/org/statutoryReqsPrepackagedFood : OndcStatutoryReqsPrepackagedFood

                        {

                                    ingredientsInfo : String

                                    nutritionalInfo : String

                                    additivesInfo : String

                                    manufacturerOrPackerName : String

                                    manufacturerOrPackerAddress : String

                                    brandOwnerName : String

                                    brandOwnerAddress : String

                                    brandOwnerFSSAILogo : String

                                    brandOwnerFSSAILicenseNo : String

                                    otherFSSAILicenseNo : String

                                    netQuantity : String

                                    importerName : String

                                    importerAddress : String

                                    importerFSSAILogo : String

                                    importerFSSAILicenseNo : String

                                    importedProductCountryOfOrigin : String

                                    otherImporterName : String

                                    otherImporterAddress : String

                                    otherPremises : String

                                    otherImporterCountryOfOrigin : String

                        }

            @ondc/org/mandatory_reqs_veggies_fruits : String

}
```

Select

1) **Some field have been added inside order: message>order**

Before:
```
Order{
    id : String;
    state : String;
    items : List<Item>;
    addOns : List<AddOn>;
    offers : List<Offer>;
    billing : Billing;
    fulfillment : Fulfillment;
    quote : Quotation;
    payment : Payment;
    createdAt : String;
    updatedAt : String;
}
```

After:
```
Order{
    id : String;
    state : String;
    provider : Provider;
    documents : List<Document>
            {
                    url : String
                    label : String
            }
    items : List<Item>;
    addOns : List<AddOn>;
    offers : List<Offer>;
    billing : Billing;
    fulfillment : Fulfillment;
    quote : Quotation;
    payment : Payment;
    createdAt : String;
    updatedAt : String;
    @ondc/org/cancellation : Cancellation
            {
            type : String
            refId : String
            policies : List<Policy>
            time : String
            cancelledBy : String
```

reasons : Option
                selectedReason : Option
                additionalDescription : Descriptor
                }

        @ondc/org/linkedOrders : List<OndcLinkedOrders>
                {
                        id : String
                }
        providerLocation : Location

    }

2) Some fields have been added in : message>order>quotation>breakup

<u>Before:</u>

```
Breakup{
    title : String
    price : Price
    }
```

<u>After:</u>

```
Breakup{
    @ondc/org/item_id : Item                 // Item/properties/id : string
    @ondc/org/item_quantity : ItemQuantity  // ItemQuantity/properties/selected
    @ondc/org/title_type : String
    title : String
    price : Price
    }
```

Init

Changes in Init are same as Select.

Confirm

Changes in Confirm are same as Select.

Status

1) **The type of orderId is changed : message>orderId**

Before**:**

```
Message {

    orderId : String

}
```

Before**:**

```
Message {

    orderId : Order      // Order/properties/id : string

}
```

Status

1) **The type of orderId is changed : message>orderId**

<u>Before</u>**:**

    Message {

        orderId : String

        callbackUrl : String

    }

<u>After</u>**:**

    Message {

        orderId : Order   // Order/properties/id : string

        callbackUrl : String

    }

Cancel

1) **The type of orderId is changed : message>orderId**

<u>Before</u>**:**

    Message {

        orderId : String

        cancellationReasonId : String

        descriptor : Descriptor

        }

<u>After</u>**:**

    Message {

orderId : Order   // Order/properties/id : string

cancellationReasonId : Option   // Option/properties/id : string

descriptor : Descriptor

}

Update

1) **No Changes**
2) **The changes in update>order is same as that of Select>order.**

Rating

1) **Some fields have been added in: message>rating**

Before**:**
    Rating {
        id : String;
        value : int;

        }

After**:**
    Rating {

    ratingCategory : String

    id : String

    value : float

    feedbackForm : List<FeedbackForm>

        {

            FeedbackFormElement : FeedbackFormElement

                {

                Id : String

                parentId : String

question : String

answer : String

answerType : String

}

}

feedbackId : FeedbackUrl

{

params : Params

{

feedback_id : String

}

}

}

Support

No Change.