Website Activity - Starter Task

Scenario

In this scenario we're making a new website. For this example as we're focussing on Git and GitHub, we won't be programming, only using text documents for now to represent different code files.

Initial Set-up - Making the repository

```
Command Prompt

Microsoft Windows [Version 10.0.26200.7623]
(c) Microsoft Corporation. All rights reserved.

C:\Users\zacbh>cd C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2>mkdir starterTask

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2>cd starterTask

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>notepad Website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git init
Initialized empty Git repository in C:/Users/zacbh/Documents/Education/SkillsBootcamp/BootcampPractice/Week2/starterTask
/.git/

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git add Website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git commit -m "Initial creation of
website.txt document"
[master (root-commit) ec2bdd6] Initial creation of website.txt document
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>
```

Adding text to the main file



Git Log

Look at the Git log

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log
commit bfab221388ceaf694a46582c74d5b92e4d3e054d (HEAD -> master)
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 13:28:48 2026 +0000

    Add initial content to website

commit ec2bdd688f229919889c330747ed77ccdf8afc6b
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 13:09:38 2026 +0000

    Initial creation of website.txt document

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log --oneline
bfab221 (HEAD -> master) Add initial content to website
ec2bdd6 Initial creation of website.txt document

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>
```

Flag: --oneline

The one line flag (--oneline) shows a list of commits as one line only, as the short commit hash, followed by the name, and any branch merges.

Git Show

Show HEAD

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git show HEAD
commit bfab221388ceaf694a46582c74d5b92e4d3e054d (HEAD -> master)
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 13:28:48 2026 +0000

    Add initial content to website

diff --git a/Website.txt b/Website.txt
index e69de29..7e116ed 100644
--- a/Website.txt
+++ b/Website.txt
@@ -0,0 +1,7 @@
+Welcome to My Website
+
+Home | About |
+
+This is the homepage of my new website.
+
+More content will be added soon.
\ No newline at end of file

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>
```

Adding the new contact form

Make a new branch for the contact form

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git branch
* master

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git branch contact-form

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git branch
  contact-form
* master

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout contact-form
Switched to branch 'contact-form'
```

Checkout the new branch

Call `git checkout contact-form` to ensure that the new branch is switched to, like seen above.

Edit the website

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>notepad website.txt
```



Commit the changes to the website to the new contact-form branch

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git add website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git commit -m "Add Contact Us secti
on"
On branch contact-form
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Website.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git add Website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git commit -m "Add Contact Us secti
on"
[contact-form ccbb1b0] Add Contact Us section
 1 file changed, 5 insertions(+), 1 deletion(-)
```

Ensure that you use the correct capitalisation and spelling, otherwise an error will be thrown.

Merge the contact-form branch to the master branch

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git merge contact-form
Already up to date.

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout master
Switched to branch 'master'

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git merge contact-form
Updating bfab221..ccbb1b0
Fast-forward
 Website.txt | 6 +++++-
 1 file changed, 5 insertions(+), 1 deletion(-)
```

Ensure that you switch to the correct branch first, you can't merge a branch into itself, and you don't want to accidentally merge the wrong branch into the wrong one. So call `git checkout` for the branch you want to merge <u>into</u>, not the branch to want to merge into another.

Check the logs to ensure that the branches merged

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log
commit ccbb1b03cca697d7a5fd96c6e2b3336ccce7e001 (HEAD -> master, contact-form)
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 14:04:48 2026 +0000

    Add Contact Us section

commit bfab221388ceaf694a46582c74d5b92e4d3e054d
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 13:28:48 2026 +0000

    Add initial content to website

commit ec2bdd688f229919889c330747ed77ccdf8afc6b
Author: Zachary Bhumgara <zac.bon.bon@gmail.com>
Date:   Wed Feb 11 13:09:38 2026 +0000

    Initial creation of website.txt document

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log --oneline
ccbb1b0 (HEAD -> master, contact-form) Add Contact Us section
bfab221 Add initial content to website
ec2bdd6 Initial creation of website.txt document

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>
```

There is no merge commit here, this is because the git version fast-forwarded the branch merge.

Check the log graph

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log --oneline --graph --all
* ccbb1b0 (HEAD -> master, contact-form) Add Contact Us section
* bfab221 Add initial content to website
* ec2bdd6 Initial creation of website.txt document

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>
```

As the merge is fast-forwarded, there is no branch in the graph.

Adding the new pricing section

Create new branch for the pricing section

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git branch pricing-section

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout pricing-section
Switched to branch 'pricing-section'
```

Make the appropriate changes to the text documents

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>notepad Website.txt
```




```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>notepad Services.txt
```



Add the files to the staging area, then commit the changes

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git add Website.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git add Services.txt

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git commit -m "Add a pricing sectio
n"
[pricing-section 370efbc] Add a pricing section
 2 files changed, 11 insertions(+), 1 deletion(-)
 create mode 100644 Services.txt
```

Checkout the master branch and merge in

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout master
Switched to branch 'master'

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git merge pricing-section --no-ff -
m "Add pricing section changes to master website"
Merge made by the 'ort' strategy.
 Services.txt | 10 ++++++++++
 Website.txt  |  2 +-
 2 files changed, 11 insertions(+), 1 deletion(-)
 create mode 100644 Services.txt
```

Use the `--no-ff` flag to avoid fast-forwarding, use the `--m` flag to assign a commit message to the merge.

Check the logs with a graph to ensure the pricing-section branch has been merged into the master branch

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log --oneline --graph --all
*   d3b6a57 (HEAD -> master) Add pricing section changes to master website
|\
| * 370efbc (pricing-section) Add a pricing section
|/
* ccbb1b0 (contact-form) Add Contact Us section
* bfab221 Add initial content to website
* ec2bdd6 Initial creation of website.txt document
```

As we used the `--no-ff` flag, you can see the branching within the graph. While this is not necessary, it can be useful to look back upon the logs.

Using GitHub

Make a new remote repository on GitHub



As I forgot to screenshot this stage earlier, it is slightly different, such that the repo name was `oaklands-week2-website-task` but is now `oaklands-week2-website-startertask`.
It can be either public or private, personally I changed this new repo (`oaklands-week2-website-startertask`) to private after taking the screenshot above.

Add the remote origin for a new GitHub

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git remote add origin https://github.com/Bhumgara/oaklands-week2-website-task.git

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git remote -v
origin  https://github.com/Bhumgara/oaklands-week2-website-task.git (fetch)
origin  https://github.com/Bhumgara/oaklands-week2-website-task.git (push)
```

I added the `oaklands-week2-website-task` here as the remote origin, however we will change this to the `oaklands-week2-website-startertask` repo.

Change the origin for the remote repository, if you made an error and added the wrong remote repository.

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git remote set-url origin https://g
ithub.com/Bhumgara/oaklands-week2-website-startertask.git

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git remote -v
origin  https://github.com/Bhumgara/oaklands-week2-website-startertask.git (fetch)
origin  https://github.com/Bhumgara/oaklands-week2-website-startertask.git (push)
```

Now we're back using the `oaklands-week2-website-startertask` repo as the chosen remote repository. Use `git remote -v` to double check the remote origin is updated.

Push the changes previously made for the website to a new branch

Make and switch to the new branch

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout -b initial-upload
Switched to a new branch 'initial-upload'
```

The `-b` flag allows us to signify that the branch we're checking out is a new branch to create.

Push the changes and commits stored locally to the new branch on remote

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git push -u origin initial-upload
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (14/14), 1.38 KiB | 282.00 KiB/s, done.
Total 14 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/Bhumgara/oaklands-week2-website-startertask.git
 * [new branch]      initial-upload -> initial-upload
branch 'initial-upload' set up to track 'origin/initial-upload'.
```

The `-u` flag allows us to set the upsteam (tracker) to the new branch. Where we'll push all the changes we've made so far.

Make new main branch for remote

Make new main branch as an orphan

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout --orphan main
Switched to a new branch 'main'
```

Remove any tracked files from the index

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git rm -rf .
rm 'Services.txt'
rm 'Website.txt'

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git log
fatal: your current branch 'main' does not have any commits yet
```

Create a new commit and push main to remote

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git commit --allow-empty -m "Initia
l empty main"
[main (root-commit) 5be260c] Initial empty main

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git push -u origin main
Enumerating objects: 2, done.
Counting objects: 100% (2/2), done.
Writing objects: 100% (2/2), 178 bytes | 178.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'main' on GitHub by visiting:
remote:      https://github.com/Bhumgara/oaklands-week2-website-startertask/pull/new/main
remote:
To https://github.com/Bhumgara/oaklands-week2-website-startertask.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

Use the GitHub UI to make main the new default branch





Create a pull request using the GitHub UI to compare changes between the initial-upload branch and master branch

Go to make a new pull request



Find that there is nothing to compare



Check that the latest commit on both branches is different

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git rev-parse main
5be260c14a646682ba704d2703d2d112dda947ae

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git rev-parse initial-upload
d3b6a578ece5a4a0675751f41d5ba8dd3c025297
```

Rebase the initial-upload branch from changes on main

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git checkout initial-upload
Switched to branch 'initial-upload'
Your branch is up to date with 'origin/initial-upload'.

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git rebase main
Successfully rebased and updated refs/heads/initial-upload.

C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>git push -f origin initial-upload
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (13/13), 1.33 KiB | 341.00 KiB/s, done.
Total 13 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Bhumgara/oaklands-week2-website-startertask.git
 + d3b6a57...ffbc0a9 initial-upload -> initial-upload (forced update)
```

Make a new Pull Request

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.

base: main ← compare: initial-upload ✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. Learn about pull requests — Create pull request

4 commits | 2 files changed | 1 contributor

Commits on Feb 11, 2026

- Initial creation of website.txt document — Bhumgara committed 4 minutes ago — 4e32e5e
- Add initial content to website — Bhumgara committed 4 minutes ago — 861fae9
- Add Contact Us section — Bhumgara committed 4 minutes ago — 693337c
- Add a pricing section — Bhumgara committed 4 minutes ago — ffbc8a9

Showing 2 changed files with 21 additions and 0 deletions. Split | Unified

10 Services.txt

```diff
@@ -0,0 +1,10 @@
+ Our Services
+ ------------
+ Web Design
+ SEO Optimization
+ Social Media Management
+
+ Pricing:
+ Web Design: $500
+ SEO Optimization: $300
+ Social Media Management: $250
```

11 Website.txt

```diff
@@ -0,0 +1,11 @@
+ Welcome to My Website
+
+ Home | About | Services
+
+ This is the homepage of my new website.
+
+
+
+ Contact Us:
+ Email: contact@example.com
+ Phone: 123-456-7890
```

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also compare across forks. Learn more about diff comparisons here.

base: main ← compare: initial-upload ✓ Able to merge. These branches can be automatically merged.

Add a title

Initial upload

Add a description

Write | Preview

Symbolic PR to signify uploading the commits from the local git repository to the remote git repository.

Markdown is supported | Paste, drop, or click to add files

Create pull request

Remember, contributions to this repository should follow our GitHub Community Guidelines.

Reviewers: No reviews

Assignees: Bhumgara

Labels: None yet

Projects: None yet

Milestone: No milestone

Development: Use Closing keywords in the description to automatically close issues

Helpful resources: GitHub Community Guidelines

Check the Pull Request and approve



Adding the startertask repository as a submodule to given main skillsbootcamp repository

Identify the two repositories to work with

oaklands-week2-website-startertask Private

Updated 1 hour ago

---

oaklands-skillsbootcamp-tasks Public

Updated yesterday

In this case I'm using the `oaklands-skillsbootcamp-tasks` repository as my "main skillsbootcamp" repository, and the `oaklands-week2-website-startertask` repo as the "startertask repository".

Clone the main skillsbootcamp repository to a new local repository

```
C:\Users\zacbh\Documents\Education\SkillsBootcamp\BootcampPractice\Week2\starterTask>cd C:\Users\zacbh\Documents\GitHub

C:\Users\zacbh\Documents\GitHub>git clone https://github.com/Bhumgara/oaklands-skillsbootcamp-tasks.git
Cloning into 'oaklands-skillsbootcamp-tasks'...
remote: Enumerating objects: 52, done.
remote: Counting objects: 100% (52/52), done.
remote: Compressing objects: 100% (37/37), done.
remote: Total 52 (delta 8), reused 43 (delta 4), pack-reused 0 (from 0)
Receiving objects: 100% (52/52), 4.55 MiB | 10.17 MiB/s, done.
Resolving deltas: 100% (8/8), done.
```

Move into the main skillsbootcamp repository

```
C:\Users\zacbh\Documents\GitHub>cd oaklands-skillsbootcamp-tasks
```

Checkout a new branch to make changes safely

Check which branch you're currently on

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>git branch
* main
```

Create and checkout a new branch

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>git checkout -b add-oaklands-week2-website-startertask-sub
module
Switched to a new branch 'add-oaklands-week2-website-startertask-submodule'

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>git branch
* add-oaklands-week2-website-startertask-submodule
  main
```

Make any new directories required to work within, if you wish to organise your work further

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>dir
 Volume in drive C is Windows
 Volume Serial Number is AC65-71AF

 Directory of C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks

11/02/2026  17:50    <DIR>          .
11/02/2026  17:50    <DIR>          ..
11/02/2026  17:50    <DIR>          InitialSetup
11/02/2026  17:50    <DIR>          Week1
               0 File(s)              0 bytes
               4 Dir(s)  288,097,181,696 bytes free

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>mkdir Week2

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks>cd Week2

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>
```

As can be seen, I've now moved into the new directory that I wish to add the content from this week to.

Add the startertask repository as a Git Submodule of the main skillsbootcamp repository

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git submodule add https://github.com/Bhumgara/oaklan
ds-week2-website-startertask.git oaklands-week2-website-startertask
Cloning into 'C:/Users/zacbh/Documents/GitHub/oaklands-skillsbootcamp-tasks/Week2/oaklands-week2-website-startertask'...
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 16 (delta 1), reused 15 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (16/16), done.
Resolving deltas: 100% (1/1), done.
warning: in the working copy of '.gitmodules', LF will be replaced by CRLF the next time Git touches it
```

Check the current status of the Git staged and unstaged areas

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git status
On branch add-oaklands-week2-website-startertask-submodule
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   ../.gitmodules
        new file:   oaklands-week2-website-startertask
```

Add the new files to the staging area, if not already staged

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git add ../.gitmodules oaklands-week2-website-starte
rtask
```

My files were already automatically staged, by the submodule command, but it doesn't hurt to double check.

After checking the status and ensuring the new submodule files are staged, commit your changes with an appropriate message

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git status
On branch add-oaklands-week2-website-startertask-submodule
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   ../.gitmodules
        new file:   oaklands-week2-website-startertask


C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git commit -m "Add oaklands-week2-website-startertas
k as submodule"
[add-oaklands-week2-website-startertask-submodule ec20aa2] Add oaklands-week2-website-startertask as submodule
 2 files changed, 4 insertions(+)
 create mode 100644 .gitmodules
 create mode 160000 Week2/oaklands-week2-website-startertask
```

Push your changes to the branch on remote

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git push -u origin add-oaklands-week2-website-starte
rtask-submodule
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 546 bytes | 273.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'add-oaklands-week2-website-startertask-submodule' on GitHub by visiting:
remote:      https://github.com/Bhumgara/oaklands-skillsbootcamp-tasks/pull/new/add-oaklands-week2-website-startertask-s
ubmodule
remote:
To https://github.com/Bhumgara/oaklands-skillsbootcamp-tasks.git
 * [new branch]      add-oaklands-week2-website-startertask-submodule -> add-oaklands-week2-website-startertask-submodul
e
branch 'add-oaklands-week2-website-startertask-submodule' set up to track 'origin/add-oaklands-week2-website-startertask
-submodule'.

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>
```

Create a PR to merge the branch into main

We now want to merge the branch that we made, `add-oaklands-week2-website-startertask-submodule`, into `main`. We can either do this as above in [Make a new Pull Request](), or alternatively if we install the GitHub CLI, we can create a new Pull Request through the Command Prompt (Cmd). As we've already covered how to make a PR in the GitHub UI, we're going to learn how to achieve this through the Cmd.

Install the GitHub CLI

Run the command `winget install GitHub.cli`, you'll get a similar output if you follow all the steps correctly.
Say Yes [Y] to the source agreements terms.

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>winget install GitHub.cli
The `msstore` source requires that you view the following agreements before using.
Terms of Transaction: https://aka.ms/microsoft-store-terms-of-transaction
The source requires the current machine's 2-letter geographic region to be sent to the backend service to function prope
rly (ex. "US").

Do you agree to all the source agreements terms?
[Y] Yes  [N] No: Y
```

Then the installation should automatically proceed, if on a restricted user account, you may need administrator permissions.

```
Found GitHub CLI [GitHub.cli] Version 2.86.0
This application is licensed to you by its owner.
Microsoft is not responsible for, nor does it grant any licenses to, third-party packages.
Downloading https://github.com/cli/cli/releases/download/v2.86.0/gh_2.86.0_windows_amd64.msi
  ██████████████████████████████  13.4 MB / 13.4 MB
Successfully verified installer hash
Starting package install...
Successfully installed

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>
```

Check the version is correct to confirm installation, this will be whichever the latest version is if this document is outdated.

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh --version
gh version 2.86.0 (2026-01-21)
https://github.com/cli/cli/releases/tag/v2.86.0
```

Authenticate GitHub

Use the command `gh auth login` to log in.

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh auth login
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: ********
Press Enter to open https://github.com/login/device in your browser...
✓ Authentication complete.
- gh config set -h github.com git_protocol https
✓ Configured git protocol
✓ Logged in as Bhumgara
```

Check you're in the branch that you want to create the PR from

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>git branch
* add-oaklands-week2-website-startertask-submodule
  main
```

Create the Pull Request

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh pr create --base main --head add-oaklands-week2-w
ebsite-startertask-submodule --title "Add oaklands-week2-website-startertask submodule" --body "Adds the oaklands-week2-
website-startertask repo as a submodule within the Week2 directory."

Creating pull request for add-oaklands-week2-website-startertask-submodule into main in Bhumgara/oaklands-skillsbootcamp
-tasks

https://github.com/Bhumgara/oaklands-skillsbootcamp-tasks/pull/1

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>
```

Remember to add the base, head, title and body as required. If you make a mistake, you can delete that PR and just make a new one, as seen below.

Deleting PR's

Ok, I slightly lied before, you can't delete PR's, but you can close them.
To do this, just run the command in the screenshot below.

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh pr list

Showing 1 of 1 open pull request in Bhumgara/oaklands-skillsbootcamp-tasks

ID  TITLE                                          BRANCH                                          CREATED AT
#1  Add oaklands-week2-website-startertask submo...  add-oaklands-week2-website-startertask-subm...  about 4 minutes ago

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh pr close 1
✓ Closed pull request Bhumgara/oaklands-skillsbootcamp-tasks#1 (Add oaklands-week2-website-startertask submodule)
```

In the first command we check the list of PR's to identify the PR we wish to close, then using the second command, we close it.

Merging a PR

After all the adjustments are made, and you have a PR you're happy with, you can merge the PR from the CLI (command line interface) too.

```
C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh pr list

Showing 1 of 1 open pull request in Bhumgara/oaklands-skillsbootcamp-tasks

ID  TITLE                                          BRANCH                                          CREATED AT
#2  Add oaklands-week2-website-startertask sub...  add-oaklands-week2-website-startertask-sub...  less than a minute ago

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>gh pr merge 2 --merge
✓ Merged pull request Bhumgara/oaklands-skillsbootcamp-tasks#2 (Add oaklands-week2-website-startertask submodule)

C:\Users\zacbh\Documents\GitHub\oaklands-skillsbootcamp-tasks\Week2>
```

Once again, we check our PR list to ensure we have the correct PR, then, this time, we call the merge command, referencing the relevant PR by its given ID.

Check GitHub through it's UI to confirm the PR has been merged



As seen here, the PR has been successfully merged, you can also see that I clicked the nifty little delete branch button already, this keeps the repository nice and tidy, once you're done with a branch, you can delete it to keep the repo clean, I like to call it trimming, similar to "trimming" a bush to keep it neat.