



uPVC & ALUMINIUM Doors & Windows

"Engineered for Comfort. Trusted for Life."

A photograph of a modern, multi-story house with large glass windows and doors, illuminated from within at night. The house features a mix of light-colored stone or concrete and dark wood accents. The interior is visible through the glass, showing a dining area with a table and chairs, and a living area with a sofa. The foreground shows a paved patio area with some landscaping.

Framing Happy Homes....

Because Your Home Deserves the Best



about us.

BE Inspired..... BE Innovative.... BUY with Confidence

It began with a simple curiosity, an inquiring desire to transform a window into a fashion statement with innovative functionality and impressive style. That desire grew into a vision to create Wall & Window coverings without limitations. Recognizing a Wall & Window

INTRODUCTION

CAPE DÉCOR had established itself as a small scale registered industry of doors & window fashions in 2011. The company has carved a niche of combination of research, technology & experience. The company's vision is to grow in window coverings & wall coverings aggressively seeking market share & adding up new products to its range.

Our company is specializing in the production of door & window blinds like Vertical Blinds, Roller Blinds, Roman Blinds, Panel Blinds, Combi Blinds, Trinity Blinds, Wooden Venetian Blinds, Aluminium Venetian Blinds, Cellular Blinds, Customised Printed Blinds, Motorised Blinds, Sliding Mosquito Mesh, Industrial Blinds & all types of Motorised Curtain Tracks. Our company is also specialized in the production of Customised UV-Printed Wallcoverings, Customised UV-Printed Glass Films & Vinyl Films with the state of art technology, thus making an impression in the Indian market. Expertise in customization, fabrication, installation & technical support delivers outstanding products with our hallmarks of design, performance & exceptional durability. The company has built good reputation for the quality of the designs it produces for offices as well as homes. At, CAPE DÉCOR, we are committed to building the highest quality, custom-made products.

After 15-years of experience in customization, fabrication, installation & technical support, in 2026, CAPE DÉCOR has entered in the field of uPVC & Aluminium system doors & windows to provide the best products to our customers.

Our products provide solutions for every day, practical need - from privacy to safety - while also satisfying your desire for a stylish furnishing that transform your home or office.

OUR MISSION

To Provide the best quality products to our valued customers within reasonable time frame and price range.

OUR VISION

CAPE DÉCOR is a professionally managed company, committed to total satisfaction and enhancing market value. **CAPE DÉCOR** shall form an innovative entrepreneurial &

OUR SPECIFICATIONS

CAPE DÉCOR uses internationally acclaimed, recognized and affordable products. Our prompt service puts us ahead of our competitors. Our focus is on customer satisfaction and

STRENGTHS

We have well-equipped with ultra-modern machinery, in-house manufacturing facility, that ensures customized products of our clients. A self-imposed high standard of quality consciousness, adequate stock level, a strictly monitored service parameter and exposure to the international designs and markets. We constantly invest for R&D to develop up-to-date technical specifications, to ensure that our customers receive high quality durable products that combine the very essence of design with function and will provide total satisfaction over a long period of time. We take pride in ourselves about the quality of our products which are individually tested before being delivered to your door to ensure that you receive the products as you ordered them. **CAPE DÉCOR** is building their strong network across India with the new innovative, satisfactory & result oriented scheme i.e. **"CHANNEL PARTNER PROGRAMME"** which the company had introduced in 2012 with a vision to support the small scale entrepreneurs to establish the work scope in their respective areas with our vast & updated product range of Wall & Window fashion at a budgeted investment profile.

TEAM POWER

Our people are our greatest strength. Over the years, the company has not only acquired expertise in the field of Wall & Window covering, but in the process, we have developed a

Our Partners

In Association with Leading Brands

• Profile



• Hardware



**“Aligned with the
Finest in the Industry...”**

Range of uPVC

Doors & Windows

FIXED SERIES

uPVC



Fixed Window

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Min and Max Dimensions: Min : 330x450 (Ratio – 1:2) | Max : 1:2/3
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound Insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years

CASEMENT SERIES

uPVC



Casement Window

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Min and Max Dimensions: Min : 400x400 | Max : 700x1700
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years

French Window

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Min and Max Dimensions: Min : 400x400 | Max : 700x1700
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years



CASEMENT SERIES

uPVC



Casement Door

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Min and Max Dimensions: Min : 650x1800 | Max : 1050x2680
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years

French Door

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Min and Max Dimensions: Min : 900x1800 | Max : 1600x2680
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years



SLIDING SERIES

uPVC



Sliding Window

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Minimum Dimensions: 02-Panels - 800x550 | 04-Panels - 2000x550
- Maximum Dimensions: 02-Panels - 2400x1600 | 04-Panels - 4600x1600
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Wind Load: 1.5-1.8 KPA
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm-112mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years

Sliding Door

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Minimum Dimensions: 02-Panels - 1200x1800
04-Panels - 2100x1800/1200x2000
- Maximum Dimensions: 02-Panels - 2550x2550
04-Panels - 5000x2550/2700x2700
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm-24mm
- Wind Load: 1.5-1.8 KPA
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm-112mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years



TILT 'N' TURN SERIES

uPVC



Tilt 'n' Turn Window

TECHNICAL INFORMATION

- Profile Wall Thickness: 2.2 mm $\pm$ 0.2 mm
- Mini and Max Dimensions: Min : 600x1200 | Max : 750x1200
- G.I Reinforcement Thickness: 1.2mm-2.2 mm
- Maximum Glass Thickness: 4mm - 24mm
- Sound insulation: Single Glazed 10db-20db | Double Glazed 20db-25db
- Profile Width: 60mm
- U-value: 0.63-1.6 W/M2k
- Warranty: 20 Years

Range of Aluminium

Doors & Windows

FIXED SERIES

ALUMINIUM



Fixed Window

TECHNICAL INFORMATION

• Profile Wall Thickness	1.5mm
• Maximum Dimension	3000mm x 3000mm
• Glass Range	5mm to 32mm
• Finishes	Powder/Wood/Anodizing

CASEMENT SERIES

ALUMINIUM



Casement Window

TECHNICAL INFORMATION

• Series	40mm	50mm
• Outer Frame Height	39.40mm	46mm
• Shutter Section Height	53.8mm	81.87mm
• Locking System	Single Point/Multipoint	Single Point/Multipoint
• Glass Range	5mm to 24mm	5mm to 32mm
• Sash Height (max.)	1500mm	1500mm
• Sash Width (max.)	900mm	1200mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing

CASEMENT SERIES

ALUMINIUM



Casement Door

TECHNICAL INFORMATION

• Series	40mm	50mm
• Outer Frame Height	39.40mm	46mm
• Shutter Section Height	70.40mm	93mm
• Locking System	Single Point/Multipoint	Single Point/Multipoint
• Glass Range	5mm to 24mm	5mm to 32mm
• Sash Height (max.)	2400mm	3650mm
• Sash Width (max.)	900mm	1200mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing

SLIDING SERIES

ALUMINIUM



Sliding Window

TECHNICAL INFORMATION

• Series	29mm	40mm
• Outer Frame Height	51mm	44mm
• 02-Track Outer Frame Width	65mm	73mm
• 03-Track Outer Frame Width	100,60mm	130mm
• Interlock Sightline	25mm	25mm
• Glass Range	5mm to 22mm	6mm to 34mm
• Sash Height (max.)	2400mm	3500mm
• Sash Width (max.)	1200mm	1500mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing

SLIDING SERIES

ALUMINIUM



Sliding Door

TECHNICAL INFORMATION

• Series	29mm	40mm
• Outer Frame Height	51mm	44mm
• 02-Track Outer Frame Width	65mm	73mm
• 03-Track Outer Frame Width	100.60mm	130mm
• Interlock Sightline	25mm	25mm
• Glass Range	5mm to 22mm	6mm to 34mm
• Sash Height (max.)	2400mm	3500mm
• Sash Width (max.)	1200mm	1500mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing

FRENCH SERIES

ALUMINIUM



French Window

TECHNICAL INFORMATION

• Series	40mm	50mm
• Outer Frame Height	39.40mm	46mm
• Shutter Section Height	53.8mm	81.87mm
• Locking System	Single Point/Multipoint	Single Point/Multipoint
• Glass Range	5mm to 24mm	5mm to 32mm
• Sash Height (max.)	1500mm	1500mm
• Sash Width (max.)	900mm	1200mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing

FRENCH SERIES


ALUMINIUM



French Door

TECHNICAL INFORMATION

• Series	40mm	50mm
• Outer Frame Height	39.40mm	46mm
• Shutter Section Height	70.40mm	93mm
• Locking System	Single Point/Multipoint	Single Point/Multipoint
• Glass Range	5mm to 24mm	5mm to 32mm
• Sash Height (max.)	2400mm	3650mm
• Sash Width (max.)	900mm	1200mm
• Finishes	Powder/Wood/Anodizing	Powder/Wood/Anodizing



Enhance Your Space with Visually
Appealing *Door & Window* Solutions



Works

Kh. No. 192/3, Main Rohtak Road, Mundka,
New Delhi-110041

Email

jg.capedecor@gmail.com

Contact us on

9910956666

Website

www.capedecor.com

