

WCAG Accessibility Audit Report

Website: <https://www.iplt20.com/> | WCAG Level: AA | Generated: 02 Jun 2026, 16:17

ADA Compliance Statement:

The website <https://www.iplt20.com/> has a 0.0% compliance rate with WCAG AA standards, indicating significant gaps in accessibility. Key issues include inadequate status messages, keyboard navigation, and timing adjustable features. Remediation is necessary to ensure equal access for users with disabilities.

AI Audit Summary:

Our audit of [iplt20.com](https://www.iplt20.com/) found significant accessibility issues. All 20 scanned pages failed to meet WCAG AA standards. The site requires substantial improvements to ensure equal access for all users.

20 Pages Scanned	0.0% Compliant	845 Total Issues	0 / 20 Pages Compliant
32 Critical	242 Serious	513 Moderate	58 Minor

Issues by Rule

Rule ID	Title	Level	Severity	Occurrences
4.1.3	Status Messages	AA	moderate	318
2.1.1	Keyboard	A	serious	193
2.2.1	Timing Adjustable	A	moderate	52
4.1.2	Name, Role, Value	A	serious	49
1.1.1	Non-text Content	A	critical	32
3.3.2	Labels or Instructions	A	moderate	25
2.4.6	Headings and Labels	AA	moderate	25
2.4.4	Link Purpose (In Context)	A	moderate	21
3.3.3	Error Suggestion	AA	moderate	20
3.2.4	Consistent Identification	AA	minor	20
2.4.1	Bypass Blocks	A	moderate	20
1.4.13	Content on Hover or Focus	AA	minor	19
2.4.8	Location	AA	minor	18

1.3.5	Identify Input Purpose	AA	moderate	18
2.4.3	Focus Order	A	moderate	10
2.5.3	Label in Name	A	moderate	2
1.3.2	Meaningful Sequence	A	minor	1
1.4.1	Use of Color	A	moderate	1
1.3.3	Sensory Characteristics	A	moderate	1

Page Results

FAIL 1.

https://www.iplt20.com

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.

2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 2.

<https://www.iplt20.com/about/about-us>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.5.3	moderate	aria-label "breadcrumb" does not contain the visible text "home /about".	Ensure the accessible name of interactive elements includes the visible label text.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.

4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.

FAIL 3.

<https://www.iplt20.com/about/clothing-and-equipment-regulations>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 4.

<https://www.iplt20.com/about/code-of-conduct-for-match-officials-and-match-official-support-personnel>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 5.

<https://www.iplt20.com/about/news-access-regulations>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 6.

<https://www.iplt20.com/about/pmoa-minimum-standard>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 7.

<https://www.iplt20.com/about/suspect-action-policy>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 8.

<https://www.iplt20.com/about/tue-application-form>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 9.

<https://www.iplt20.com/auction>

Rule	Severity	Issue	Fix
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
1.3.2	minor	Page content may not start with a meaningful sequence of headings and text.	Ensure the DOM order matches the visual reading order.
1.3.3	moderate	Content may rely on sensory characteristics such as color, shape, or location to convey instructions.	Avoid instructions like 'click the red button' — use text labels instead.

2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.

1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'

FAIL 10.

<https://www.iplt20.com/comparison>

Rule	Severity	Issue	Fix
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.

[illegible]

[illegible]

[illegible]

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.

3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	

[illegible]

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 11.

<https://www.iplt20.com/comparison/teams>

Rule	Severity	Issue	Fix
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.

[illegible]

[illegible]

[illegible]

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label.	Add a label using the 'label' tag or 'aria-label' attribute
		Screen readers rely on labels. Visually impaired users are affected	
4.1.2	serious	Form input is missing an accessible label.	Add a label using the 'label' tag or 'aria-label' attribute
		Screen readers rely on labels. Visually impaired users are affected	
4.1.2	serious	Form input is missing an accessible label.	Add a label using the 'label' tag or 'aria-label' attribute
		Screen readers rely on labels. Visually impaired users are affected	
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').

1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
1.3.5	moderate	Input field appears to collect personal data but is missing an autocomplete attribute.	Add autocomplete attributes to form inputs (e.g. autocomplete='name', 'email', 'tel', 'street-address').
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
4.1.2	serious	Form input is missing an accessible label.	Add a label using the 'label' tag or 'aria-label' attribute
		Screen readers rely on labels. Visually impaired users are affected	

FAIL 12.

<https://www.iplt20.com/fan-poll>

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 13.

<https://www.iplt20.com/photos>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 1 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.

Rule	Severity	Issue	Fix
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'

1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.

[illegible]

[illegible]

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.4.3	moderate	Found 2 element(s) with positive tabindex values which can disrupt natural focus order.	Ensure tab order follows the logical reading order of the page.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.

4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'

1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
1.1.1	critical	Image is missing an alt attribute. Accessibility matters for visually impaired users. Screen readers rely on alt text.	Add alt attribute to the img element, e.g. alt='KKR logo'
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable. Keyboard-only users are affected. Accessibility matters.	Add a keyboard event handler or use a button element instead of li.

2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	
2.1.1	serious	Interactive element uses a mouse click handler but may not be keyboard operable.	Add a keyboard event handler or use a button element instead of li.
		Keyboard-only users are affected. Accessibility matters.	

FAIL 15.

<https://www.iplt20.com/privacy-policy>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
2.4.4	moderate	Link text "here" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label.	Add a label using the 'label' tag or 'aria-label' attribute
		Screen readers rely on labels. Visually impaired users are affected	
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.

2.5.3	moderate	aria-label "breadcrumb" does not contain the visible text "home /about".	Ensure the accessible name of interactive elements includes the visible label text.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 16.

<https://www.iplt20.com/teams/delhi-capitals>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.

3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 17.

<https://www.iplt20.com/teams/gujarat-titans>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.

3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 18.

<https://www.iplt20.com/teams/kolkata-knight-riders>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
1.4.1	moderate	Information appears to be conveyed by color alone without an accessible text label.	Use text labels, patterns, or icons in addition to color to convey information.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.

3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role="status", role="alert", or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label="breadcrumb" or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 19.

<https://www.iplt20.com/teams/lucknow-super-giants>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.

3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role="status", role="alert", or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label="breadcrumb" or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute

FAIL 20.

<https://www.iplt20.com/teams/punjab-kings>

Rule	Severity	Issue	Fix
2.4.1	moderate	No skip navigation link found on this page.	Add a skip navigation link at the top of each page.
2.4.4	moderate	Link text "more" does not describe its destination.	Replace vague link text like 'click here' with descriptive text.
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
4.1.2	serious	Form input is missing an accessible label. Screen readers rely on labels. Visually impaired users are affected	Add a label using the 'label' tag or 'aria-label' attribute
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.4.6	moderate	Form field is missing a descriptive label or accessible name.	Ensure headings follow a logical hierarchy (h1 > h2 > h3).
2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.

2.2.1	moderate	Page uses scripted timing. Ensure users can extend or turn off time limits.	Provide options to extend or disable session timeouts and time-limited content.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.2	moderate	Form field has no visible label or placeholder instruction.	Add visible labels or placeholder instructions to all form fields.
3.3.3	moderate	Required field has no associated error message element (aria-describedby missing).	Add aria-describedby to link form inputs to their error messages and suggestions.
3.2.4	minor	Elements with the same role use inconsistent labels, which can confuse users.	Use consistent labels, names, and icons for components that perform the same function across pages.
4.1.3	moderate	Element appears to be a status message container but is missing role="status" or aria-live.	Add role='status', role='alert', or aria-live attributes to elements that display status messages.
2.4.8	minor	No breadcrumb navigation found. Add a breadcrumb with aria-label="breadcrumb" to show users their location.	Add a breadcrumb navigation with aria-label='breadcrumb' or a site map link to help users understand their location.
1.4.13	minor	Element uses title attribute for tooltip content but lacks aria-describedby — tooltip may not be accessible to keyboard users.	Ensure tooltips and hover content can be dismissed without moving focus, remain visible when hovered, and persist until dismissed.