2024 International Conference on Power, Electrical Engineering, Electronics and Control (PEEEC) | 979-8-3503-7891-7/24/$31.00 ©2024 IEEE | DOI: 10.1109/PEEEC63877.2024.00070

Application and Effectiveness Evaluation of Bayesian Optimization Algorithm in Hyperparameter Tuning of Machine Learning Models

Yuchen Lai
University of California, Davis, Sacramento, 95616 California, America
laiyuchen2022@163.com

***Abstract*—Hyperparameter tuning is a crucial step in the development of machine learning models, as it directly impacts their performance and generalization ability. Traditional methods for hyperparameter optimization often involve exhaustive search or random search, which can be computationally expensive and inefficient. In recent years, Bayesian optimization has gained prominence as an effective method for hyperparameter tuning due to its ability to efficiently explore and exploit the search space. This paper provides a comprehensive overview of the application of Bayesian optimization algorithms for hyperparameter tuning in machine learning models. We begin by introducing the theoretical foundations of Bayesian optimization, such as Gaussian processes and acquisition functions. Next, we explain how Bayesian optimization can be applied to optimize hyperparameters by iteratively selecting the most promising configurations based on the observed performance of the model. Finally, we assess the effectiveness of Bayesian optimization compared to traditional hyperparameter tuning methods through experimental studies on various datasets and machine learning models. We demonstrate the superior performance of Bayesian optimization in terms of convergence speed and final model performance. The significant role of Bayesian optimization in enhancing the efficiency and effectiveness of hyperparameter tuning for machine learning models. The significant role of Bayesian optimization in enhancing the efficiency and effectiveness of hyperparameter tuning for machine learning models. We also discuss potential avenues for future research, such as further optimization of Bayesian optimization algorithms and exploration of their applications in other domains. We also discuss potential avenues for future research, such as further optimization of Bayesian optimization algorithms and exploration of their applications in other domains. Overall, this research contributes to advancing the field of machine learning by providing insights into the practical application and performance evaluation of Bayesian optimization algorithms in hyperparameter tuning.**

Keywords*—*Hyperparameter tuning, Machine learning models, Bayesian optimization, Gaussian processes, Optimization algorithms

I. Introduction

Machine learning models are increasingly used in different fields, however, building a model with superior performance is not an easy task. In addition to choosing a suitable model structure, tuning the hyperparameters of the model is one of the crucial steps[1]. Hyperparameters are the parameters that need to be set before training the model, such as learning rate, regularization parameter, number of layers, and so on[2]. The selection of these hyperparameters directly affects the performance and generalization ability of the model, so tuning the hyperparameters is one of the key steps to improve the performance of the model:

$$E = mc^2 \quad (1)$$

The importance of mathematics in physics and machine learning.

Traditional hyperparameter tuning methods have some problems[3]. For example, methods such as Grid Search and Random Search need to traverse the entire hyperparameter space, which is computationally expensive and inefficient. Moreover, these methods usually can only find local optimal solutions, and it is difficult to find global optimal solutions in large-scale hyperparameter spaces[4]. To overcome these problems, researchers have proposed a variety of efficient hyperparameter optimization algorithms, showed in Figure 1:




Figure 1 Hyperparameter Space

Bayesian optimization algorithm is one of the methods that have received much attention. The Bayesian optimization algorithm fits the objective function by constructing a model and selects the next exploration point based on the current model, thus being able to find the globally optimal solution within a relatively small number of iterations. Therefore, the Bayesian optimization algorithm has received much attention

979-8-3503-7891-7/24/$31.00 ©2024 IEEE
DOI 10.1109/PEEEC63877.2024.00070

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on May 05,2026 at 06:13:47 UTC from IEEE Xplore. Restrictions apply.

in hyperparameter tuning and is considered to be an efficient hyperparameter optimization method.

In-depth discussion on the application of Bayesian optimization algorithms in hyperparameter tuning of machine learning models and evaluation of their effectiveness[5]. First, we will introduce the basic principle of Bayesian optimization algorithm and the specific application methods in hyperparameter tuning. Then, we will experimentally compare the tuning effect of Bayesian optimization algorithm with traditional methods in different scenarios to verify its advantages in improving model performance and tuning efficiency[6]. Through the research in this paper, we hope to provide some useful insights and suggestions for hyperparameter tuning in the field of machine learning.

II. Fundamentals and Principles of Bayesian Optimization Algorithms

Bayesian optimization algorithms are based on Bayes' theorem, which is a mathematical theorem used to update views on the probability of events occurring. In hyperparameter tuning, we try to find the optimal set of hyperparameters to maximize or minimize the objective function, which is usually an indicator of the model's performance on a validation set[7]. Bayesian optimization algorithms model the objective function by treating it as a stochastic process and using a Gaussian process. A Gaussian process is a probabilistic model that allows us to estimate the value of an unknown function and provides information about the uncertainty of these estimates[8]. Thus, a Bayesian optimization algorithm can update its estimate of the objective function as new data are continuously observed and adjust the next choice of hyperparameters accordingly, explanation of the basics and principles of Bayesian optimization algorithm:

$$P(E|H) = \frac{P(E|H)P(E)}{P(H)} \quad (2)$$

P(E|H) is the probability of event E given hypothesis H.

The acquisition function is another important component in the Bayesian optimization algorithm that is used to select the next combination of hyperparameters to be evaluated. The acquisition function takes into account two factors: exploration and utilization[9]. Exploration means trying combinations of hyperparameters that may lead to better performance, while exploitation means using what we already know about the objective function. The choice of the acquisition function is critical to the performance of the algorithm[10]. Common acquisition functions include Expected Improvement (EI), Upper Confidence Bound (UCB), etc., each of which balances the trade-off between exploration and exploitation，showed in Figure 2:




Figure 2 Simulated objective function

The Bayesian optimization algorithm optimizes the objective function through continuous iterations. Each iteration updates the parameters of the Gaussian process model based on the currently observed data and uses the acquisition function to select the next combination of hyperparameters to evaluate[11]. This iterative optimization process will continue until a pre-defined stopping condition is reached, e.g., the maximum number of iterations is reached or the performance of the objective function has converged[12]. In this way, the Bayesian optimization algorithm is able to find the global optimal solution of the objective function with a relatively small number of evaluations, thus achieving good results in hyperparameter tuning, the application of Bayesian optimization in hyperparameter tuning:

$$f(x) \sim GP\ (m(x), k(x,x')) \quad (3)$$

m(x) is the mean function and k(x,x′) is the covariance function.

III. Bayesian Optimization in Hyperparameter Tuning

The application of Bayesian optimization algorithm in hyperparameter tuning is reflected in three aspects: firstly, it can search the hyperparameter space efficiently and find the optimal solution with less computational resources through intelligent model construction and selective evaluation; secondly, it has the ability to adaptively adjust the hyperparameters and dynamically adjusts the search scope and direction according to the performance of the objective function, so as to better mine the potential optimal solution; lastly, the flexibility of the Bayesian optimization algorithm enables it to support both continuous and discrete hyperparameters, thus searching the hyperparameter space more comprehensively and improving the model performance.

A. Efficient Search of Hyperparameter Space

In the process of hyperparameter tuning, Bayesian optimization algorithms show their unique advantages, mainly in the efficient search of hyperparameter space.

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on May 05,2026 at 06:13:47 UTC from IEEE Xplore. Restrictions apply.

Traditional search methods, such as grid search or random search, usually require searching permutations in a predefined hyperparameter grid or space, which may lead to a huge waste of computational resources. In contrast, Bayesian optimization algorithms employ an intelligent model construction and selective evaluation strategy that can more intelligently select the next combination of hyperparameters to be evaluated, thus focusing the search on the most promising regions. This intelligent search strategy enables the Bayesian optimization algorithm to find better hyperparameter combinations within a relatively small number of evaluations, thus improving the efficiency of the search, comparing Bayesian optimization algorithm with traditional methods:

$$f(x) = ax^2 + bx + c \quad (4)$$

a,b,c are hyperparameters.

Another advantage of the Bayesian optimization algorithm is its intelligent model building and selective evaluation strategy. It employs models such as Gaussian processes to model the objective function to better understand the properties of the hyperparameter space. These models are able to automatically learn the underlying laws of the objective function and update the model based on previous evaluations. When selecting the next combination of hyperparameters to be evaluated, the Bayesian optimization algorithm takes into account model uncertainty and existing evaluation results and intelligently selects the most promising combination of hyperparameters to be evaluated. This mechanism of intelligent model construction and selective evaluation enables the Bayesian optimization algorithm to search the hyperparameter space more efficiently, thus accelerating the process of hyperparameter tuning, summarize the advantages of Bayesian optimization algorithm:

$$H(X) = -\sum_{i=1}^{n} P(xi)\log P(xi) \quad (5)$$

H(X) is the entropy, and P(xi) is the probability of event xi occurring.

Bayesian optimization algorithms are typically able to converge to the optimal solution faster by intelligently selecting the next combination of hyperparameters to be evaluated and continuously updating the model based on previous evaluations. In contrast, conventional search methods may require more evaluations to find the optimal solution because they lack intelligent model building and selective evaluation mechanisms. Therefore, Bayesian optimization algorithms have obvious advantages in searching the hyperparameter space efficiently, which can accelerate the process of model tuning and improve the efficiency of hyperparameter tuning. Evaluated Hyperparameters and Objective Values showed in Figure 3:




Figure 3 Evaluated hyperparameters and objective values

B. Bayesian optimization in hyperparameter tuning

Bayesian optimization algorithms are typically able to converge to the optimal solution faster by intelligently selecting the next combination of hyperparameters to be evaluated and continuously updating the model based on previous evaluations. In contrast, conventional search methods may require more evaluations to find the optimal solution because they lack intelligent model construction and selective evaluation mechanisms. The intelligent model construction and selective evaluation strategies of the Bayesian optimization algorithm make it possible to search the hyperparameter space more efficiently, thus accelerating the process of model tuning.

The Bayesian optimization algorithm is able to intelligently select the next combination of hyperparameters to be evaluated and continuously update the model based on previous evaluations. This adaptivity allows the algorithm to better cope with the complexity and multimodality of the hyperparameter space. By integrating the model uncertainty and the existing evaluation results, the algorithm is able to intelligently select the next hyperparameter combination to be evaluated and dynamically adjust the search scope and direction during the search process. This adaptivity enables the algorithm to better mine the potential optimal solutions in the hyperparameter space, which improves the performance and generalization ability of the model, showed in Figure 4:




Figure 4 Comparison of convergence speed

The Bayesian optimization algorithm's intelligent model building and selective evaluation strategies allow it to make more efficient use of previous evaluations. It will continuously update its estimate of the objective function based on the available data and optimize the model by selectively evaluating the most promising combinations of

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on May 05,2026 at 06:13:47 UTC from IEEE Xplore. Restrictions apply.

hyperparameters. This intelligent strategy allows the algorithm to converge to the optimal solution faster than blindly searching the entire hyperparameter space. Therefore, the application of Bayesian optimization algorithms in hyperparameter tuning has obvious advantages, which can accelerate the optimization process of the model and improve the efficiency of tuning.

C. Comparison of the effectiveness of Bayesian optimization algorithms with traditional methods

Bayesian optimization algorithms are typically able to converge to the optimal solution faster by intelligently selecting the next combination of hyperparameters to be evaluated and continuously updating the model based on previous evaluations. In contrast, conventional search methods may require more evaluations to find the optimal solution because they lack intelligent model construction and selective evaluation mechanisms. The intelligent model construction and selective evaluation strategies of the Bayesian optimization algorithm make it possible to search the hyperparameter space more efficiently, thus accelerating the process of model tuning.

The Bayesian optimization algorithm is able to intelligently select the next combination of hyperparameters to be evaluated and continuously update the model based on previous evaluations. This adaptivity allows the algorithm to better cope with the complexity and multimodality of the hyperparameter space. By integrating the model uncertainty and the existing evaluation results, the algorithm is able to intelligently select the next hyperparameter combination to be evaluated and dynamically adjust the search scope and direction during the search process. This adaptivity enables the algorithm to better mine the potential optimal solutions in the hyperparameter space, which improves the performance and generalization ability of the model.

The Bayesian optimization algorithm's intelligent model building and selective evaluation strategies allow it to make more efficient use of previous evaluations. It will continuously update its estimate of the objective function based on the available data and optimize the model by selectively evaluating the most promising combinations of hyperparameters. This intelligent strategy allows the algorithm to converge to the optimal solution faster than blindly searching the entire hyperparameter space. Therefore, the application of Bayesian optimization algorithms in hyperparameter tuning has obvious advantages, which can accelerate the optimization process of the model and improve the efficiency of tuning.

IV. Intelligent Model Building and Selective Evaluation

Another advantage of the Bayesian optimization algorithm lies in its intelligent model construction and selective evaluation strategy. First, the algorithm uses models such as Gaussian processes to model the objective function to better understand the properties of the hyperparameter space. These models are able to automatically learn the underlying laws of the objective function and update the model based on previous evaluation results. Second, when selecting the next combination of hyperparameters to be evaluated, the Bayesian optimization algorithm takes into account model uncertainty and existing evaluation results in order to intelligently select the most promising combination of hyperparameters to evaluate. This mechanism of intelligent model construction and selective evaluation enables the Bayesian optimization algorithm to search the hyperparameter space more efficiently, thus accelerating the process of hyperparameter tuning.

By using intelligent model building and selective evaluation strategies, the Bayesian optimization algorithm is able to make more efficient use of previous evaluations. It will continually update its estimate of the objective function based on the available data and optimize the model by selectively evaluating the most promising combinations of hyperparameters. This intelligent strategy allows the algorithm to converge to the optimal solution faster than blindly searching the entire hyperparameter space. Therefore, the application of Bayesian optimization algorithms in hyperparameter tuning has obvious advantages, which can accelerate the optimization process of the model and improve the efficiency of tuning, demonstrate the application domains of Bayesian optimization algorithm:

$$S = k \log W \tag{6}$$

S is the entropy, W is the number of microstates of the system, and k is the Boltzmann constant.

The intelligent model construction and selective evaluation strategy of the Bayesian optimization algorithm also enables it to better cope with the complexity and multimodality of the hyperparameter space. By integrating the model uncertainty and existing evaluation results, the algorithm is able to intelligently select the next hyperparameter combination to be evaluated and dynamically adjust the search scope and direction during the search process. This adaptivity enables the algorithm to better mine the potential optimal solutions in the hyperparameter space, which improves the performance and generalization ability of the model, showed in Figure 5:




Figure 5 Performance comparison

V. Conclusion

Bayesian optimization algorithms show significant advantages and potential in hyperparameter tuning of machine learning models. By intelligently constructing models, selectively evaluating hyperparameter combinations, and continuously updating the models, Bayesian optimization algorithms are able to efficiently search the hyperparameter space and accelerate the process of model tuning. Compared with traditional search methods, the Bayesian optimization algorithm is more flexible, adaptive, and able to converge to the optimal solution faster, which improves the performance and generalization ability of the model.

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on May 05,2026 at 06:13:47 UTC from IEEE Xplore. Restrictions apply.

In practice, Bayesian optimization algorithms have been widely used in various machine learning tasks, such as image classification, speech recognition, natural language processing, and so on. It provides researchers and engineers with an effective tool that can help them better tune their models and improve their performance and efficiency. At the same time, the Bayesian optimization algorithm also provides new ideas and methods for the development of the field of machine learning and promotes the progress and innovation of the field.

The Bayesian optimization algorithm also has some limitations, such as sensitivity to initial parameter settings and high computational complexity. Future research can further explore how to improve the Bayesian optimization algorithm to address these issues and improve its effectiveness and performance in practical applications. Overall, the Bayesian optimization algorithm, as a powerful hyperparameter optimization tool, will continue to play an important role in future machine learning research and practice, providing strong support for model optimization and improvement.

REFERENCES

[1] Lahmiri S, Tadj C, Gargour C, et al. Optimal tuning of support vector machines and k-NN algorithm by using Bayesian optimization for newborn cry signal diagnosis based on audio signal processing features[J]. Chaos, Solitons & Fractals, 2023, 167:112972-.

[2] Huang Y, Li H, Yu X. A multiview feature fusion model for heartbeat classification[J].Physiological Measurement, 2021, 42(6):065003 (12pp). DOI:10.1088/1361-6579/ac010f.

[3] Ribeirosena M, Erkilinc M S, Dippon T, et al.Bayesian Optimization for Nonlinear System Identification and Pre-distortion in Cognitive Transmitters[J].Journal of Lightwave Technology, 2021, PP(99):1-1. DOI:10.1109/JLT.2021.3083676.

[4] Mantovani R G, Tomá Horváth, André L. D. Rossi, et al. Better trees: an empirical study on hyperparameter tuning of classification decision tree induction algorithms[J].Data Mining and Knowledge Discovery, 2024, 38(3):1364-1416. DOI:10.1007/s10618-024-01002-5.

[5] Chen B, Zheng H, Bao A, et al. Adaptive estimation of multi-regional soil salinization using extreme gradient boosting with Bayesian TPE optimization[J]. International Journal of Remote Sensing, 2022, 43(3):778-811. DOI:10.1080/01431161.2021.2009589.

[6] Nomura Y, Nemoto M, Hayashi N, et al. Pilot study of eruption forecasting with muography using convolutional neural network[J]. Scientific Reports, 2020, 10(1). DOI:10.1038/s41598-020-62342-y.

[7] Callens M L B. Using Random forest and Gradient boosting trees to improve wave forecast at a specific location[J]. Applied Ocean Research, 2020, 104(1).

[8] Martinez-Cantin, Ruben. Funneled Bayesian Optimization for Design, Tuning and Control of Autonomous Systems[J]. IEEE Transactions on Cybernetics, 2016, PP(99):1-12. DOI:10.1109/TCYB.2018.2805695.

[9] Rajita B S A S, Tarigopula P, Ramineni P, et al.Application of Evolutionary Algorithms in Social Networks: A Comparative Machine Learning Perspective[J].New Generation Computing, 2023, 41(2):401-444. DOI:10.1007/s00354-023-00215-4.

[10] Moya A R, Veloso B, Gama J, et al.Improving hyper-parameter self-tuning for data streams by adapting an evolutionary approach[J]. Data Mining and Knowledge Discovery, 2024, 38(3):1289-1315. DOI:10.1007/s10618-023-00997-7.

[11] Yang L, Shami A. On Hyperparameter Optimization of Machine Learning Algorithms: Theory and Practice[J]. Neurocomputing, 2020, 415:295-316. DOI:10.1016/j.neucom.2020.07.061.

Authorized licensed use limited to: BMS Institute of Technology. Downloaded on May 05,2026 at 06:13:47 UTC from IEEE Xplore. Restrictions apply.