



Mantid feed back




THE RESULTS OF
OUR BETA TESTING
ARE IN.



www.dilbert.com scottadams@aol.com

OUR USER INTERFACE
TRIGGERED WIDE-
SPREAD DESPONDENCY
AND SELF-MUTILATION.



7-1-09 © 2009 Scott Adams, Inc./Dist. by UFS, Inc.

OBVIOUSLY WE'LL NEED
TO DELAY OUR LAUNCH
FOR THE PUBLIC GOOD.



WHEN DID YOU
BECOME A
COMMUNIST?



INS feedback Mantid 4.0



- Instrument view
- Uniformity between WB & Mslice plotting L&F
- Interfaces - DGS red. —> Bin it for ISIS and SNS reduction - its used at MLZ
- Port DGS planner, chop, filter events, QE coverage, TOF convertor, Slice Viewer
- Documentation for new interfaces should link to the help
- IPython prompt, Is it ever used?
- Fitting GUI, How should it be implemented, the same or each plot window has a fit
- Multiple workspace fits - how should the UX be
- Plot over needed
- Consistent GUI behaviour or follow the OS (we should follow the OS)
- Plot window list / explorer (with make active ?)
- Catalogue or Gallery of 'fancy' plots with mantid specific code

- Finish MSlice
 - Xtal & event data
 - CLI
 - compatibility with WB (see previous)
 - Phonon DOS
 - history for CLI
- Detector calibration (SNS)
- Slice Viewer Jupyter Notebook compatibility
- Standardisation on resolution convolution
 - McStas /McVine integration