

```
1 /Library/Java/JavaVirtualMachines/jdk-12.0.2.jdk/Contents/  
Home/bin/java "-javaagent:/Applications/IntelliJ IDEA CE.  
app/Contents/lib/idea_rt.jar=57543:/Applications/IntelliJ  
IDEA CE.app/Contents/bin" -Dfile.encoding=UTF-8 -classpath  
/Users/bikash.jha/Desktop/Udacity/JDND-master/projects/  
eCommerce/starter_code/target/classes:/Users/bikash.jha/.m2/  
repository/org/springframework/boot/spring-boot-starter-  
data-jpa/2.1.5.RELEASE/spring-boot-starter-data-jpa-2.1.5.  
RELEASE.jar:/Users/bikash.jha/.m2/repository/org/  
springframework/boot/spring-boot-starter-aop/2.1.5.RELEASE/  
spring-boot-starter-aop-2.1.5.RELEASE.jar:/Users/bikash.jha/  
.m2/repository/org/aspectj/aspectjweaver/1.9.4/  
aspectjweaver-1.9.4.jar:/Users/bikash.jha/.m2/repository/  
org/springframework/boot/spring-boot-starter-jdbc/2.1.5.  
RELEASE/spring-boot-starter-jdbc-2.1.5.RELEASE.jar:/Users/  
bikash.jha/.m2/repository/com/zaxxer/HikariCP/3.2.0/  
HikariCP-3.2.0.jar:/Users/bikash.jha/.m2/repository/org/  
springframework/spring-jdbc/5.1.7.RELEASE/spring-jdbc-5.1.7.  
.RELEASE.jar:/Users/bikash.jha/.m2/repository/javax/  
transaction/javax.transaction-api/1.3/javax.transaction-api  
-1.3.jar:/Users/bikash.jha/.m2/repository/javax/xml/bind/  
jaxb-api/2.3.1/jAXB-api-2.3.1.jar:/Users/bikash.jha/.m2/  
repository/javax/activation/javax.activation-api/1.2.0/  
javax.activation-api-1.2.0.jar:/Users/bikash.jha/.m2/  
repository/org/hibernate/hibernate-core/5.3.10.Final/  
hibernate-core-5.3.10.Final.jar:/Users/bikash.jha/.m2/  
repository/org/jboss/logging/jboss-logging/3.3.2.Final/  
jboss-logging-3.3.2.Final.jar:/Users/bikash.jha/.m2/  
repository/javax/persistence/javax.persistence-api/2.2/  
javax.persistence-api-2.2.jar:/Users/bikash.jha/.m2/  
repository/org/javassist/javassist/3.23.2-GA/javassist-3.23.  
.2-GA.jar:/Users/bikash.jha/.m2/repository/net/bytebuddy/  
byte-buddy/1.9.12/byte-buddy-1.9.12.jar:/Users/bikash.jha/.  
m2/repository/antlr/antlr/2.7.7/antlr-2.7.7.jar:/Users/  
bikash.jha/.m2/repository/org/jboss/jandex/2.0.5.Final/  
jandex-2.0.5.Final.jar:/Users/bikash.jha/.m2/repository/com/  
fasterxml/classmate/1.4.0/classmate-1.4.0.jar:/Users/  
bikash.jha/.m2/repository/org/dom4j/dom4j/2.1.1/dom4j-2.1.1.  
.jar:/Users/bikash.jha/.m2/repository/org/hibernate/common/  
hibernate-commons-annotations/5.0.4.Final/hibernate-commons  
-annotations-5.0.4.Final.jar:/Users/bikash.jha/.m2/  
repository/org/springframework/data/spring-data-jpa/2.1.8.  
RELEASE/spring-data-jpa-2.1.8.RELEASE.jar:/Users/bikash.jha/  
.m2/repository/org/springframework/data/spring-data-  
commons/2.1.8.RELEASE/spring-data-commons-2.1.8.RELEASE.jar  
:/Users/bikash.jha/.m2/repository/org/springframework/  
spring-orm/5.1.7.RELEASE/spring-orm-5.1.7.RELEASE.jar:/  
Users/bikash.jha/.m2/repository/org/springframework/spring-  
context/5.1.7.RELEASE/spring-context-5.1.7.RELEASE.jar:/  
Users/bikash.jha/.m2/repository/org/springframework/spring-
```

```
1 tx/5.1.7.RELEASE/spring-tx-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/spring-beans/5.1.7.RELEASE/spring-beans-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/slf4j/slf4j-api/1.7.26/slf4j-api-1.7.26.jar:/Users/bikash.jha/.m2/repository/org/springframework/spring-aspects/5.1.7.RELEASE/spring-aspects-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-starter-web/2.1.5.RELEASE/spring-boot-starter-web-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-starter/2.1.5.RELEASE/spring-boot-starter-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot/2.1.5.RELEASE/spring-boot-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-autoconfigure/2.1.5.RELEASE/spring-boot-autoconfigure-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-starter-logging/2.1.5.RELEASE/spring-boot-starter-logging-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/ch/qos/logback/logback-classic/1.2.3/logback-classic-1.2.3.jar:/Users/bikash.jha/.m2/repository/ch/qos/logback/logback-core/1.2.3/logback-core-1.2.3.jar:/Users/bikash.jha/.m2/repository/org/apache/logging/log4j/log4j-to-slf4j/2.11.2/log4j-to-slf4j-2.11.2.jar:/Users/bikash.jha/.m2/repository/org/slf4j/jul-to-slf4j/1.7.26/jul-to-slf4j-1.7.26.jar:/Users/bikash.jha/.m2/repository/org/yaml/snakeyaml/1.23/snakeyaml-1.23.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-starter-json/2.1.5.RELEASE/spring-boot-starter-json-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/com/fasterxml/jackson/datatype/jackson-datatype-jdk8/2.9.8/jackson-datatype-jdk8-2.9.8.jar:/Users/bikash.jha/.m2/repository/com/fasterxml/jackson/datatype/jackson-datatype-jsr310/2.9.8/jackson-datatype-jsr310-2.9.8.jar:/Users/bikash.jha/.m2/repository/com/fasterxml/jackson/module/jackson-module-parameter-names/2.9.8/jackson-module-parameter-names-2.9.8.jar:/Users/bikash.jha/.m2/repository/org/hibernate/validator/hibernate-validator/6.0.16.Final/hibernate-validator-6.0.16.Final.jar:/Users/bikash.jha/.m2/repository/javax/validation/validation-api/2.0.1.Final/validation-api-2.0.1.Final.jar:/Users/bikash.jha/.m2/repository/org/springframework/spring-web/5.1.7.RELEASE/spring-web-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/spring-webmvc/5.1.7.RELEASE/spring-webmvc-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/spring-expression/5.1.7.RELEASE/spring-expression-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/springframework/boot/spring-boot-starter-tomcat/2.1.5.RELEASE/spring-boot-starter-tomcat-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/repository/javax/annotation/javax.annotation-api/1.3.2/javax.annotation-api-
```

```

1 1.3.2.jar:/Users/bikash.jha/.m2/repository/org/apache/
tomcat/embed/tomcat-embed-core/9.0.19/tomcat-embed-core-9.0
.19.jar:/Users/bikash.jha/.m2/repository/org/apache/tomcat/
embed/tomcat-embed-el/9.0.19/tomcat-embed-el-9.0.19.jar:/
Users/bikash.jha/.m2/repository/org/apache/tomcat/embed/
tomcat-embed-websocket/9.0.19/tomcat-embed-websocket-9.0.19
.jar:/Users/bikash.jha/.m2/repository/com/h2database/h2/1.4
.199/h2-1.4.199.jar:/Users/bikash.jha/.m2/repository/org/
springframework/spring-core/5.1.7.RELEASE/spring-core-5.1.7
.RELEASE.jar:/Users/bikash.jha/.m2/repository/org/
springframework/spring-jcl/5.1.7.RELEASE/spring-jcl-5.1.7.
RELEASE.jar:/Users/bikash.jha/.m2/repository/org/
springframework/security/spring-security-core/5.1.5.RELEASE
/spring-security-core-5.1.5.RELEASE.jar:/Users/bikash.jha/ .
m2/repository/org/springframework/security/spring-security-
web/5.1.5.RELEASE/spring-security-web-5.1.5.RELEASE.jar:/
Users/bikash.jha/.m2/repository/org/springframework/boot/
spring-boot-starter-security/2.1.5.RELEASE/spring-boot-
starter-security-2.1.5.RELEASE.jar:/Users/bikash.jha/.m2/
repository/org/springframework/spring-aop/5.1.7.RELEASE/
spring-aop-5.1.7.RELEASE.jar:/Users/bikash.jha/.m2/
repository/org/springframework/security/spring-security-
config/5.1.5.RELEASE/spring-security-config-5.1.5.RELEASE.
jar:/Users/bikash.jha/.m2/repository/com/auth0/java-jwt/3.4
.0/java-jwt-3.4.0.jar:/Users/bikash.jha/.m2/repository/com/
fasterxml/jackson/core/jackson-databind/2.9.8/jackson-
databind-2.9.8.jar:/Users/bikash.jha/.m2/repository/com/
fasterxml/jackson/core/jackson-annotations/2.9.0/jackson-
annotations-2.9.0.jar:/Users/bikash.jha/.m2/repository/com/
fasterxml/jackson/core/jackson-core/2.9.8/jackson-core-2.9.
8.jar:/Users/bikash.jha/.m2/repository/commons-codec/
commons-codec/1.11/commons-codec-1.11.jar:/Users/bikash.jha
/.m2/repository/org/apache/logging/log4j/log4j-api/2.6.1/
log4j-api-2.6.1.jar:/Users/bikash.jha/.m2/repository/org/
apache/logging/log4j/log4j-core/2.6.1/log4j-core-2.6.1.jar
com.example.demo.SareetaApplication

2
3
4
5
6
7
8
9 :: Spring Boot ::           (v2.1.5.RELEASE)
10
11 2020-02-12 00:35:03.836  INFO 49310 --- [           main]
    com.example.demo.SareetaApplication      : Starting
    SareetaApplication on Bikashs-MacBook-Pro.local with PID
    49310 (/Users/bikash.jha/Desktop/Udacity/JDND-master/
    projects/eCommerce/starter_code/target/classes started by

```

```
11 bikash.jha in /Users/bikash.jha/Desktop/Udacity/JDND-master  
/projects/eCommerce)  
12 2020-02-12 00:35:03.838 INFO 49310 --- [           main]  
    com.example.demo.SareetaApplication      : No active  
    profile set, falling back to default profiles: default  
13 2020-02-12 00:35:04,049 background-preinit ERROR Unable to  
    locate plugin type for PatternLayoutlog  
14 2020-02-12 00:35:04,090 background-preinit ERROR Unable to  
    locate plugin for PatternLayoutlog  
15 2020-02-12 00:35:04,103 background-preinit ERROR Unable to  
    inject fields into builder class for plugin type class org.  
    apache.logging.log4j.core.appenders.ConsoleAppender, element  
    Console. java.lang.NullPointerException  
16      at org.apache.logging.log4j.core.config.plugins.  
    visitors.PluginElementVisitor.findNamedNode(  
    PluginElementVisitor.java:100)  
17      at org.apache.logging.log4j.core.config.plugins.  
    visitors.PluginElementVisitor.visit(PluginElementVisitor.  
    java:87)  
18      at org.apache.logging.log4j.core.config.plugins.util.  
    PluginBuilder.injectFields(PluginBuilder.java:174)  
19      at org.apache.logging.log4j.core.config.plugins.util.  
    PluginBuilder.build(PluginBuilder.java:121)  
20      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.createPluginObject(  
    AbstractConfiguration.java:918)  
21      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.createConfiguration(  
    AbstractConfiguration.java:858)  
22      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.createConfiguration(  
    AbstractConfiguration.java:850)  
23      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.doConfigure(AbstractConfiguration.  
    java:479)  
24      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.initialize(AbstractConfiguration.java  
    :219)  
25      at org.apache.logging.log4j.core.config.  
    AbstractConfiguration.start(AbstractConfiguration.java:231)  
26      at org.apache.logging.log4j.core.LoggerContext.  
    setConfiguration(LoggerContext.java:491)  
27      at org.apache.logging.log4j.core.LoggerContext.  
    reconfigure(LoggerContext.java:561)  
28      at org.apache.logging.log4j.core.LoggerContext.  
    reconfigure(LoggerContext.java:577)  
29      at org.apache.logging.log4j.core.LoggerContext.start(  
    LoggerContext.java:212)  
30      at org.apache.logging.log4j.core.impl.  
    Log4jContextFactory.getContext(Log4jContextFactory.java:242
```

```
30 )
31     at org.apache.logging.log4j.core.impl.
Log4jContextFactory.getContext(Log4jContextFactory.java:45)
32     at org.apache.logging.log4j.LogManager.getContext(
LogManager.java:174)
33     at org.apache.logging.log4j.LogManager.getLogger(
LogManager.java:618)
34     at org.jboss.logging.Log4j2Logger.<init>(Log4j2Logger.
java:36)
35     at org.jboss.logging.Log4j2LoggerProvider.getLogger(
Log4j2LoggerProvider.java:30)
36     at org.jboss.logging.Log4j2LoggerProvider.getLogger(
Log4j2LoggerProvider.java:26)
37     at org.jboss.logging.LoggerProviders.logProvider(
LoggerProviders.java:156)
38     at org.jboss.logging.LoggerProviders.tryLog4j2(
LoggerProviders.java:129)
39     at org.jboss.logging.LoggerProviders.findProvider(
LoggerProviders.java:91)
40     at org.jboss.logging.LoggerProviders.find(
LoggerProviders.java:34)
41     at org.jboss.logging.LoggerProviders.<clinit>(
LoggerProviders.java:31)
42     at org.jboss.logging.Logger.getLogger(Logger.java:2465)
43     at org.jboss.logging.Logger$1.run(Logger.java:2565)
44     at java.base/java.security.AccessController.
doPrivileged(AccessController.java:310)
45     at org.jboss.logging.Logger.getMessageLogger(Logger.
java:2529)
46     at org.jboss.logging.Logger.getMessageLogger(Logger.
java:2516)
47     at org.hibernate.validator.internal.util.logging.
LoggerFactory.make(LoggerFactory.java:22)
48     at org.hibernate.validator.internal.util.Version.<
clinit>(Version.java:20)
49     at org.hibernate.validator.internal.engine.
ConfigurationImpl.<clinit>(ConfigurationImpl.java:71)
50     at org.hibernate.validator.HibernateValidator.
createGenericConfiguration(HibernateValidator.java:33)
51     at javax.validation.Validation$GenericBootstrapImpl.
configure(Validation.java:296)
52     at org.springframework.boot.autoconfigure.
BackgroundPreinitializer$ValidationInitializer.run(
BackgroundPreinitializer.java:155)
53     at org.springframework.boot.autoconfigure.
BackgroundPreinitializer$1.runSafely(
BackgroundPreinitializer.java:106)
54     at org.springframework.boot.autoconfigure.
BackgroundPreinitializer$1.run(BackgroundPreinitializer.
java:96)
```

```
55      at java.base/java.lang.Thread.run(Thread.java:835)
56
57 2020-02-12 00:35:04,106 background-preinit ERROR Unable to
   invoke factory method in class class org.apache.logging.
   log4j.core.appenders.ConsoleAppender for element Console.
   java.lang.NullPointerException
58      at org.apache.logging.log4j.core.config.plugins.
   visitors.PluginElementVisitor.findNamedNode(
   PluginElementVisitor.java:100)
59      at org.apache.logging.log4j.core.config.plugins.
   visitors.PluginElementVisitor.visit(PluginElementVisitor.
   java:87)
60      at org.apache.logging.log4j.core.config.plugins.util.
   PluginBuilder.generateParameters(PluginBuilder.java:243)
61      at org.apache.logging.log4j.core.config.plugins.util.
   PluginBuilder.build(PluginBuilder.java:131)
62      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.createPluginObject(
   AbstractConfiguration.java:918)
63      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.createConfiguration(
   AbstractConfiguration.java:858)
64      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.createConfiguration(
   AbstractConfiguration.java:850)
65      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.doConfigure(AbstractConfiguration.
   java:479)
66      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.initialize(AbstractConfiguration.
   java:219)
67      at org.apache.logging.log4j.core.config.
   AbstractConfiguration.start(AbstractConfiguration.java:231
   )
68      at org.apache.logging.log4j.core.LoggerContext.
   setConfiguration(LoggerContext.java:491)
69      at org.apache.logging.log4j.core.LoggerContext.
   reconfigure(LoggerContext.java:561)
70      at org.apache.logging.log4j.core.LoggerContext.
   reconfigure(LoggerContext.java:577)
71      at org.apache.logging.log4j.core.LoggerContext.start(
   LoggerContext.java:212)
72      at org.apache.logging.log4j.core.impl.
   Log4jContextFactory.getContext(Log4jContextFactory.java:
   242)
73      at org.apache.logging.log4j.core.impl.
   Log4jContextFactory.getContext(Log4jContextFactory.java:45
   )
74      at org.apache.logging.log4j.LogManager.getContext(
   LogManager.java:174)
```

```
75      at org.apache.logging.log4j.LogManager.getLogger(  
    LogManager.java:618)  
76      at org.jboss.logging.Log4j2Logger.<init>(Log4j2Logger.  
    java:36)  
77      at org.jboss.logging.Log4j2LoggerProvider.getLogger(  
    Log4j2LoggerProvider.java:30)  
78      at org.jboss.logging.Log4j2LoggerProvider.getLogger(  
    Log4j2LoggerProvider.java:26)  
79      at org.jboss.logging.LoggerProviders.logProvider(  
    LoggerProviders.java:156)  
80      at org.jboss.logging.LoggerProviders.tryLog4j2(  
    LoggerProviders.java:129)  
81      at org.jboss.logging.LoggerProviders.findProvider(  
    LoggerProviders.java:91)  
82      at org.jboss.logging.LoggerProviders.find(  
    LoggerProviders.java:34)  
83      at org.jboss.logging.LoggerProviders.<clinit>(  
    LoggerProviders.java:31)  
84      at org.jboss.logging.Logger.getLogger(Logger.java:2465  
    )  
85      at org.jboss.logging.Logger$1.run(Logger.java:2565)  
86      at java.base/java.security.AccessController.  
    doPrivileged(AccessController.java:310)  
87      at org.jboss.logging.Logger.getMessageLogger(Logger.  
    java:2529)  
88      at org.jboss.logging.Logger.getMessageLogger(Logger.  
    java:2516)  
89      at org.hibernate.validator.internal.util.logging.  
    LoggerFactory.make(LoggerFactory.java:22)  
90      at org.hibernate.validator.internal.util.Version.<  
    clinit>(Version.java:20)  
91      at org.hibernate.validator.internal.engine.  
    ConfigurationImpl.<clinit>(ConfigurationImpl.java:71)  
92      at org.hibernate.validator.HibernateValidator.  
    createGenericConfiguration(HibernateValidator.java:33)  
93      at javax.validation.Validation$GenericBootstrapImpl.  
    configure(Validation.java:296)  
94      at org.springframework.boot.autoconfigure.  
    BackgroundPreinitializer$ValidationInitializer.run(  
    BackgroundPreinitializer.java:155)  
95      at org.springframework.boot.autoconfigure.  
    BackgroundPreinitializer$1.runSafely(  
    BackgroundPreinitializer.java:106)  
96      at org.springframework.boot.autoconfigure.  
    BackgroundPreinitializer$1.run(BackgroundPreinitializer.  
    java:96)  
97      at java.base/java.lang.Thread.run(Thread.java:835)  
98  
99 2020-02-12 00:35:04,187 background-preinit ERROR Null  
object returned for Console in Appenders.
```

```

100 2020-02-12 00:35:04,192 background-preinit ERROR Unable to
    locate appender "STDOUT" for logger config "root"
101 2020-02-12 00:35:04.842  INFO 49310 --- [           main]
    ] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping
    Spring Data repositories in DEFAULT mode.
102 2020-02-12 00:35:04.931  INFO 49310 --- [           main]
    ] .s.d.r.c.RepositoryConfigurationDelegate : Finished
    Spring Data repository scanning in 72ms. Found 4
    repository interfaces.
103 2020-02-12 00:35:05.548  INFO 49310 --- [           main]
    trationDelegate$BeanPostProcessorChecker : Bean 'org.
    springframework.transaction.annotation.
    ProxyTransactionManagementConfiguration' of type [org.
    springframework.transaction.annotation.
    ProxyTransactionManagementConfiguration$$EnhancerBySpringC
    GLIB$$b16c7a97] is not eligible for getting processed by
    all BeanPostProcessors (for example: not eligible for auto
    -proxying)
104 2020-02-12 00:35:05.828  INFO 49310 --- [           main]
    o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat
    initialized with port(s): 8080 (http)
105 2020-02-12 00:35:05.859  INFO 49310 --- [           main]
    o.apache.catalina.core.StandardService : Starting
    service [Tomcat]
106 2020-02-12 00:35:05.859  INFO 49310 --- [           main]
    org.apache.catalina.core.StandardEngine : Starting
    Servlet engine: [Apache Tomcat/9.0.19]
107 2020-02-12 00:35:05.983  INFO 49310 --- [           main]
    o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing
    Spring embedded WebApplicationContext
108 2020-02-12 00:35:05.983  INFO 49310 --- [           main]
    o.s.web.context.ContextLoader : Root
    WebApplicationContext: initialization completed in 2017 ms
109 2020-02-12 00:35:06.173  INFO 49310 --- [           main]
    com.zaxxer.hikari.HikariDataSource : HikariPool-1 -
    Starting...
110 2020-02-12 00:35:06.358  INFO 49310 --- [           main]
    com.zaxxer.hikari.HikariDataSource : HikariPool-1 -
    Start completed.
111 2020-02-12 00:35:07.739  INFO 49310 --- [           main]
    j.LocalContainerEntityManagerFactoryBean : Initialized JPA
    EntityManagerFactory for persistence unit 'default'
112 2020-02-12 00:35:08.354  INFO 49310 --- [           main]
    o.s.s.web.DefaultSecurityFilterChain : Creating filter
    chain: any request, [org.springframework.security.web.
    context.request.async.WebAsyncManagerIntegrationFilter@
    582ca1e2, org.springframework.security.web.context.
    SecurityContextPersistenceFilter@998fbfd4, org.
    springframework.security.web.header.HeaderWriterFilter@
    33bfe6d3, org.springframework.web.filter.CorsFilter@

```

```
112 66226ab, org.springframework.security.web.authentication.logout.LogoutFilter@52c6e959, com.example.demo.security.JWTAuthenticationFilter@38093ffe, com.example.demo.security.JWTAuthenticationVerificationFilter@4713b631, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@2d5c160e, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@654db80b, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@7a0d2c80, org.springframework.security.web.session.SessionManagementFilter@4b2acb12, org.springframework.security.web.access.ExceptionTranslationFilter@54f9326c, org.springframework.security.web.access.intercept.FilterSecurityInterceptor@2954c429]
113 2020-02-12 00:35:08.510 INFO 49310 --- [           main] o.s.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService 'applicationTaskExecutor'
114 2020-02-12 00:35:08.552 WARN 49310 --- [           main] aWebConfiguration$JpaWebMvcConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
115 2020-02-12 00:35:08.735 INFO 49310 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with context path ''
116 2020-02-12 00:35:08.737 INFO 49310 --- [           main] com.example.demo.SareetaApplication      : Started SareetaApplication in 5.539 seconds (JVM running for 6.362 )
117
```