FRATERNITY
ENGINEERING & CO.
(SMC-Pvt) Ltd.
MAKES LIFE EASIER

Brand Guidelines

Visual identity system for Fraternity Engineering & Co. (SMC-Pvt) Ltd.

Version 1.0 · November 2026

Brand essence

Makes Life Easier.

FTE builds, powers and protects. One company covers construction and civil works, electrical installation, fire and safety, and general order supply, so clients deal with a single dependable team.

This guide sets out how the FTE identity looks and behaves: the logo, colour, pattern, type, signage, stationery and the mockups that bring them together. Follow it and every FTE touchpoint will look like it came from the same hand.

Contents

01 Primary Logo 03
02 Logo Mark 05
03 Clear Space 06
04 Color System 08
05 Brand Pattern 10
06 Typography 11
07 Signage Design 13
08 Stationery Design 15
09 Brand Mockups 18



Construction



Civil Works



Electrical Works



Fire & Safety



General Order Supplier

01

Primary Logo

The primary logo is the full lockup: crane, building and gear above the slanted FTE monogram, joined to the company name, descriptor and tagline by a fine divider. Use it first, wherever space allows.

The mark carries the story: construction rising inside an engineering gear, with an orange swoosh and “e” for energy and ease.



Mark

Crane, building and gear over a slanted FTE monogram with an orange swoosh.

Wordmark

FRATERNITY in bold italic caps; ENGINEERING & CO. in upright caps.

Support lines

Orange rules flank the descriptor. The tagline is set wide and italic.

01

Logo Versions

Four approved versions cover every background. Choose the one with the strongest contrast.




Full colour

Default on white and light surfaces.




Reversed

On Charcoal Navy and other dark surfaces.



Mono white

On Industrial Orange, photography and one-colour print.



Mono navy

On Stone Beige and for stamps, embossing and fax-style copies.

02

Logo Mark

The mark stands alone when the full lockup will not fit or would be redundant: avatars, app icons, stamps, embroidery, favicons and merchandise. The name should appear nearby in the same layout.

Use the full-colour mark on light grounds and the reversed mark on dark. Use mono white on Industrial Orange.









In use


App icon


Social avatar


Stamp centre


Favicon 48 · 32 · 20 px

03

Clear Space

Give the logo room to breathe. The clear space on every side equals x, the height of the orange “e” in the monogram. Keep text, edges and other graphics outside this zone.

Minimum size

Primary logo

Print 40 mm wide

Screen 160 px wide

Logo mark

Print 12 mm wide

Screen 32 px wide



x = height of the “e”

03

Logo Misuse


Never alter the logo. These are the most common errors.



Do not stretch or squash



Do not rotate or tilt



Do not recolour



Do not add shadows or effects



Do not place on low-contrast grounds



Do not crop or rearrange

04

Color System

Charcoal Navy and Industrial Orange lead. Warm Cream sets the base, the neutrals add warmth and structure, and Graphite Brown gives depth. CMYK values are conversions; confirm with a printed proof.

Charcoal Navy

Primary · Corporate

#1F2A37

RGB 31 42 55
CMYK 44 24 0 78

Industrial Orange

Primary · Accent

#FF6B00

RGB 255 107 0
CMYK 0 58 100 0

Warm Cream

Secondary · Base

#F4EDE0

RGB 244 237 224
CMYK 0 3 8 4

Stone Beige

Neutral · Support

#D9C6B2

RGB 217 198 178
CMYK 0 9 18 15

Steel Gray

Neutral · Modern

#8A8F98

RGB 138 143 152
CMYK 9 6 0 40

Graphite Brown

Accent · Depth

#4B3F36


RGB 75 63 54
CMYK 0 16 28 71

04

Color in Use

Proportion

Lead with navy and cream, then spend orange on the single thing that matters on each layout.



38% 28% 14% 9% 6% 5%

Approved pairings

Aa 12.5:1 AAA — Cream on Navy	Aa 12.5:1 AAA — Navy on Cream	Aa 5.1:1 AA — Orange on Navy
Aa 5.1:1 AA — Navy on Orange	Aa 2.9:1 Decoration only — White on Orange	Aa 2.5:1 Decoration only — Orange on Cream

Colour rules

- **Orange is an accent.**
  Use it for buttons, rules, icons and one headline emphasis. Not for long body text on cream.
- **Dark pages use Charcoal Navy.**
  Pair with Warm Cream type. Orange works for highlights on navy at any size.
- **Orange grounds take navy text.**
  Navy on orange measures 5.1:1. White text on orange is only 2.9:1, so keep it to the logo and large graphics.
- **Neutrals support.**
  Stone Beige and Steel Gray for panels, dividers and captions. Graphite Brown for deep shadows and body text on cream.

Tints


100%	80%	60%	40%	20%
100%	80%	60%	40%	20%


05

Brand Pattern

Four patterns drawn from the logo give layouts texture without clutter. Use one per layout, keep it quiet behind content, and never run it behind body text.


- **Blueprint Grid**
  Survey grid with crosshair nodes and slanted orange beams from the monogram.
- **Gear Line**
  Interlocking gear outlines, with a few orange hubs.
- **Swoosh**
  Layered crescents echoing the swoosh beneath the “e”.
- **Mark Repeat**
  The mark in a half-drop repeat at low opacity.











06

Typography

Barlow gives headlines an engineered, forward-leaning confidence. Lato keeps reading text calm and clear. Both are free Google Fonts, so every team and printer can install them.

Primary typeface · Headings, titles and key statements

Barlow

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

0 1 2 3 4 5 6 7 8 9 & @ % # ( )

Secondary typeface · Body text, descriptions and interface

Lato

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z

0 1 2 3 4 5 6 7 8 9 & @ % # ( )

Weights and usage

Barlow Bold	Main headings
Barlow SemiBold	Section headings, highlights
Barlow Medium	Subheadings
Lato Bold	Buttons and key labels
Lato Regular	Body text and paragraphs
Lato Light	Supporting text and captions

06

Typography in Use



Type scale

Display	Barlow Bold · 72 / 76 px
Heading 1	Barlow Bold · 54 / 58 px
Heading 2	Barlow SemiBold · 36 / 40 px
Heading 3	Barlow Medium · 24 / 28 px
Body	Lato Regular · 16 / 25 px
Caption	Lato Light · 12 / 18 px
Button	Lato Bold · 16 / 20 px

Sentence case for headings and buttons. Capitals only for the small orange kicker, with tracking opened by about 8%. Keep lines under 70 characters. If Barlow or Lato are unavailable, fall back to Arial.

07 · Signage Design

Storefront

Signage is the brand at street scale. Navy fascias, a reversed logo and one orange line make the shop readable from across the road, day and night.

- **Fascia**
  Charcoal Navy ACP panel, reversed logo in cream, orange base line. Halo-lit or lamp-lit at night.
- **Glazing vinyl**
  White cut vinyl: service icons, tagline and shop number. Keep the eye-line band clear.
- **Blade sign**
  Double-sided navy panel with the reversed mark, visible to passing traffic.
- **Door decal**
  Mono white mark with the shop number beneath.



Street elevation · Shop # 01, I&T Center, G-8/1

07 · Signage Design

Site Signage

On site, the navy hoarding with the reversed logo and the five service icons tells the public who is building. Supporting signs carry the same palette, mark and type.

- **Site hoarding**
  Printed on 440 gsm flex or ACP, bolted to the perimeter fence at eye height.
- **Roll-up banner**
  For meetings, expos and site offices. Mark at the top, services below.
- **Directional signs**
  Navy panels, cream type, orange arrows.
- **Safety notice**
  Orange header band with the PPE pictograms in navy and white.



Cards

Cards use the standard 89 × 51 mm size. The front is the logo alone on navy; the back carries the person and the three ways to reach FTE. The orange variant can serve as a mark-only card for site teams.

- **Stock**
  350 gsm matte, soft-touch laminate.
- **Finish**
  Spot UV on the logo mark or the orange swoosh.
- **Type**
  Name in Barlow Bold, details in Lato Regular at 9 pt minimum.
- **Contact**
  Always show both phone numbers, email and the G-8/1 address.



Primary card · Site-team card

Stamps

Official stamps use the mark as their centre and set the company name in Barlow Bold. One-colour ink only: Logo Navy for legal and official use, Industrial Orange for internal and status stamps.

- **Company seal**
  40 mm round, name on the ring, mark at centre.
- **Address stamp**
  60 × 30 mm, for letters, delivery notes and invoices.
- **Status stamps**
  Approved and Received, in orange, with date and signature lines.
- **Hardware**
  Self-inking holders in navy or orange.
















Self-inking stamp holders in navy and orange

08 · Stationery Design

Pens & Mugs

Giveaways extend the brand to clients' desks. Keep them simple: one logo, one colour pair, the tagline set small and wide.

- **Pens**
  Metal or soft-touch barrel, orange clip and tip. Logo mark plus company name and tagline along the barrel, pad-printed.
- **Mugs**
  330 ml ceramic. Navy with orange base, cream with navy band, or full orange with mono white mark.
- **Print**
  Maximum two spot colours from the palette. Allow clear space around the logo.



Company Vehicle

A white body keeps the vehicle clean and visible. The full-colour logo sits on the white panel, contact numbers run along the navy skirt, and an orange swoosh leads the eye to the cab.



09 · Brand Mockups

Site Uniform & PPE

Safety gear is the most visible brand surface on site. Industrial Orange is already high-visibility; the navy mark on chest and logo on back make crews identifiable at a glance.





Safety helmets

Mark on the front, white or cream





Hi-vis vest, front and back

Navy mark at chest, full logo on the back




ID card and lanyard

Navy lanyard, cream mark


09 · Brand Mockups

Digital Presence

On screen the identity is lighter: navy header, a quiet blueprint grid in the hero, orange only for actions, and navy icons on cream.



Website



Social profile



Email signature



Social cover

09 · Brand Mockups

Corporate Documents

Letterhead, envelope, presentation folder and cards share one system: logo top-left, a navy and orange rule, the mark as a quiet watermark, and contact details in the footer.



FRATERNITY
ENGINEERING & CO.
(SMC-Pvt) Ltd.
MAKES LIFE EASIER

Makes Life Easier.

Shop # 01, Block # 54, I&T Center, G-8/1, Islamabad

fraternityengineering@gmail.com · **0331-5095004** · **051-2331654**