FRATERNITY ENGINEERING & CO. (SMC-Pvt) Ltd.

MAKES LIFE EASIER

Brand guidelines

The visual identity system for Fraternity Engineering & Co. (SMC-Pvt) Ltd.

VERSION 1.1 · NOVEMBER 2026 · ISLAMABAD, PAKISTAN

Makes Life Easier.

FTE builds, powers and protects. One company covers construction and civil works, electrical installation, fire and safety, and general order supply, so clients deal with a single dependable team.

This guide sets out how the identity looks and behaves: logo, colour, pattern, type, icons, voice, signage, stationery and the mockups that bring them together. Follow it and every FTE touchpoint will look like it came from the same hand.

CONTENTS

01 Logo 03
02 Colour 08
03 Pattern 10
04 Typography 11
05 Icons and voice 13
06 Signage 15
07 Stationery 17
08 Brand mockups 20



Construction



Civil works



Electrical works



Fire & safety



General order supplier

Primary logo

The full lockup: crane, building and gear above the slanted FTE monogram, joined to the company name, descriptor and tagline by a fine divider. Use it first, wherever space allows.

The mark carries the story: construction rising inside an engineering gear, with an orange swoosh and “e” for energy and ease.



1 Logo mark
Crane, building and gear over the slanted FTE monogram and orange swoosh.

2 Divider
A fine vertical rule that separates mark from wordmark.

3 Wordmark
FRATERNITY in bold italic caps; ENGINEERING & CO. in upright caps.

4 Descriptor
(SMC-Pvt) Ltd., flanked by two orange rules.

5 Tagline
Makes Life Easier, set wide and italic.

Logo versions


Four approved versions cover every background. Choose the one with the strongest contrast, and never place a version on a ground it was not drawn for.




Full colour — Default on white and light surfaces.



Reversed — On Charcoal and other dark surfaces.



Mono white — On Industrial Orange, photography and one-colour print.



Mono charcoal — On Stone Beige; also for stamps, embossing and fax-style copies.

Logo mark

The mark stands alone when the full lockup will not fit or would be redundant: avatars, app icons, stamps, embroidery, favicons and merchandise. Show the company name nearby.

Full-colour mark on light grounds, reversed mark on dark, mono white on Industrial Orange.









IN USE


App icon



Social avatar


Stamp centre


Favicon · 48 / 32 / 20 px

Clear space

Give the logo room to breathe. The clear space on every side equals **x**, the height of the orange “e” in the monogram. Keep text, edges and other graphics outside this zone.



x = height of the “e” (about 14% of the logo width)

MINIMUM SIZE



Primary logo

Print 40 mm wide

Screen 160 px wide



Logo mark

Print 12 mm wide

Screen 32 px wide

Logo misuse


Never alter the logo. These are the six errors we see most often, on briefs, on screens and at the printer.



✕ Do not stretch or squash



✕ Do not rotate or tilt



✕ Do not recolour



✕ Do not add shadows or effects



✕ Do not place on low-contrast grounds



✕ Do not crop or rearrange

Colour palette

Deep Navy and Industrial Orange lead. Charcoal carries dark layouts, Warm Cream sets the base, and the neutrals add warmth and structure.

PRIMARY · IN THE LOGO

Deep Navy

#0B1F3A
RGB 11 31 58
CMYK 81 47 0 77

PRIMARY · DARK GROUNDS

Charcoal

#1F2A37
RGB 31 42 55
CMYK 44 24 0 78

ACCENT

Industrial Orange

#FF6B00
RGB 255 107 0
CMYK 0 58 100 0

BASE

Warm Cream

#F4EDE0
RGB 244 237 224
CMYK 0 3 8 4

NEUTRAL

Stone Beige

#D9C6B2
RGB 217 198 178
CMYK 0 9 18 15

NEUTRAL

Steel Grey

#8A8F98
RGB 138 143 152
CMYK 9 6 0 40

DEPTH

Graphite Brown

#4B3F36
RGB 75 63 54
CMYK 0 16 28 71

TINTS



Charcoal · 100 / 80 / 60 / 40 / 20%



Orange · 100 / 80 / 60 / 40 / 20%

Deep Navy is the navy printed in the logo. Charcoal is its working partner for dark backgrounds, mono logos and text. CMYK values are conversions; always confirm colour with a printed proof.

Colour in use

Lead with cream and charcoal, then spend orange on the single thing that matters on each layout.

PROPORTION



36% Cream · 24% Charcoal · 12% Deep Navy · 9% Stone · 9% Orange · 6% Steel · 4%

APPROVED PAIRINGS

Aa — Cream on Charcoal — 12.5 : 1 AAA	Aa — Charcoal on Cream — 12.5 : 1 AAA	Aa — Orange on Charcoal — 5.1 : 1 AA	Aa — Charcoal on Orange — 5.1 : 1 AA
Aa — Deep Navy on Stone — 10.0 : 1 AAA	Aa — Graphite on Cream — 8.7 : 1 AAA	Aa — White on Orange — 2.9 : 1 LOGO AND LARGE GRAPHICS ONLY	Aa — Orange on Cream — 2.5 : 1 DECORATION ONLY

COLOUR RULES

Orange is an accent

Buttons, rules, icons and one headline emphasis. Never long body text on cream.

Dark pages use Charcoal

Pair with Warm Cream type. Orange works for highlights on Charcoal at any size.

Orange grounds take dark text

Charcoal on orange reads at 5.1 : 1. White on orange is reserved for the logo and large graphics.


Neutrals support


Stone and Steel for panels, dividers and captions on dark. Graphite for body text on cream.

Brand pattern

Four patterns drawn from the logo give layouts texture without clutter. Use one per layout, keep it quiet behind content, and never run it behind body text.


- **Blueprint grid**
  Survey grid with crosshair nodes and slanted orange beams taken from the monogram.
- **Gear line**
  Interlocking gear outlines in Steel Grey, with a few orange hubs.
- **Swoosh**
  Layered crescents that echo the swoosh beneath the “e”.
- **Mark repeat**
  The mark in a half-drop repeat at low opacity.











Typography

Barlow gives headlines an engineered, forward-leaning confidence. Lato keeps reading text calm and clear. Both are free Google Fonts, so every team and printer can install them.

PRIMARY · HEADINGS AND KEY STATEMENTS

Barlow

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
0 1 2 3 4 5 6 7 8 9 & @ % # ( )

WEIGHTS AND USAGE

Barlow Bold	Main headings
Barlow SemiBold	Section headings, highlights
Barlow Medium	Subheadings

SECONDARY · BODY TEXT AND INTERFACE

Lato

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
0 1 2 3 4 5 6 7 8 9 & @ % # ( )

WEIGHTS AND USAGE

Lato Bold	Buttons and key labels
Lato Regular	Body text and paragraphs
Lato Light	Supporting text and captions

Typography in use



TYPE SCALE

Display	Barlow Bold · 72 / 76 px
Heading 1	Barlow Bold · 54 / 58 px
Heading 2	Barlow SemiBold · 36 / 40 px
Heading 3	Barlow Medium · 24 / 28 px
Body	Lato Regular · 16 / 25 px
Caption	Lato Light · 12 / 18 px
Button	Lato Bold · 16 / 20 px

Sentence case for headings and buttons. Capitals only for the small kicker, with tracking opened by about 8%. Keep lines under 70 characters. Never set body text below 9 pt in print or 14 px on screen. If Barlow or Lato are unavailable, fall back to Arial.

Sizes shown are the specification; samples on this page are scaled to fit.

Service icons

Five icons, one for each service, drawn in the same weight with a single orange accent. Always show them in this order.



Construction

Buildings and structures, from foundation to finish.



Civil works

Roads, bridges, drainage and site development.



Electrical works

Installation, wiring, panels and power distribution.



Fire & safety

Detection, suppression, extinguishers and site protection.



General order supplier

Materials and equipment sourced and delivered to order.



USING THE ICONS

- Navy and orange on cream or white; cream and orange on Charcoal.
- Never smaller than 24 px or 6 mm. Leave half the icon height clear on every side.
- Do not recolour the orange accent or fill the icons with a solid shape.

Brand voice

FTE sounds like the person you would want running your site: plain, specific and dependable. Say what is being built, who is doing it and when it will be done.

Plain

Short sentences and everyday words. Describe the work, not the ambition.

SAY

"We build the structure and wire it."

AVOID

~~"End-to-end infrastructure synergies."~~

Specific

Name the scope, the place and the date. Numbers beat adjectives.

SAY

"Fire alarm and sprinkler installation, handed over on schedule."

AVOID

~~"World-class safety excellence."~~

Dependable

One team and one point of contact. Promise only what we can deliver.

SAY

"One team from foundation to final fix."

AVOID

~~"The best in the industry."~~

NAME AND TAGLINE

First mention

Fraternity Engineering & Co. (SMC-Pvt) Ltd.

After that

FTE, or Fraternity Engineering

Tagline

Makes Life Easier, always in this order and spelling

Never


Fraternity Engineers, FTE Pvt, F.T.E.

Examples are illustrative. Replace them with real project language as the company builds its reference list.

Storefront

Signage is the brand at street scale. A charcoal fascia, a reversed logo and one orange line make the shop readable from across the road, day and night.

- **Fascia**
  Charcoal ACP panel, reversed logo in cream, orange base line. Halo-lit or lamp-lit at night.
- **Glazing vinyl**
  White cut vinyl: service icons, tagline and shop number. Keep the eye-line band clear.
- **Blade sign**
  Double-sided charcoal panel with the reversed mark, visible to passing traffic.
- **Door decal**
  Mono white mark with the shop number beneath.



Street elevation · Shop # 01, Block # 54, I&T Center, G-8/1, Islamabad

Site signage

On site, the charcoal hoarding with the reversed logo and the five service icons tells the public who is building. Supporting signs carry the same palette, mark and type.

- **Site hoarding**
  Printed on 440 gsm flex or ACP, bolted to the perimeter fence at eye height.
- **Roll-up banner**
  For meetings, expos and site offices. Mark at the top, services below.
- **Directional signs**
  Charcoal panels, cream type, orange arrows.
- **Safety notice**
  Orange header band with the PPE pictograms in cream on charcoal.




Business cards

Cards use the standard 89 × 51 mm size. The front is the logo alone on charcoal; the back carries the person, then phone, email and address. The orange variant is a mark-only card for site teams.

- **Stock**
  350 gsm matte, soft-touch laminate.
- **Finish**
  Spot UV on the logo mark or the orange swoosh.
- **Type**
  Name in Barlow Bold, details in Lato Regular at 9 pt minimum.
- **Contact**
  Always show both phone numbers, the email and the G-8/1 address.



Primary card · front



Primary card · back



Site-team card · front



Site-team card · back

Stamps

Official stamps use the mark as their centre and set the company name in Barlow Bold. One-colour ink only: Deep Navy for legal and official use, Industrial Orange for internal and status stamps.

- **Company seal**
  40 mm round, name on the ring, mark at centre.
- **Address stamp**
  60 × 30 mm, for letters, delivery notes and invoices.
- **Status stamps**
  Approved and Received, in orange, with date and signature lines.
- **Hardware**
  Self-inking holders in charcoal or orange.



Pens and mugs

Giveaways extend the brand to clients' desks. Keep them simple: one logo, one colour pair, the tagline set small and wide.

- **Pens**
  Metal or soft-touch barrel, orange clip and tip. Logo mark, company name and tagline along the barrel, pad-printed.
- **Mugs**
  330 ml ceramic. Charcoal with orange base, cream with charcoal band, or full orange with mono white mark.
- **Print**
  Maximum two spot colours from the palette. Allow clear space around the logo.



Company vehicle

A white body keeps the vehicle clean and visible. The full-colour logo sits on the white panel, contact numbers run along the charcoal skirt, and an orange swoosh leads the eye to the cab.



Vehicle shown is a generic van elevation; scale the same layout to the actual vehicle template.

Site uniform and PPE

Safety gear is the most visible brand surface on site. Industrial Orange is already high-visibility; the charcoal mark on the chest and the logo on the back make crews identifiable at a glance.



Safety helmets
Mark on the front, white or cream




Hi-vis vest, front and back
Charcoal mark at chest, full logo on the back




ID card and lanyard
Charcoal lanyard, reversed logo

Digital presence

On screen the identity is lighter: a charcoal header, a quiet blueprint grid in the hero, orange only for actions, and navy icons on cream.



Website



Social profile



Email signature



Social cover

Corporate documents

Letterhead, envelope, presentation folder and cards share one system: logo top-left, a charcoal and orange rule, the mark as a quiet watermark, and contact details in the footer.











SYSTEM

- Logo top-left
- Charcoal and orange rule
- Mark as watermark at 5% opacity
- Contact details in the footer
- A4 · 90 gsm uncoated

FRATERNITY
ENGINEERING & CO.
(SMC-Pvt) Ltd.
MAKES LIFE EASIER

Makes Life Easier.

Shop # 01, Block # 54, I&T Center, G-8/1, Islamabad

fraternityengineering@gmail.com · 0331-5095004 · 051-2331654