

**Blockchain Security | Smart Contract Audits | KYC** 



# PlayZap

# Audit

Security Assessment 30. May, 2022

For



Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	17
Source Units in Scope	19
Critical issues	20
High issues	20
Medium issues	20
Low issues	20
Informational issues	21
Commented Code exist	21
Audit Comments	22
SWC Attacks	23

### **Disclaimer**

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	30. May 2022	<ul><li>Layout project</li><li>Automated-/Manual-Security Testing</li><li>Summary</li></ul>

#### Network

Binance Smart Chain (BEP20)

### Website

https://www.playzap.games/

### **Telegram**

https://t.me/playzap

#### **Twitter**

https://twitter.com/PlayZapGames

#### Discord

https://discord.gg/YYPAyJpyqm

### LinkedIn

https://www.linkedin.com/company/playzap-games/?viewAsMember=true

## **Description**

Enter the PlayZap Metaverse, win PVP battles, collect NFTs, interact with other users, earn valuable rewards and generate income for yourself.

### **Project Engagement**

During the 27th of May 2022, **PlayZap Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.





# Contract Link v1.0

- Vesting
  - https://gist.github.com/SunnyNavani/ 4442ab41b3e2bce22f710e1ce09400d0
- Escrow
  - https://gist.github.com/SunnyNavani/ 42122b652d7a489a4de2fa2b472d3476
- PZP\_Token
  - https://gist.github.com/SunnyNavani/ 4916c31c89350acbd7632349d5d323e4
- PZPIncentivePool
  - https://gist.github.com/SunnyNavani/ 3e60f7b6874f557e8df3f97e06076bbd

# **Vulnerability & Risk Level**

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)	
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.	
High	<b>High</b> 7 – 8.9		Implementation of corrective actions as soon aspossible.	
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.	
<b>Low</b> 2-3.9		A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.	
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk	

# Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

# Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
  - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
  - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
  - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

# **Used Code from other Frameworks/Smart Contracts (direct imports)**

#### Imported packages:

Context

Ownable

IERC20

IERC20Metadata

ERC20

達 SafeMath

Context

IERC20

IERC20Metadata

ERC20

SafeMath

IERC20

IERC20Metadata

Context

ERC20

**Ownable** 

Context

Ownable

IERC20

IERC20Metadata

ERC20

### **Tested Contract Files**

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

#### **v1.0**

File Name	SHA-1 Hash
contracts/Vesting.sol	67f33a5ccd5baf7118a8f47cf5e0267563526b31
contracts/Escrow.sol	a86beeb6969ecec5024f9e18c398cb58358d072a
contracts/PZP_Token.sol	e03b0403de2b8f14a0ad1957bf5f98000d5252fb
contracts/PZPIncentivePool.sol	c2f13d743c276893da191f30c76e42add64b6339

# **Metrics**

# Source Lines v1.0



# **Capabilities**

### Components

Version	Contracts	Libraries	Interfaces	Abstract	
1.0	8	2	8	7	

## **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Vers	sion	Public	Payable	
1.0		105	0	

Version	External	Internal Private		Pure	View	
1.0	45	160	0	26	63	

## **State Variables**


Version	Total	Public
1.0	45	11

# **Capabilities**

Version	Solidity Versions observed	Experim ental Features	Can Receive Funds	Uses Assembl Y	Has Destroya ble Contract s
1.0	^0.8.0				


Version	Transfer s ETH	Low- Level Calls	Deleg ateCa II	Uses Hash Function s	EC Rec ove r	New/ Create/ Create2
1.0	yes					

# Inheritance Graph v1.0



# **CallGraph**

#### **v1.0**



# **Scope of Work/Verify Claims**

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

1. Overall checkup (Smart Contract Security)



# Write functions of contract v1.0

### releaseMyTokens

#### **PZTokens**

setOwner

mint

transferERC20

burn

burnFrom

renounceOwnership

transferOwnership

transfer

approve

transferFrom

increaseAllowance

decreaseAllowance

setOwnership

PurchaseTickets

CollectPrize

**PrizeTokenDistribution** 

setBlacklist

renounceOwnership

transferOwnership

# **Overall checkup (Smart Contract Security)**




### Legend


Attribute	Symbol
Verfified / Checked	$\checkmark$
Partly Verified	<b>P</b>
Unverified / Not checked	X
Not available	-

# Modifiers and public functions

### v1.0



- renounceOwnership
   onlyOwner
   transferOwnership
   onlyOwner
- ✓ \$ setOwner
  ✓ onlyOwner
  ✓ mint
  Ø onlyOwner
  ✓ transferERC20
  Ø onlyOwner
  burn
  burnFrom
- transfer
  approve
  transferFrom
  increaseAllowance
  decreaseAllowance
- ✓ \$ renounceOwnership
   ⊚ onlyOwner
   ✓ \$ transferOwnership
   ⊚ onlyOwner



✓ ♦ releaseMyTokensØ onlyBeneficiaries

#### Comments

- · Deployer can enable/disable following state variables
  - blacklist
- Deployer can set following addresses
  - \_owner
- Existing Modifiers
  - onlyOwner
  - · onlyBeneficiaries
- Owner can
  - · mint new tokens to a specific address
  - · Transfer address tokens to specific address
  - Blacklist addresses
- Anyone can burn own tokens

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

# **Source Units in Scope**

### v1.0

Туре	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
<b>≥</b> €Q	contracts/Vesting.sol	4	2	997	864	386	464	198	<u>*</u> *Σ
<b></b>	contracts/Escrow.sol	4	2	661	566	235	334	173	<u></u>
<b>∌≧</b> Q <b>♦</b>	contracts/PZP_Token.sol	5	2	878	757	263	468	175	<u>•</u> *Σ
<b>70</b>	contracts/PZPIncentivePool.sol	4	2	621	522	200	335	143	<u>♣</u> ; <u>⊹</u> Σ
<b>∌≧</b> Q <b>%</b>	Totals	17	8	3157	2709	1084	1601	689	≛⊹Σ

### Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
nSLOC	normalized source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

# **Audit Results**

# **AUDIT PASSED**

### **Critical issues**

### No critical issues

# **High issues**

# No high issues

### **Medium issues**

Issue	File	Type	Line	Description
#1 Escrow	Escrow	Uninitialized state variable	595	The contract does not work as supposed to be because token cannot be set and is not set.
				Token state variable was used in the following functions:
				<ul><li>PurchaseTickets</li><li>CollectPrize</li></ul>

# Low issues

Issue	File	Type	Line	Description
#1	Main	Contract doesn't import npm packages from source (like OpenZeppelin etc.)		We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities
#2	All	A floating pragma is set	At the top of source files	The current pragma Solidity directive is ""^0.8.0"".

#3	Escrow	State variable visibility is not set	595	It is best practice to set the visibility of state variables explicitly
#4	PZP_To ken	State variables shadowing	831	Rename the state variables that shadow another component

# Informational issues

Issue	File	Туре	Line	Description
#1	Escrow	State variables that could be declared constant (constable-states)	504	Add the `constant` attributes to state variables that never change
#2	Vesting	State variables that could be declared constant (constable-states)	762-771	Add the `constant` attributes to state variables that never change
#3	Main	NatSpec documentation missing		If you started to comment your code, also comment all other functions, variables etc.
#4	Escrow	Wrong multiplication	644	Function multiplicands address length with 10^18 which is not correct. For loop is only iteration through addresses length
#5	Escrow	Wrong math operation	644	If you want to iterate through addresses array you don't have to multiply the length of addresses with 10^18.
#6	All	Unnecessary Safemath library	See description	Since pragma version 0.8.x solidity implements overflow/ underflow protection by default.
#7	Escrow	Todo comment in constructor	See description	Add token into the constructor to set it

# **Commented Code exist**

There are some instances of code being commented out in the following files that should be removed:

File	Line	Comment
------	------	---------

PZP_Toke	855	/////require(msg.value == amount,"Amount should be equal");
PZPIncen tivePool	611	////require(msg.value == amount,"Amount should be equal");

### Recommendation

Remove the commented code, or address them properly.

### **Audit Comments**

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <a href="https://docs.soliditylang.org/en/v0.5.10/natspec-format.html">https://docs.soliditylang.org/en/v0.5.10/natspec-format.html</a>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

### 30. May 2022:

· Read whole report and modifiers section for more information

# **SWC Attacks**

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SW</u> <u>C-1</u> <u>21</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
<u>SW</u> <u>C-1</u> <u>20</u>	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> <u>C-11</u> <u>7</u>	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
SW C-1 06	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
SW C-1 04	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
SW C-1 03	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	NOT PASSED
<u>SW</u> <u>C-1</u> <u>02</u>	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED



**Blockchain Security | Smart Contract Audits | KYC** 

MADE IN GERMANY