

**Blockchain Security | Smart Contract Audits | KYC Development | Marketing** 

MADE IN GERMANY

Oris

Audit

**Security Assessment** 20. May, 2023

**ÖRIS** 





Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Tested Contract Files	8
Source Lines	9
Risk Level	9
Capabilities	10
Inheritance Graph	11
CallGraph	12
Scope of Work/Verify Claims	13
Modifiers and public functions	23
Source Units in Scope	24
Critical issues	25
High issues	25
Medium issues	25
Low issues	25
Informational issues	25
Audit Comments	25
SWC Attacks	26

## **Disclaimer**

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	16. May 2023	<ul><li>Layout project</li><li>Automated-/Manual-Security Testing</li><li>Summary</li></ul>

#### **Network**

Polygon

#### Website

www.oriscoin.com

## **Facebook**

https://www.facebook.com/oriscoin

## Instagram

https://www.instagram.com/oriscoin/

## **Description**

Oris is a groundbreaking project, aiming to integrate blockchain ecosystems with real-world applications. The ORIS token, fuels an extensive ecosystem that spans NFTs, Digital Gaming, and eCommerce. The token is used for diverse applications including staking, payment solutions, rewards, and enabling unique content. Furthermore, Oris is designed to be an umbrella over multiple standalone projects, collectively creating a network of success.

## **Project Engagement**

During the Date 27 of April 2023, **The Oris Team** engaged Solidproof.io to audit the Token smart contract that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.

## Logo



## Contract Link v1.0

 https://mumbai.polygonscan.com/token/ 0xF758EB95Ae2EE2d5B03126dBe6dc7213a391Ee67

**Note for Investors:** We only Audited a simple ERC20 token contract for **The Oris Team**. However, If the project has other contracts (for example, a Presale contract etc), and they were not provided to us in the audit scope then we cannot comment on its security and we are not responsible for it in any way.

## **Vulnerability & Risk Level**

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	O – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

# Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

## Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
  - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
  - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
  - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

## **Tested Contract Files**

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

#### **v1.0**

File Name	SHA-1 Hash
contracts/	dd641e92101c0adcdb3bc9e6ad12e0bea2c2f5
OrisToken.sol	18

## **Metrics**

## Source Lines v1.0




## **Capabilities**

## **Components**

<b>⊘</b> Contracts	<b>E</b> Libraries	Interfaces	Abstract
1	0	0	0

#### **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.




External	Internal	Private	Pure	View
0	3	0	0	1


#### **StateVariables**



#### Capabilities





## Inheritance Graph v1.0



## CallGraph

**v1.0** 





## **Scope of Work/Verify Claims**

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Is contract an upgradeable
- 2. Correct implementation of Token standard
- 3. Deployer cannot mint any new tokens
- 4. Deployer cannot burn or lock user funds
- 5. Deployer cannot pause the contract
- 6. Deployer cannot set fees
- 7. Deployer cannot blacklist/antisnipe addresses
- 8. Overall checkup (Smart Contract Security)

## Is contract an upgradeable

Name	
Is contract an upgradeable?	No



## **Correct implementation of Token standard**

ERC20				
Function	Description	Exist	Tested	Verified
TotalSupply	Provides information about the total token supply	$\checkmark$	<b>√</b>	✓
BalanceOf	Provides account balance of the owner's account	$\checkmark$	<b>√</b>	✓
Transfer	Executes transfers of a specified number of tokens to a specified address	<b>√</b>	<b>√</b>	<b>√</b>
TransferFrom	Executes transfers of a specified number of tokens from a specified address	<b>√</b>	<b>√</b>	<b>√</b>
Approve	Allow a spender to withdraw a set number of tokens from a specified account	<b>√</b>	<b>√</b>	<b>√</b>
Allowance	Returns a set number of tokens from a spender to the owner	<b>√</b>	1	<b>√</b>

## Write functions of contract v1.0

1. approve (0x095ea7b3)	
2. decreaseAllowance (0xa457c2d7)	
3. increaseAllowance (0x39509351)	
4. mint (0xd0047acf)	
5. renounceOwnership (0x715018a6)	
6. transfer (0xa9059cbb)	
7. transferFrom (0x23b872dd)	
8. transferOwnership (0xf2fde38b)	

## **Deployer cannot mint any new tokens**

Name	Exist	Tested	Status
Deployer can mint	$\checkmark$	<b>√</b>	X
Max / Total Supply	80_000_000		

#### Comments:

#### **v1.0**

- Owner can mint new tokens to any arbitrary account until the max supply is reached.
- The minted tokens can be locked for any amount of time for the receiver address by the owner. Moreover, the token receiver can only transfer the minted tokens once the lock time has passed
- On the other hand, it is on the owner's discretion to set the time and it can also be set to a few seconds in the future.

## Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	-	-	-
Deployer cannot burn	-	-	-



## **Deployer cannot pause the contract**

Name	Exist	Tested	Status
Deployer cannot pause	-	-	-



## **Deployer cannot set fees**

Name	Exist	Tested	Status
Deployer cannot set fees over 25%	-	-	-
Deployer cannot set fees to nearly 100% or to 100%	-	_	_



## Deployer can blacklist/antisnipe addresses

Name	Exist	Tested	Status
Deployer cannot blacklist/antisnipe addresses	-	-	_



## **Overall checkup (Smart Contract Security)**



## Legend

Attribute	Symbol
Verified / Checked	$\checkmark$
Partly Verified	×
Unverified / Not checked	X
Not available	-

## Modifiers and public functions v1.0

## **Ownership Privileges**

Check Page 17

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

## **Source Units in Scope** v1.0

File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score
contracts/OrisToken.sol	1		40	32	24	2	19
Totals	1		40	32	24	2	19

## Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalised lines of the source unit (e.g. normalises functions spanning multiple lines)
nSLOC	normalised source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

## **Audit Results**

## **Critical issues**

#### No critical issues

## **High issues**

## No high issues

## **Medium issues**

### No medium issues

## Low issues

#### No low issues

### Informational issues

Issue	File	Type	Line	Description
#1	Main	NatSpec documentation missing	_	If you started to comment your code, also comment all other functions, variables etc.

## **Audit Comments**

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <a href="https://docs.soliditylang.org/en/latest/natspec-format.html">https://docs.soliditylang.org/en/latest/natspec-format.html</a>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

## 20. May 2023:

- · Read whole report and modifiers section for more information
- · The owner can mint a limited amount of tokens
- There is no ownership in the contract

## **SWC Attacks**

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> <u>C-1</u> <u>24</u>	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
SW C-1 23	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
SW C-1 21	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> <u>C-11</u> <u>7</u>	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
SW C-1 09	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED
SW C-1 07	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
<u>SW</u> <u>C-1</u> <u>04</u>	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
<u>SW</u> <u>C-1</u> <u>03</u>	Floating Pragma	CWE-664: Improper Control of a Resource Through its Lifetime	PASSED
<u>SW</u> <u>C-1</u> <u>02</u>	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED







Blockchain Security | Smart Contract Audits | KYC Development | Marketing

