VYORA

A world made for connection · Installation & Deployment Guide

Created by Dev Brian

This guide takes you from the downloaded `vyora.zip` all the way to the app installed on your phone. Follow it top to bottom; each phase depends on the one before it.

Phase 0 — Install the tools (one time)

1. **Node.js 18 or newer** — install the LTS build from nodejs.org, then verify:

   ```
   node -v   # should print v18.x or higher
   npm -v
   ```

2. A **code editor** (optional) such as VS Code.
3. Free accounts: **Supabase**, a Git host (**GitHub** is easiest), and **Vercel**.

Phase 1 — Extract the project

1. Locate `vyora.zip` where you downloaded it.
2. Unzip it: *Windows* right-click → Extract All; *macOS* double-click; *Linux* `unzip vyora.zip`.
3. You now have a `vyora/` folder. Open a terminal inside it:

   ```
   cd path/to/vyora
   ```

   Running `ls` (or `dir`) should show `package.json`, `src/`, `supabase/`, `docs/`, `README.md`.

> **Do not double-click `index.html`.** VYORA is a Vite app; the raw file references `/src/main.tsx` and will always show a blank page when opened directly. It must be run with `npm run dev` or built and served.

Phase 2 — Set up the backend (Supabase)

1. Go to app.supabase.com → **New project**. Set a name, a strong DB password, a nearby region; wait ~2 minutes.
2. **Run the migrations in order.** Open **SQL Editor** → **New query**, then paste & **Run** each file from `vyora/supabase/migrations/`, one at a time, in this order:
   a. `0001_schema.sql` (tables)
   b. `0002_functions.sql` (triggers + RPCs)
   c. `0003_rls.sql` (security policies)
   d. `0004_storage.sql` (file buckets)

   Each should report *Success*. Skip `seed.sql` unless you want demo rows.
3. **Enable email auth:** Authentication → Sign In / Providers → enable **Email**. For easy first testing, turn **Confirm email OFF**.
4. *(Optional, for instant chat)* enable **Realtime** for the `messages` and `notifications` tables.
5. **Copy your keys:** Project Settings → API → copy the **Project URL** and the **anon / public** key.

> **Never** copy the `service_role` key into this project. The app uses only the public anon key; security is enforced by Row Level Security.

Phase 3 — Run it locally

1. Create your env file in the `vyora/` folder:

   ```
   cp .env.example .env.local      # Windows: copy .env.example .env.local
   ```

   Then edit `.env.local`:

   ```
   VITE_SUPABASE_URL=https://YOUR-REF.supabase.co
   VITE_SUPABASE_ANON_KEY=your-public-anon-key
   ```

2. Install dependencies:

   ```
   npm install
   ```

3. Start the dev server:

   ```
   npm run dev
   ```

   Open the printed URL (usually `http://localhost:5173`).

4. **Smoke-test:** sign up, create a post, upload an avatar, send a message from a second account. The rows and files should appear in your Supabase dashboard.
5. Confirm the production build compiles:

   ```
   npm run build
   ```

> **If you see a "VYORA needs to be connected" screen:** your `.env.local` is missing, misnamed, or the dev server wasn't restarted after you created it. Fix the two values and restart `npm run dev` — Vite only reads env files at startup.

Phase 4 — Deploy to the web (Vercel)

1. Put the project on GitHub:

   ```
   git init
   git add .
   git commit -m "Initial VYORA"
   git remote add origin https://github.com/YOUR-USER/vyora.git
   git branch -M main
   git push -u origin main
   ```

   Your keys stay private — `.gitignore` already excludes `.env.local`.

2. In **Vercel**: Add New → Project → Import your `vyora` repo. It auto-detects **Vite** (build `npm run build`, output `dist`).
3. Add the two **Environment Variables** (Production + Preview): `VITE_SUPABASE_URL` and `VITE_SUPABASE_ANON_KEY`.
4. Click **Deploy** and wait for "Ready". You get a live URL like `https://vyora-xxxx.vercel.app`.
5. **Tell Supabase your live domain:** Authentication → URL Configuration → add the Vercel URL to **Site URL** and the redirect allow-list; save.
6. Open the live URL and sign up fresh to confirm.

Phase 5 — Install it as an app (PWA)

1. **Android (Chrome):** open the live URL → menu (⋮) → **Install app** / Add to Home screen.

2. **iPhone (Safari):** open the live URL → **Share** → **Add to Home Screen**.
3. **Desktop (Chrome/Edge):** click the **install icon** in the address bar → Install.
4. VYORA now launches full-screen with its own icon, and the app shell loads even offline.

Troubleshooting

Blank page / "needs to be connected"	Env vars missing or misspelled. Re-check `.env.local` (local) or Vercel env vars, then restart / redeploy.
Blank when opening index.html directly	Expected — run `npm run dev` instead; a Vite app can't run from `file://`.
Can't log in on the live site	You skipped the Supabase **Site URL** step (Phase 4, step 5).
"Confirm your email" on signup	Check your inbox, or turn off Confirm email in Supabase for testing.
Images won't upload	Migration `0004_storage.sql` didn't run — run it again.
Chat/notifications not instant	Enable Realtime for `messages` and `notifications` tables.